







**LEGEND**

- (A) ITEM 401042 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 70-22 (NON-CARBONATE STONE)
- (B) ITEM 401012 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE B, 160 GYRATIONS, PG 70-22
- (C) ITEM 401019 - BITUMINOUS CONCRETE, SUPERPAVE, BITUMINOUS CONCRETE BASE COURSE, 115 GYRATIONS, PG 64-22
- (D) ITEM 301001 - GRADED AGGREGATE BASE COURSE, TYPE B
- (E) ITEM 908004 - TOPSOIL, 6" DEPTH  
ITEM 908014 - PERMANENT GRASS SEEDING, DRY GROUND
- (F) ITEM 209006 - BORROW, TYPE F
- (G) ITEM 908020 - EROSION CONTROL BLANKET MULCH (8' WIDTH MIN.)
- (H) ITEM 760010 - PAVEMENT MILLING, BITUMINOUS CONCRETE PAVEMENT
- (I) SAFETY EDGE FOR ROADWAY PAVEMENT
- (J) ITEM 701016 - I.P.C.C. CURB AND GUTTER, TYPE 1-4 OVER 4" OF GABC, TYPE B
- (K) ITEM 908004 - TOPSOIL, 6" DEPTH  
ITEM 908021 - TURF REINFORCEMENT MAT, TYPE 1  
ITEM 908014 - PERMANENT GRASS SEEDING, DRY GROUND
- (L) ITEM 720021 - GALVANIZED STEEL BEAM GUARDRAIL
- (M) ITEM 701011 - P.C.C. CURB, TYPE 1-4 OVER 4" OF GABC, TYPE B
- (N) ITEM 401034 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 64-22, WEDGE
- (O) ITEM 705001 - P.C.C. SIDEWALK, 4" OVER 4" OF GABC, TYPE B
- (P) ITEM 701023 - I.P.C.C. CURB AND GUTTER, TYPE 3-8 OVER 4" OF GABC, TYPE B
- (Q) ITEM 401026 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 64-22, PATCHING
- (R) ITEM 301002 - GRADED AGGREGATE BASE COURSE, TYPE B, PATCHING
- (S) ITEM 709001 - PERFORATED PIPE UNDERDRAIN, 6"

MATERIAL TYPE	BINDER GRADE	LIFT THICKNESS (IN)	
		MINIMUM	MAXIMUM
TYPE C (4.75 MM MIX)	ALL	0.5	1.0
TYPE C (9.5 MM MIX)	ALL	1.25	2.0
TYPE C (12.5 MM MIX)	ALL	1.5	2.0
TYPE B (19 MM MIX)	76-22, 70-22	2.25	4.0
TYPE B (19 MM MIX)	64-22	2.25	6.0
TYPE BCBC (25 MM MIX)	64-22	3.0	6.0
GABC	-	4.0	8.0



**DISCLAIMER:**  
THIS EXAMPLE PLAN SET IS INTENDED TO BE A GUIDELINE FOR PREPARING A SET OF PLANS AND BASIC GUIDANCE FOR THE GENERAL APPEARANCE OF A SET OF PLANS. IT IS NOT INTENDED TO BE A SET OF CADD STANDARDS OR TO PROVIDE DESIGN GUIDANCE. PLEASE REFER TO THE DESIGN RESOURCE CENTER (DRC) FOR THE LATEST CADD UPDATES AND VARIOUS OTHER DOCUMENTS FOR DESIGN GUIDANCE.

ADDENDA / REVISIONS

NOT TO SCALE

**HSIP SC, SR24 AT CAMP  
ARROW HEAD ROAD AND  
SR24 AT ANGOLA ROAD**

CONTRACT  
T201200902  
COUNTY  
SUSSEX

BRIDGE NO.  
**N/A**

DESIGNED BY: W. NAUMAN  
CHECKED BY: C. ESHAM


**TYPICAL SECTIONS**

SECTION  
PD  
SHEET NO.  
7


**LEGEND**

- (A) ITEM 401042 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 70-22 (NON-CARBONATE STONE)
- (B) ITEM 401012 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE B, 160 GYRATIONS, PG 70-22
- (C) ITEM 401019 - BITUMINOUS CONCRETE, SUPERPAVE, BITUMINOUS CONCRETE BASE COURSE, 115 GYRATIONS, PG 64-22
- (D) ITEM 301001 - GRADED AGGREGATE BASE COURSE, TYPE B
- (E) ITEM 908004 - TOPSOIL, 6" DEPTH  
ITEM 908014 - PERMANENT GRASS SEEDING, DRY GROUND
- (F) ITEM 209006 - BORROW, TYPE F
- (G) ITEM 908020 - EROSION CONTROL BLANKET MULCH (8' WIDTH MIN.)
- (H) ITEM 760010 - PAVEMENT MILLING, BITUMINOUS CONCRETE PAVEMENT
- (I) SAFETY EDGE FOR ROADWAY PAVEMENT
- (J) ITEM 701016 - I.P.C.C. CURB AND GUTTER, TYPE 1-4 OVER 4" OF GABC, TYPE B
- (K) ITEM 908004 - TOPSOIL, 6" DEPTH  
ITEM 908021 - TURF REINFORCEMENT MAT, TYPE 1  
ITEM 908014 - PERMANENT GRASS SEEDING, DRY GROUND
- (L) ITEM 720021 - GALVANIZED STEEL BEAM GUARDRAIL
- (M) ITEM 701011 - P.C.C. CURB, TYPE 1-4 OVER 4" OF GABC, TYPE B
- (N) ITEM 401034 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 64-22, WEDGE
- (O) ITEM 705001 - P.C.C. SIDEWALK, 4" OVER 4" OF GABC, TYPE B
- (P) ITEM 701023 - I.P.C.C. CURB AND GUTTER, TYPE 3-8 OVER 4" OF GABC, TYPE B
- (Q) ITEM 401026 - BITUMINOUS CONCRETE, SUPERPAVE, TYPE C, 160 GYRATIONS, PG 64-22, PATCHING
- (R) ITEM 301002 - GRADED AGGREGATE BASE COURSE, TYPE B, PATCHING
- (S) ITEM 709001 - PERFORATED PIPE UNDERDRAIN, 6"


MATERIAL TYPE	BINDER GRADE	LIFT THICKNESS (IN)	
		MINIMUM	MAXIMUM
TYPE C (4.75 MM MIX)	ALL	0.5	1.0
TYPE C (9.5 MM MIX)	ALL	1.25	2.0
TYPE C (12.5 MM MIX)	ALL	1.5	2.0
TYPE B (19 MM MIX)	76-22, 70-22	2.25	4.0
TYPE B (19 MM MIX)	64-22	2.25	6.0
TYPE BCBC (25 MM MIX)	64-22	3.0	6.0
GABC	-	4.0	8.0




**ANGOLA ROAD SUPERELEVATION SECTION**  
STATION 206+50 TO 215+25



**SHOULDER WITH GUARDRAIL**  
STATION 209+00 TO 212+50



**RIGHT TURN LANE WITH GUARDRAIL**  
STATION 212+00 TO 214+00



**SHOULDER WITH GUARDRAIL**  
STATION 210+25 TO 212+00

**DISCLAIMER:**  
THIS EXAMPLE PLAN SET IS INTENDED TO BE A GUIDELINE FOR PREPARING A SET OF PLANS AND BASIC GUIDANCE FOR THE GENERAL APPEARANCE OF A SET OF PLANS. IT IS NOT INTENDED TO BE A SET OF CADD STANDARDS OR TO PROVIDE DESIGN GUIDANCE. PLEASE REFER TO THE DESIGN RESOURCE CENTER (DRC) FOR THE LATEST CADD UPDATES AND VARIOUS OTHER DOCUMENTS FOR DESIGN GUIDANCE.

14-MAY-2021 13:05 \\DOT\F08\Cadd\Active\_Designs\SUSSEX\024\road\T201200902\Plans\MODEL PLANS ONLY\T5.dgn

ADDENDA / REVISIONS		NOT TO SCALE	HSIP SC, SR24 AT CAMP ARROW HEAD ROAD AND SR24 AT ANGOLA ROAD	CONTRACT	BRIDGE NO.	N/A	SECTION
				T201200902	DESIGNED BY:	W. NAUMAN	
			COUNTY	CHECKED BY:	C. ESHAM	SHEET NO.	
			SUSSEX			8	