INTRODUCTION

With the advent of automation, the acquisition, transmission, storage, analysis, and presentation of traffic data has changed over the years. The Traffic Monitoring System (TMS) in DelDOT is substantially different from what it was just a short time ago. Several years ago, the Division of Planning began using Jackalope and Viper software to retrieve and analyze traffic data collected in the field more effectively. The use of these two programs ensures that this report is in compliance with the principles of 'Truth-in-Data' reporting requirements and conforms to federal reporting standards. This report contains traffic data for all roadway segments of the highway network under DelDOT's jurisdiction, which represents approximately 90% of all roadways in the State of Delaware. The details of the collection process, analysis, and reporting of traffic data, along with other features relevant to traffic monitoring, are outlined in this document.

HIGHWAY NETWORK

Highways and Streets have been grouped into functional classes or systems as required by the Federal Highway Administration. The Functional Classification Systems are based on traffic characteristics and the function that each roadway serves as part of the entire network. The <u>Functional Classification Maps</u> of the highway network for each county, as well as the State, are published and continually updated as required.

Within this link, links to the Functional Classification System Maps for the State and each county can also be found.

TRAFFIC COUNTS

Automatic Traffic Recorder (ATR) Stations

The ATR stations are traffic volume counter stations permanently installed throughout the Road Inventory network covering all functional classifications of highways except on Local Streets. These ATR stations, along with their identification numbers and the functional classifications of the roadway segments where they are located, have been listed on the following pages. Equipped with loop detectors, these ATR stations count the number of all vehicles passing through each location, continuously throughout the year, and transmit the recorded data to the traffic monitoring computers at the Office of Information Technology (OIT) headquarters for electronic data processing. A map of all the ATR locations has been included for ease of use.

The 2020 monthly traffic data at ATR stations are included. ADT denotes Average Daily Traffic, in this case for each month, and AADT is the Annual Average Daily Traffic for all 365 days of the year.

Wavetronix Device

Wavetronix Traffic Detection Devices are sensors used for collecting vehicle volumes and class with the reliability of radars and the advantages of being a non-intrusive detection system. Wavetronix are used to collect data along segments of roads where high traffic volumes make it impossible to use pneumatic tubes or prevents the installation of Automatic Traffic Recorders (ATR).

System Detectors

System Detectors are devices located at traffic intersections throughout the state used for collecting volume only data using in-pavement loop sensors. These devices are highly reliable and were added to Delaware's Traffic Counts program in 2022.

Traffic Pattern Group (TPG)

Eight groups have been established to represent the traffic characteristics of all roads on the Road Inventory network. These Traffic Pattern Groups, ranging from TPG 1 through TPG 8 along with the permanent ATR stations covered by each TPG are reflected in the Traffic Pattern Group table.

As mentioned previously, the Functional Classification Maps for the highways in Delaware, by each county as well as for the entire State, are available from the DelDOT Mapping Section. Therefore, the TPG for any roadway segment or link on the entire Road Inventory can be easily determined with the Functional Classification Maps, except for designated Recreational Routes.

Recreational Routes, which carry rather heavy traffic during summer months, constitute a special traffic group under TPG 8. Those designated Recreational Routes of TPG 8 are: SR 9 in Kent County, SR 1 in Kent and Sussex Counties, as well as US 9, SR 6, SR 16, SR 18, SR 23, SR 24, SR 26, SR 54, SR 404 in Sussex County. Also included in TPG 8 are road segments, primarily in Sussex County which are in and around the Beach area. See AADT tables for TPG on all roadway links, including those on Recreational Routes, of the Road Inventory network.

ATR DISTRIBUTION ACROSS TRAFFIC PATTERN GROUPS (TPG)

TPG TYPE ROUTE STATION

WIN	CLASS	VOLUME	TOLL	SYSTEM DETECTORS	WAVETRONIX

1 Interstate, Freeways & Expressways T8000 T8001 T8002 8004 81042

KD0035 ND0024 ND0027 ND0028 ND0029

ND0030 ND0032 ND0034 ND0075 ND0077

ND0078 ND0090 ND0091 ND0097 ND0104

ND0106 ND0120 ND0124 ND0128 ND0147

ND0148 ND0194 ND0224 ND0228 ND0232

2 Urban Non-Local 8015 T8052 8056

8061 8096

K109 K110 K001P K169 K242 N483 N531

ND0004

4 Urban Local NONE

N374 N358 N382 N359

PD4966 PD4967

5 Rural Arterials 8053 8068 8074

8085 8088 <mark>8095</mark>

S133 S113 N033P N293 K220 K295

KD0011

7

8 Recreational

T8051 T8055 8076 8078

8084 8075

S338 S115 S124 S232 S275 S137

SD0007

AUTOMATIC TRAFFIC RECORDERS (ATR)& ASSIGNMENT

Types of data collected: Volume: Volume only

Class: Volume and Vehicle Class

WIM: Weight, Volume, Class and Speed

ID	LOCATION	GROUP_	FUNC_CLASS	TYPE
8000	I-95 Toll Plaza	Urban	Interstate	Tolls
8001	I-295 Delaware Memorial Bridge	Urban	Interstate	Tolls
8002	Biddle's Corner Toll Plaza	Urban	Interstate	Tolls
8004	I-495 Boulevard Body Shop	Urban	Interstate	WIM
8005	DE 9 Near I-295	Urban	Minor Arterial	RETIRED
8011	US 202 @ Widener Coll Rocky Run Pkwy	Urban	Other Princ Art	RETIRED
8012	Foulk & Simon Road	Urban	Minor Arterial	RETIRED
8013	Limestone Road & Arundel Dr.	Urban	Other Princ Art	RETIRED
8014	DE 2 East of Newark (Windy Hills)	Urban	Other Princ Art	RETIRED
8015	US 40 Pleasant Valley	Urban	Other Princ Art	WIM
8016	US 301 N of Hoober Equipment	Rural	Princ Arterial	RETIRED
8017	DE 896 & DE 71	Rural	Princ Arterial	RETIRED

8018	DE 1 N Wm. Roth Bridge	Rural	Princ Arterial	RETIRED
8019	DE 9 & Reedy Point Bridge	REC	Major Collector	RETIRED
8020	DE 4 Christiana Pkwy.	Urban	Other Princ Art	RETIRED
8021	DE 273 (Nottingham RD) MD Line	Urban	Minor Arterial	RETIRED
8022	DE 7 (Limestone Rd.) PA Line	Urban	Other Princ Art	RETIRED
8023	DE 52 (Kennett Pike) PA Line	Rural	Volume	RETIRED
8024	NC 427 N of NC 429	Rural	Local Road	RETIRED
8026	DE 7 S. OF Little Baltimore	Urban	Other Princ Art	RETIRED
8028	US 13 S of Old St. Georges Bridge	Rural	Minor Arterial	RETIRED
8030	US 202 & P.A. Line	Urban	Other Princ Art	RETIRED
8031	DE 92 Naamans Rd @ 202	Urban	Other Princ Art	RETIRED

8051	Dover Toll Plaza	Urban	Other Princ Art	Tolls
8050	DE 10 E of State Rd.	Rural	Major Collector	WIM
3049	Puncheon Run Connector	Urban	Other Princ Art	RETIRED
8048	Scarborough Road	Urban	Minor Arterial	RETIRED
3047	DE 1 & DE 42	Rural	Other Princ Art	RETIRED
3046	DE 1 & DE 6	Rural	Other Princ Art	RETIRED
8045	K 11 & DE 9	REC	Major Collector	RETIRED
8044	DE 9 & K 12	REC	Major Collector	RETIRED
8043	DE 8 West of Dover	Urban	Other Princ Art	RETIRED
8042	K 195	Urban	Major Collector	RETIRED
8041	K 88 N of K 337	Rural	Major Collector	RETIRED
8040	US 13 & Dover Downs	Urban	Other Princ Art	RETIRED
8039	I-495 near DE 92	Urban	Interstate	RETIRED
8038	I-95 near DE 92	Urban	Interstate	RETIRED
8037	DE 1 & Paddock Road	Rural	Princ Arterial	RETIRED
8036	US 13 & Smyrna Rest Area	Pred Rec	Minor Arterial	RETIRED
8035	NC 14 @ US13	U R	Princ Arterial	RETIRED
8034	US 13 @ NC 14	U R	Princ Arterial	RETIRED
8033	Boyd's Corner Rd. @ US 301	U R	Other Princ Art	RETIRED

8052	Denney's Road Toll Plaza	Urban	Minor Arterial	Tolls
8053	Tower Hill Rd, State Fair	Rural	Princ Arterial	VOLUME/CLASS
8054	US 13 N. of Cheswold	Rural	Minor Arterial	RETIRED
8056	MIA/POW	Urban	Minor Arterial	VOLUME
8060-61	US 13 @ Bay Rd Split	Urban	Princ Arterial	VOLUME
8062	US 113 & DE 1	Urban	Other Princ Art	RETIRED
8064	RT6 at the De/Md line	Rural	Other Princ Art	RETIRED
8065	RT330 at the De/Md line	Rural	Princ Arterial	RETIRED
8066	DE 10 Near Drapers Mill Rd.	Rural	Princ Arterial	VOLUME
8067	DE 12 Bernite Mill Rd. near Maryland Line	Rural	Princ Arterial	RETIRED
8068	DE 14 Burrswille near Knife Box Rd.	Rural	Princ Arterial	VOLUME
8069	DE 404 Wooden Hawk	Pred Rec	Other Princ Art	RETIRED

8070	DE 36 Between S 207 & S 620	Urban	Major Collector	RETIRED
8071	DE 404 West of Bridgeville	Pred Rec	Other Princ Art	RETIRED
8072	US 13 S of DE 16	Rural	Princ Arterial	RETIRED
8073	DE 18 W of Georgetown	REC	Other Princ Art	RETIRED
8074	US 113 S of Georgetown	Rural	Princ Arterial	WIM
8075	DE 1 S of DE 16	Pred Rec	Other Princ Art	WIM
8076	DE 1 N of Ocean Outlets	REC	Other Princ Art	WIM
8077	DE 1 Fenwick	Pred Rec	Other Princ Art	RETIRED
8078	DE 54 W of Fenwick	REC	Major Collector	VOLUME
8079	US 13 & SC 534	Rural	Princ Arterial	RETIRED
8080	DE 16 W of Greenwood	REC	Major Collector	RETIRED
8081	DE36 W of DE 16	REC	Major Collector	RETIRED
8082	US 113 Georgetown	Rural	Princ Arterial	RETIRED
8083	DE 16 E of S 44	Pred Rec	Major Collector	RETIRED
8084	DE 9 E of Harbeson	Pred Rec	Minor Arterial	VOLUME
8085	DE 20 E of MD Line	REC	Minor Arterial	VOLUME
8086	DE 9 Hardscrabble	REC	Major Collector	RETIRED
8087	US 13 N of DE 54 Delmar	REC	Other Princ Art	RETIRED

8088	US 113 N of Selbyville	REC	Other Princ Art	VOLUME
8089	DE 24 Love Creek Bridge	Pred Rec	Major Collector	RETIRED
8090	DE 26 Assawoman Bridge	Pred Rec	Minor Arterial	RETIRED
8091	DE 1 Barratts Chapel	Rural	Other Princ Art	RETIRED
8092	DE 1 & 10 St.	Pred Rec	Other Princ Art	RETIRED
8093	DE 18 E. OF MD LINE	Pred Rec	Other Princ Art	RETIRED
8094	US 113 S of 625 Lincoln	REC	Minor Arterial	RETIRED
8095	US 113 Ellendale	REC	Minor Arterial	WIM
8096	US 13 Bridgeville Police	Rural	Other Princ Art	WIM
8097	DE 1 N of Indian River	Pred Rec	Other Princ Art	RETIRED
8098	DE 54 near De/Md line	Rural	Other Princ Art	VOLUME
8099	DE 1 N Fenwick New	Pred Rec	Other Princ Art	RETIRED
8140	Sussex 26 near Maryland Line	Rural	Other Princ Art	RETIRED
81042	NC I-95	Rural	Other Princ Art	WIM

Wavetronix devices Data collected: Volume and Class

ND016	195
ND024	195
ND027/28	195
ND029	195
ND0104	195
ND0106	195
ND0151	195
ND030	195
ND032	195
ND075	195

ND077	195
ND087	195
ND090	195
ND091	195
ND097	195
ND0120	I495
ND0124	I495
ND0128	1495
ND0147/148	1495
ND034	I495
ND078	1495
ND0194	US301
ND0224	US301
ND0228	US301
ND0232	US301

System Detectors Data Collected: Volume

System Detectors	Direction	Station Number	Location
K109	South	3617	S Dupont Highway
K110	North	3617	US13 S Dupont Highway
K001P	South	8040	US13 S Dupont Highway
К169	North	8040	US13 S Dupont Highway
K242	Bi-Directional	0991	N/S, US13 Dupont Highway
N483	South	0699	Summit Bridge Road
N531	North	0699	Summit Bridge Road
N374	West	0070	Kirkwood Highway
N358	East	0070	Kirkwood Highway
S133	South	2109	US113 Dupont Blvd
S113	North	2109	US113 Dupont Blvd

N033P	North	0041	Kennett Pike SR52
N293	South	0041	Kennett Pike SR52
K220	North	0909	US13 S Dupont Highway
K295	South	0909	US13 S Dupont Highway
S248	North	6201	US13 S Dupont Highway
S247	South	6201	US13 S Dupont Highway
\$338	West	8084	US9 Lewes Georgetown Highway
S115	East	8084	US9 Lewes Georgetown Highway
S124	West	6239	Lighthouse Road
S232	East	6239	Lighthouse Road
S275	South	1985	SR1 Coastal Highway
S137	North	1985	SR1 Coastal Highway

Growth Factors

The AADT of each ATR station for 2022 was compared with the previous year's AADT respectively, and the rate of change of AADT, was developed into a factor. Such changes at all ATR stations under each TPG, termed as Growth Factor, are presented below.

TPG: 1 2 4 5 7 8

Growth Factor: <u>1.023 0.926 1.032 0.989 1.213 1.013</u>

Coverage Count Program

There were 3,560 roadway segments on the Road Inventory network of DelDOT in 2022. Of these, there are 76 segments where permanent stations were operational, accurate hour-by- hour traffic volume data were continuously recorded throughout the year, processed, and analyzed. For the remaining 3,484 links, the annual traffic data was calculated using short-term traffic count or estimated applying growth factors. These factors are generated along with the statistical information using the permanent station data.

The coverage count program in Delaware has recently been revised, allowing for complete coverage of the Road inventory network on either an annual, three or six year cycle. The advent of this schedule of traffic data collection requirements insures accurate data on all roadway segments in the Road inventory network. On average, there are approximately 900 short- duration counts performed annually. Most volume counts are performed for a one-week period. Pneumatic rubber hoses, which count axles and not vehicles, are used in the coverage count program. Since the number of axles in motor vehicles are variable, appropriate Axle Correction Factors (ACF) are applied to convert the counted axles into the number of vehicles. The Axle Correction Factors are derived from the vehicle classification program, at both short-term and permanent sites.

Furthermore, the ADT over a period of one week is obtained in the coverage count program. To estimate

the AADT, Seasonal Adjustment Factors (SAF) are applied to account for weekly traffic variations

over the course of the year.

Thus, ADT = Coverage Count * ACF and,

AADT = ADT * SAF

The SAF, in this case, pertains to the particular month of the year in which the coverage count is

conducted. Based on the recorded data retrieved from ATR stations, the SAF for each of the 12 months

of the year, computed for all Traffic Pattern Groups, is calculated and stored in the traffic-

monitoring database. The applicable SAF was used in the determination of AADT at all coverage count

sites for 2022. For those highway links that were not counted in 2022, the AADT data were obtained by

multiplying previous year's AADT with the applicable Growth Factor.

K and D Factors

K is the proportion of AADT on a roadway segment or link during the Design Hour, i.e. the hour in which

the 30th highest hourly traffic flow of the year takes place.

The Design Hourly Volume of a roadway segment or link is its 30th highest hourly traffic volume

of the year in vehicles per hour and is denoted by DHV.

Thus the **K** factor is given by,

DHV = K * AADT

D is the proportion of DHV occurring in the heavier direction, and is called the Directional Split. Thus **D** ≥ 0.5

The Directional Design Hourly Volume, denoted by DDHV, is given by, DDHV

$$= \mathbf{D} * \mathbf{DHV}$$

From the database of ATR stations, the average values for the 30th Highest Hourly Volume as well as the corresponding Directional Split for each Traffic Pattern Group for 2020.

To determine the K and D values of a roadway segment or link, the first course of action is to obtain its TPG. Having known the TPG of the roadway segment or link, its K and D values can be determined for 2022.

Note: Both short term counts and ATR data was used to produce the factor numbers

Traffic Pattern	K-Factor	D-Factor	Truck %	6 Average
Group			SINGLE UNIT	COMBO UNIT
1	10.5	56.7	7.5	6.3
2	10.9	56.3	6.4	0.9
4	12.4	58.6	10.1	0.8
5	11.8	55.1	10.3	1.9
7	14.2	58.9	15.5	1.7
8	10.3	53.8	13.3	1.1

AADT

TRAFFIC VOLUME DATA

As explained in the foregoing, the AADT has been determined for each of the 3,560 segments of the Road Inventory network. Beginning in 2021 the Vehicle Volume Summary or Traffic Counts will no longer be available in a book format. The annual results will be available through an interactive map created by DelDot called **Gateway**. Each segment will include 10 years of historical data, inventory road numbers, mile points and road names among other information concerning each specific segment of road.

Below is a link to DelDot's Gateway. Instructions on how to use the map are available on the Vehicle Volume Summary home page.

Link: https://deldot.maps.arcgis.com/apps/webappviewer/index.html?id=4f76a1fa5b5c493cb3e1fad44a50dad1

VEHICLE CLASSIFICATION

All highway vehicles are classified in accordance with the current FHWA Vehicle Classification scheme, which includes 13 vehicle classes as follows:

FHWA Vehicle Classification

- 1. Motorcycles
- 2. Passenger Cars
- 3. Other Two Axle, 4 Tire Single Units

- 4. Buses
- 5. Two Axle, 6 Tire Single Units
- 6. Three Axle Single Units
- 7. Four or More Axle Single Units
- 8. Four or Less Axle Single Trailers
- 9. Five Axle Single Trailers
- 10. Six or More Axle Single
- 11. Five or Less Axle Multi-Trailers
- 12. Six Axle Multi-Trailers
- 13. Seven or More Axle Multi-Trailers

The vehicle classification data pertinent to a Functional System represents the weighted average composition of vehicle classes at all sites within that Functional System. Therefore, when the vehicle classification data on a roadway segment is required, it is necessary to determine the Functional Classification or System of Highways to which the roadway segment belongs, and then obtain the percentages of vehicle composition from the vehicle classification table for that Functional System. However, such vehicle classification data should be used with caution because the Seasonal Adjustment Factors are not established and applied to the vehicle composition and the data are not supported by statistical analysis of permanent classifier stations for system adequacy.

Class I Motorcycles	≥	Class 7 Four or more	
Class 2 Passenger cars	(111)	axle, single unit	
			
		Class 8 Four or less axle, single trailer	
Class 3 Four tire, single unit			
	→	Class 9 5-Axle tractor semitrailer	Rectangula
Class 4 Buses		Class 10 Six or more axle, single trailer	
		Class I I Five or less axle, multi trailer	
Class 5 Two axle, six tire, single unit	- -------------	Class 12 Six axle, multi-	
	-	trailer	
	200	Class 13 Seven or more axle, multi-trailer	
Class 6 Three axle, single unit			
			20 20 20 20 20