

**PART D**  
**PREHISTORIC ARTIFACT CATALOG**

## **PREHISTORIC LITHICS**

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Quartz	Other Core Types	Absent	-	1	100.8	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Quartzite	Other Core Types	Cobble	-	1	69.2	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Sandstone	Tested Cobbles	Cobble	-	1	384.8	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	630.5	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	362.5	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	91.7	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.8	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	9.0	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	15.7	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.6	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	14	4,665.9	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	5	251.9	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	561.2	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	143.8	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	6	64.4	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	402.2	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	122.9	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	3.0	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	3	1,024.8	-	-	-	-
1	98/0002	1	-	-	-	-	SS	-	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	152.4	-	-	-	-
64	97/0058	1	13	-	-	-	A	-	-	-	-	-	-	GRAB SAMPLE	Fire-cracked Rock	Quartzite	-	-	-	1	309.1	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Bifaces	Jasper	Projectile Points	Cobble	BRK	1	2.4	-	18.9	5.4	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Cores	Jasper	Freehand Cores	Cobble	-	1	34.4	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Debitage	Chert	16-20mm	Absent	-	1	1.0	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Debitage	Quartz	21-30mm	Cobble	-	1	3.5	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Debitage	Quartzite	41-50mm	Cobble	-	1	12.2	-	-	-	-
67	97/0058	1	15	-	-	-	AB	-	-	-	-	-	-	BASE OF 'A'	Debitage	Chert	51-60mm	Cobble	-	1	9.2	-	-	-	-
116	98/0002	1	15	-	-	-	-	-	-	-	-	-	-	GENERAL	Debitage	Chert	> 60mm	Cobble	-	1	56.7	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Bifaces	Argillite	Projectile Points	Absent	WHL	1	7.6	36.1	24.3	7.6	PENTAGONAL.
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	6	8.8	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	5	4.2	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.5	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	7.1	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	4	5.5	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	3.3	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.3	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.6	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.6	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	7.0	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	39.8	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	48.9	-	-	-	-
69	97/0058	1	16	-	-	-	AB	-	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	115.8	-	-	-	-
68	97/0051	1	-	A	03	-	B	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
70	97/0051	1	-	A	05	-	B	-	-	-	-	-	-	-	Debitage	Jasper	51-60mm	Cobble	-	1	38.9	-	-	-	-
72	97/0051	1	-	A	08	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
72	97/0051	1	-	A	08	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
73	97/0051	1	-	A	09	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
73	97/0051	1	-	A	09	-	A	-	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.6	-	-	-	-
73	97/0051	1	-	A	09	-	A	-	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Cobble	-	1	3.3	-	-	-	-
74	97/0051	1	-	A	10	-	B	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
78	97/0051	1	-	A	14	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
8	97/0051	1	-	B	09	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	28.3	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.3	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.8	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
9	97/0051	1	-	B	09	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	12.8	-	-	-	-
66	97/0051	1	-	B	09a	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
40	97/0051	1	-	B	09b	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
40	97/0051	1	-	B	09b	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	44.5	-	-	-	-
41	97/0051	1	-	B	09c	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.9	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.1	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	13.5	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	7.9	-	-	-	-
42	97/0051	1	-	B	09d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	1.5	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Bifaces	Metarhyolite	Late-Stage Bifaces	Cobble	WHL	2	15.2	46.0	27.6	10.0	CROSSMEND; FOX CREEK PREFORM ?
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	87.2	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.8	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.8	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.2	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	23.5	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	369.8	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	59.4	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	24.0	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	28.7	-	-	-	-
43	97/0051	1	-	B	09d	-	B	-	-	-	-	-	-	-	Unmodified Cobbles	Siltstone	-	-	-	1	965.1	-	-	-	EXHIBITS POSSIBLE USE.
46	97/0051	1	-	B	16	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
46	97/0051	1	-	B	16	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.8	-	-	-	-
46	97/0051	1	-	B	16	-	A	-	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	1.8	-	-	-	-
47	97/0051	1	-	B	16	-	B	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
10	97/0051	1	-	C	01	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
10	97/0051	1	-	C	01	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
11	97/0051	1	-	C	02	-	A	-	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	MED	1	1.0	-	16.6	4.6	TRIANGLE PROJECTILE POINT ?
11	97/0051	1	-	C	02	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	82.4	-	-	-	-
13	97/0051	1	-	C	04	-	A	-	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	24.9	-	-	-	-
15	97/0051	1	-	C	08	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	20.2	-	-	-	-
16	97/0051	1	-	C	09	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.8	-	-	-	-
17	97/0051	1	-	C	10	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
17	97/0051	1	-	C	10	-	A	-	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
20	97/0051	1	-	C	12	-	B	-	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
48	97/0051	1	-	C	15	-	A	-	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Cobble	BRK	1	16.0	46.7	26.1	14.7	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.8	-	-	-	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	46.9	-	-	-	-
49	97/0051	1	-	C	16	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	31.4	-	-	-	-
23	97/0051	1	-	D	01	-	A	-	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.7	-	-	-	-
25	97/0051	1	-	D	07	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
25	97/0051	1	-	D	07	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.1	-	-	-	-
27	97/0051	1	-	D	08	-	B	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
28	97/0051	1	-	D	10	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0051	1	-	D	11	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
29	97/0051	1	-	D	11	-	A	-	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	2.0	-	-	-	-
50	97/0051	1	-	D	12	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
50	97/0051	1	-	D	12	-	A	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	30.5	-	-	-	-
52	97/0051	1	-	D	14	-	A	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	46.3	-	-	-	-
52	97/0051	1	-	D	14	-	A	-	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	75.7	-	-	-	-
52	97/0051	1	-	D	14	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
52	97/0051	1	-	D	14	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
52	97/0051	1	-	D	14	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.6	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	212.7	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	85.7	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	3	1.3	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.4	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.3	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.1	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	7	21.6	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.3	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	3.4	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	3	32.1	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.2	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.3	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	21.4	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	19.7	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	44.2	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Debitage	Chalcedony	6-10mm	Absent	-	1	0.1	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	99.9	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	122.6	-	-	-	-
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	152.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note		
53	97/0051	1	-	D	14	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	22.6	-	-	-	-		
54	97/0051	1	-	D	14a	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	13.0	-	-	-	-		
55	97/0051	1	-	D	14b	-	A	-	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	23.4	-	-	-	-		
55	97/0051	1	-	D	14b	-	A	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	54.3	-	-	-	-		
56	97/0051	1	-	D	14b	-	B	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-		
56	97/0051	1	-	D	14b	-	B	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-		
57	97/0051	1	-	D	14c	-	A	-	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	60.3	-	-	-	-		
58	97/0051	1	-	D	14c	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-		
58	97/0051	1	-	D	14c	-	B	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-		
58	97/0051	1	-	D	14c	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.9	-	-	-	-		
58	97/0051	1	-	D	14c	-	B	-	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	19.8	-	-	-	-		
58	97/0051	1	-	D	14c	-	B	-	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	11.5	44.0	31.0	10.0	POSSIBLE.		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	3	468.9	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	2.7	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	3	5.0	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.9	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	4.0	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	1.5	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	9.4	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.6	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	11.2	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	6.1	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.1	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	24.9	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Cobble	-	1	0.0	-	-	-	-		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	226.6	-	-	-	-	1 PIECE DISCARDED.	
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	26.0	-	-	-	-	-	
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	91.3	-	-	-	-	-	
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	561.2	-	-	-	-	-	1 PIECE DISCARDED.
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	-	1	3.4	37.0	17.0	9.0	POSSIBLE.		
59	97/0051	1	-	D	14d	-	A	-	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	1,453.0	-	-	-	-	-	
60	97/0051	1	-	D	14d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	3	68.8	-	-	-	-	-	
60	97/0051	1	-	D	14d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	21.1	-	-	-	-	-	
60	97/0051	1	-	D	14d	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	190.8	-	-	-	-	-	

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
31	97/0051	1	-	E	03	-	A	-	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
33	97/0051	1	-	E	05	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
33	97/0051	1	-	E	05	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
34	97/0051	1	-	E	06	-	A	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	17.2	-	-	-	-
35	97/0051	1	-	E	07	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
62	97/0051	1	-	F	01	-	A	-	-	-	-	-	-	-	Debitage	Rhyolite	51-60mm	Cobble	-	1	27.3	-	-	-	-
62	97/0051	1	-	F	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	102.5	-	-	-	-
62	97/0051	1	-	F	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	63.0	-	-	-	-
63	97/0051	1	-	F	02	-	A	-	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.0	-	-	-	-
64	97/0051	1	-	F	03	-	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.0	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Bifaces	Jasper	Other Bifaces	Absent	BRK	1	0.6	14.9	13.5	4.0	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	POT-LID.
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	10.8	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	14.8	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	42.3	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Cobble	-	1	212.1	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	22.0	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	76.3	-	-	-	-
2	97/0058	1	11	-	-	170	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	800.0	-	-	-	-
3	97/0058	1	11	-	-	170	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	POT-LID.
3	97/0058	1	11	-	-	170	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	71.8	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.6	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.2	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	8.4	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	19.7	-	-	-	-
5	97/0058	1	11	-	-	172	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	27.3	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	18.6	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	26.5	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	16.3	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	163.6	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	27.6	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	28.2	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	173.8	-	-	-	-
6	97/0058	1	11	-	-	173	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	346.8	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	1	2.3	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.8	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	13.8	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.8	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	6.4	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	17.7	-	-	-	-
7	97/0058	1	11	-	-	173	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	50.9	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	70.9	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	6.0	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	2	59.1	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	15.6	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	46.0	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Debitage	Chalcedony	6-10mm	Absent	-	1	0.1	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	20.3	-	-	-	-
8	97/0058	1	11	-	-	174	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	6.2	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Bifaces	Gun Hill Quartzite	Early-Stage Bifaces	Cobble	WHL	1	33.5	63.5	38.3	13.7	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	3	1.0	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	1.2	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	2	1.3	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.9	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.8	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	14.6	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	19.7	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	134.7	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	203.3	-	-	-	-
9	97/0058	1	12	-	-	175	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	650.0	-	-	-	-
10	97/0058	1	12	-	-	175	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.5	-	-	-	-
10	97/0058	1	12	-	-	175	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	34.9	-	-	-	-
10	97/0058	1	12	-	-	175	B	02	-	-	-	-	-	-	Unmodified Cobbles	Jasper	-	-	-	1	259.0	-	-	-	-
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Cores	Crystal Quartz	Tested Cobbles	Cobble	-	1	131.2	-	-	-	POSSIBLE.
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	91.0	-	-	-	POSSIBLE.
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.1	-	-	-	-
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	37.4	-	-	-	-
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
11	97/0058	1	12	-	-	176	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	99.8	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	7.0	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	3	0.7	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	2	1.2	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.2	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.4	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.1	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.3	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	13.3	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	41.4	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	49.9	-	-	-	-
12	97/0058	1	12	-	-	177	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	174.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
13	97/0058	1	12	-	-	177	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.9	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	4	2.1	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	2	3.8	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.5	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	3	7.4	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	5.4	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Absent	-	1	14.1	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.0	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	20.3	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	51-60mm	Cobble	-	1	20.9	-	-	-	ROW# 11758 CROSSMEND WITH ROW# 11759.
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	5	1.3	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Debitage	Jasper	> 60mm	Cobble	-	1	47.7	-	-	-	ROW# 11759 CROSSMEND WITH ROW# 11758.
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	55.2	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	59.9	-	-	-	-
14	97/0058	1	12	-	-	178	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	19.6	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.7	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Cobble	-	1	3.0	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.7	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.3	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	11.3	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
15	97/0058	1	12	-	-	179	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	65.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
16	97/0058	1	13	-	-	180	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
16	97/0058	1	13	-	-	180	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
16	97/0058	1	13	-	-	180	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.8	-	-	-	-
17	97/0058	1	13	-	-	181	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
17	97/0058	1	13	-	-	181	A	01	-	-	-	-	-	-	Debitage	Chalcedony	11-15mm	Absent	-	1	0.2	-	-	-	-
18	97/0058	1	13	-	-	182	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
18	97/0058	1	13	-	-	182	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
18	97/0058	1	13	-	-	182	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	1.9	-	-	-	-
18	97/0058	1	13	-	-	182	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	33.4	-	-	-	-
18	97/0058	1	13	-	-	182	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	84.7	-	-	-	-
19	97/0058	1	13	-	-	183	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	POT-LID.
19	97/0058	1	13	-	-	183	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
19	97/0058	1	13	-	-	183	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.3	-	-	-	-
19	97/0058	1	13	-	-	183	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
19	97/0058	1	13	-	-	183	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	463.3	-	-	-	-
20	97/0058	1	13	-	-	183	B	02	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	223.4	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	97.1	54.0	-	-	POSSIBLE.
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	5.0	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	1	9.8	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	3	9.6	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Cobble	-	1	2.6	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.4	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	7.7	-	-	-	-
21	97/0058	1	13	-	-	184	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	57.3	-	-	-	CROSS-MEND.
22	97/0058	1	14	-	-	185	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
22	97/0058	1	14	-	-	185	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	4.4	-	-	-	-
22	97/0058	1	14	-	-	185	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	61.0	-	-	-	-
23	97/0058	1	14	-	-	186	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	15.9	-	-	-	-
23	97/0058	1	14	-	-	186	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.6	-	-	-	-
23	97/0058	1	14	-	-	186	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
23	97/0058	1	14	-	-	186	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
23	97/0058	1	14	-	-	186	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	20.1	-	-	-	-
24	97/0058	1	14	-	-	187	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.8	-	-	-	-
24	97/0058	1	14	-	-	187	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.4	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	6.8	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.8	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
26	97/0058	1	14	-	-	189	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	34.6	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	4.3	-	28.4	5.9	TRIANGLE POINT BASE LEVANNA ?
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Cores	Quartz	Bifacial Core	Cobble	-	1	183.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Cores	Chert	Other Core Types	Cobble	-	1	47.0	-	-	-	POSSIBLE BIPOLAR REDUCTION.
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	94.0	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	193.6	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	2.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	6	3.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.8	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	3.7	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	6	7.0	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.5	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	5.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	10.7	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	6	18.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	2	11.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	2.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	7.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	7.6	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	9.5	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.8	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	2	14.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	2	24.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.7	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	18.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	14.8	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Cobble	-	1	6.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	3	66.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	41-50mm	Cobble	-	1	27.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	48.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	2	29.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	9.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	21.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	42.6	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	51-60mm	Cobble	-	1	42.4	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	78.5	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	2	124.3	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	110.5	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	106.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	77.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Cobble	-	1	109.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	14.9	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	61.2	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.1	-	-	-	-
27	97/0058	1	15	-	-	190	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	31.4	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	38.4	55.8	34.7	19.7	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	39.5	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	46.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Crystal Quartz	Bipolar Cores	Cobble	-	1	107.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Chert	Flake Core	Cobble	-	1	29.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	203.4	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Crystal Quartz	Freehand Cores	Cobble	-	1	107.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	62.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	96.9	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	96.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	79.6	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	139.5	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	180.4	-	-	-	BIPOLAR REDUCTION.
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	92.6	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	45.3	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	224.8	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	120.6	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	52.9	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	30.6	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	272.8	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.8	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	4	2.4	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	6.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	4.3	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	5	10.5	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	4	19.5	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	0.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	3	31.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	14.8	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	7	89.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	3	36.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	10.6	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Cobble	-	1	3.8	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	35.2	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	3	70.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	2	100.7	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chalcedony	51-60mm	Cobble	-	1	51.1	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Sandstone	51-60mm	Cobble	-	1	57.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	1	88.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	90.0	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Cobble	-	1	104.3	-	-	-	-
28	97/0058	1	15	-	-	190	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	86.1	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Crystal Quartz	Flake Core	Cobble	-	1	67.1	-	-	-	POSSIBLE BIPOLAR REDUCTION.
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	168.3	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	115.2	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	242.9	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	187.8	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	156.7	-	-	-	POSSIBLE BIPOLAR REDUCTION.
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	180.5	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	74.1	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	113.1	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	287.1	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.6	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.8	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	6.5	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.9	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	5.3	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	3	24.9	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	5	75.9	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	28.2	-	-	-	-
78	97/0058	1	15	-	-	190	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	51-60mm	Cobble	-	1	8.3	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	77.0	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.7	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.5	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	2.4	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.6	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	9.9	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.0	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	11.2	-	-	-	-
79	97/0058	1	15	-	-	190	B	04	-	-	-	-	-	-	Debitage	Chert	51-60mm	Absent	-	1	23.7	-	-	-	-
80	97/0058	1	15	-	-	190	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
80	97/0058	1	15	-	-	190	C	05	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.0	-	-	-	-
81	97/0058	1	15	-	-	190	C	06	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
81	97/0058	1	15	-	-	190	C	06	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	51-60mm	Cobble	-	1	14.9	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	33.5	59.0	41.0	13.8	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	33.1	66.2	30.8	15.4	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	142.8	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Slate	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Ironstone	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	2.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.3	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	9.3	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.0	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	4.0	-	-	-	WATERWORN.
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	3	7.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.5	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	13.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	19.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	7.6	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	38.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	41-50mm	Cobble	-	1	33.5	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Limestone	41-50mm	Cobble	-	1	9.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	34.2	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Siltstone	51-60mm	Cobble	-	1	25.3	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Debitage	Metamorphic	> 60mm	Cobble	-	1	117.3	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	363.8	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	93.0	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	79.6	-	-	-	-
29	97/0058	1	15	-	-	191	A	01	-	-	-	-	-	-	Unmodified Pebbles	Quartzite	-	-	-	1	40.8	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	141.5	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	130.9	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	241.9	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	50.0	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.1	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.1	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	7.0	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.2	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	16.0	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	44.5	-	-	-	-
30	97/0058	1	15	-	-	191	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	1,116.0	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	BRK	1	202.7	81.0	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Cores	Quartzite	Bipolar Cores	Cobble	-	1	127.3	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	82.9	-	-	-	BIPOLAR REDUCTION.
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	29.4	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	107.5	-	-	-	POSSIBLE BIPOLAR REDUCTION.
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.4	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	1.6	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	4.0	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	18.1	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	1.5	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	6	44.3	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	5.6	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.4	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	8.9	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	8.9	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	26.1	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	2	48.4	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	22.9	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	12.5	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	43.6	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	51-60mm	Cobble	-	1	22.8	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Debitage	Sandstone	51-60mm	Cobble	-	1	16.4	-	-	-	-
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	511.8	-	-	-	ONE POT-LID.
82	97/0058	1	15	-	-	191	B	03	-	-	-	-	-	-	Unmodified Pebbles	Chert	-	-	-	1	34.6	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Block	WHL	1	7.0	44.6	19.2	10.2	SMALL, STEMMED POINT.
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.3	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	4.0	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	2.0	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	4	29.8	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Crystal Quartz	41-50mm	Cobble	-	1	13.9	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	1	53.7	-	-	-	-
83	97/0058	1	15	-	-	191	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	19.0	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	5	11.8	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	2	4.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.1	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.6	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.2	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Metarhyolite	31-40mm	Cobble	-	1	11.7	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	3	18.2	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.6	-	-	-	BIPOLAR REDUCTION.
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	10.9	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	14.8	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	7.5	-	-	-	-
84	97/0058	1	15	-	-	191	C	05	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	14.7	-	-	-	BIPOLAR REDUCTION.
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	215.5	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	8.8	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	7.5	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	8.2	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	9.7	-	-	-	-
85	97/0058	1	15	-	-	191	C	06	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	2	58.4	-	-	-	CROSS-MEND.
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	20.3	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	20.6	-	-	-	CORE FRAGMENT; PROBABLY BIPOLAR.
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	75.5	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	482.7	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.9	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	2	1.9	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	5.2	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.8	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	4	14.0	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	13.6	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Ironstone	21-30mm	Cobble	-	1	8.0	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.5	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	3	42.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	7.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Cobble	-	1	10.2	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	2	57.5	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	18.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	81.1	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	160.2	-	-	-	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	2.3	23.3	16.6	6.1	-
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	WHL	1	0.6	23.0	10.9	1.9	BIPOLAR REDUCTION.
31	97/0058	1	15	-	-	192	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	15.5	64.4	16.6	13.7	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Bifacial Core	Cobble	-	1	84.5	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	67.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	426.5	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	105.9	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	2	153.4	-	-	-	CROSS-MEND.
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	63.2	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	82.7	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	34.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	107.5	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	93.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	72.8	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	2	61.8	-	-	-	BIPOLAR REDUCTION CROSS-MEND.
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	189.5	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	254.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	81.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	59.4	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	131.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.4	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.4	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.7	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Limestone	16-20mm	Cobble	-	1	1.9	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	8.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	2.9	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	2	5.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.2	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	3	7.4	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	9.2	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	12	104.4	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	7.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	9.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Limestone	31-40mm	Cobble	-	2	7.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	2	15.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	6.7	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	9.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	18.3	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	41-50mm	Cobble	-	1	26.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	46.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	6	261.8	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	2	51.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	2	67.8	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	67.0	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	2	97.5	-	-	-	-
32	97/0058	1	15	-	-	192	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	10.5	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	53.5	50.5	48.5	24.4	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	183.1	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	153.7	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.3	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	14.8	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	2.1	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	9.9	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	16.7	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	33.3	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	19.5	-	-	-	-
86	97/0058	1	15	-	-	192	B	03	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	38.2	-	-	-	-
88	97/0058	1	15	-	-	192	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.2	-	-	-	-
88	97/0058	1	15	-	-	192	B	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	3	20.6	-	-	-	-
88	97/0058	1	15	-	-	192	B	05	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	25.3	-	-	-	-
89	97/0058	1	15	-	-	192	BC	06	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	171.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
89	97/0058	1	15	-	-	192	BC	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
90	97/0058	1	15	-	-	192	C	07	-	-	-	-	-	-	Cores	Metarhyolite	Freehand Cores	Cobble	-	1	16.5	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Block	WHL	1	9.4	49.1	28.2	8.4	CONTRACTING STEM POINT.
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	31.4	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	24.1	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.7	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	1.6	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	12.7	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.3	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	73.5	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	38.9	-	-	-	-
33	97/0058	1	15	-	-	193	A	01	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	264.9	-	-	-	-
91	97/0058	1	15	-	-	193	BC	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	10.7	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Bifaces	Argillite	Projectile Points	Cobble	WHL	1	7.6	52.2	25.0	6.3	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.3	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.6	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.6	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	3.4	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.9	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.3	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	44.1	-	-	-	-
34	97/0058	1	15	-	-	194	A	01	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	219.0	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	26.6	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	BIPOLAR FLAKE.
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.2	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.1	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	8.7	-	-	-	-
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	17.5	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
35	97/0058	1	15	-	-	194	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
92	97/0058	1	15	-	-	194	B	03	-	-	-	-	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	18.3	-	-	-	-
92	97/0058	1	15	-	-	194	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
93	97/0058	1	15	-	-	194	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
93	97/0058	1	15	-	-	194	B	04	-	-	-	-	-	-	Debitage	Sandstone	51-60mm	Cobble	-	1	51.7	-	-	-	-
94	97/0058	1	15	-	-	194	B	05	-	-	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	1	49.7	-	-	-	-
96	97/0058	1	15	-	-	194	B	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
95	97/0058	1	15	-	-	194	C	05	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	14.9	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.3	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.3	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.2	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.4	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	10.7	-	-	-	-
37	97/0058	1	16	-	-	195	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	10.8	-	-	-	-
38	97/0058	1	16	-	-	195	C	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	1.9	-	15.5	5.0	-
38	97/0058	1	16	-	-	195	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
38	97/0058	1	16	-	-	195	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.6	-	-	-	-
38	97/0058	1	16	-	-	195	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
38	97/0058	1	16	-	-	195	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
97	97/0058	1	16	-	-	195	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	10.8	-	-	-	-
97	97/0058	1	16	-	-	195	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	28.1	-	-	-	-
97	97/0058	1	16	-	-	195	C	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	13.0	-	-	-	-
97	97/0058	1	16	-	-	195	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	3,986.0	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	2.5	24.2	23.3	5.5	TRIANGULAR PROJECTILE POINT.
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	338.2	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.9	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.0	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	2.3	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.6	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	9.2	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.4	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	521.4	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	43.3	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.3	-	-	-	-
39	97/0058	1	16	-	-	196	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.1	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	120.7	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.5	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.7	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.6	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	1.0	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.2	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	1	3.7	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.4	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	109.6	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	75.1	-	-	-	-
40	97/0058	1	16	-	-	196	A	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	13.8	-	-	-	-
98	97/0058	1	16	-	-	196	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
98	97/0058	1	16	-	-	196	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.2	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.5	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
99	97/0058	1	16	-	-	196	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Absent	-	1	4.7	-	-	-	-
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
100	97/0058	1	16	-	-	196	B	05	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	24.5	-	-	-	-
101	97/0058	1	16	-	-	196	B	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.1	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	1.0	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	7	2.6	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.7	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.3	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.5	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	6	4.1	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.2	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	4	8.3	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.8	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.9	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.6	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	22.3	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	41.0	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	292.6	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	6	127.7	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	6	57.4	-	-	-	-
41	97/0058	1	16	-	-	197	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	16.1	-	-	-	-
143	97/0058	1	16	-	-	197	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	1	3.2	-	-	-	-
143	97/0058	1	16	-	-	197	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Bifaces	Metarhyolite	Projectile Points	Absent	TIP	1	3.1	-	-	7.6	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	32.7	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.6	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.5	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.3	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.0	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chalcedony	16-20mm	Absent	-	2	0.9	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chalcedony	16-20mm	Absent	-	1	0.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.8	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	5	2.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	4.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.5	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	15.9	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	97.8	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	39.4	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	4.2	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	22.7	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	7	24.6	-	-	-	-
42	97/0058	1	16	-	-	197	B	02	SE	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	1.5	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Bifaces	Quartz	Late-Stage Bifaces	Absent	BRK	1	16.0	35.7	34.0	12.6	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Bifaces	Quartz	Other Bifaces	Absent	BRK	1	21.2	47.8	29.6	15.8	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Cores	Quartzite	Bifacial Core	Cobble	-	1	139.8	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Cores	Quartz	Bipolar Cores	Cobble	-	1	79.6	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Cores	Quartz	Flake Core	Cobble	-	1	94.8	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.1	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.6	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.5	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.3	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.0	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	4	9.0	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Debitage	Chert	> 60mm	Absent	-	1	28.0	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	292.3	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	174.7	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	71.3	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	2.8	-	-	-	-
102	97/0058	1	16	-	-	197	B	03	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	188.5	-	-	-	-
103	97/0058	1	16	-	-	197	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
103	97/0058	1	16	-	-	197	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
103	97/0058	1	16	-	-	197	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
103	97/0058	1	16	-	-	197	B	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	20.8	-	-	-	-
104	97/0058	1	16	-	-	197	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
104	97/0058	1	16	-	-	197	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
104	97/0058	1	16	-	-	197	B	05	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	31.7	-	-	-	-
105	97/0058	1	16	-	-	197	B	06	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
105	97/0058	1	16	-	-	197	B	06	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.9	-	-	-	-
105	97/0058	1	16	-	-	197	B	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
106	97/0058	1	16	-	-	197	C	07	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
106	97/0058	1	16	-	-	197	C	07	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-
106	97/0058	1	16	-	-	197	C	07	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
106	97/0058	1	16	-	-	197	C	07	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.7	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.1	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.4	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.9	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	1.3	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.7	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	2.0	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	5.6	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.9	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.2	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	9.0	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	2	41.8	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	11.4	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
44	97/0058	1	16	-	-	198	A	-	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	421.7	95.0	-	-	-	BROKEN.
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	70.8	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.1	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.2	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.3	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.2	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	1.0	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.1	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	3	1.5	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.5	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Cobble	-	1	0.5	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.3	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	18.8	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	2	20.0	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Absent	-	1	39.7	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.4	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.5	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	1,855.9	-	-	-	-	-
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	44.7	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
45	97/0058	1	16	-	-	198	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	12.7	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.8	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.6	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.1	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.2	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.1	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	24.0	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	12.6	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	51-60mm	Cobble	-	1	28.5	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	44.7	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	122.8	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	112.9	-	-	-	-	
107	97/0058	1	16	-	-	198	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	448.5	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.9	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.6	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.1	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.3	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Absent	-	1	1.7	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.7	-	-	-	-	
108	97/0058	1	16	-	-	198	B	04	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Absent	-	1	28.5	-	-	-	-	
46	97/0058	1	16	-	-	198	D	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-	
46	97/0058	1	16	-	-	198	D	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.6	-	-	-	-	
46	97/0058	1	16	-	-	198	D	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.0	-	-	-	-	
109	97/0058	1	16	-	-	198	B	05	-	-	-	-	-	-	RODENT DIST.	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
109	97/0058	1	16	-	-	198	B	05	-	-	-	-	-	-	RODENT DIST.	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
110	97/0058	1	16	-	-	198	C	06	-	-	-	-	-	-	RODENT DIST.	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
110	97/0058	1	16	-	-	198	C	06	-	-	-	-	-	-	RODENT DIST.	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
110	97/0058	1	16	-	-	198	C	06	-	-	-	-	-	-	RODENT DIST.	Debitage	Chert	21-30mm	Cobble	-	1	2.1	-	-	-	-
110	97/0058	1	16	-	-	198	C	06	-	-	-	-	-	-	RODENT DIST.	Debitage	Quartzite	21-30mm	Absent	-	1	1.3	-	-	-	-
110	97/0058	1	16	-	-	198	C	06	-	-	-	-	-	-	RODENT DIST.	Debitage	Chert	41-50mm	Block	-	1	17.0	-	-	-	-
47	97/0058	1	16	-	-	199	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
47	97/0058	1	16	-	-	199	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
47	97/0058	1	16	-	-	199	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
47	97/0058	1	16	-	-	199	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	68.4	-	-	-	-
48	97/0058	1	16	-	-	199	A	02	-	-	-	-	-	-	Debitage	Ironstone	16-20mm	Absent	-	1	0.7	-	-	-	-
48	97/0058	1	16	-	-	199	A	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	26.8	-	-	-	-
48	97/0058	1	16	-	-	199	A	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	7.8	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	9.5	43.4	22.9	9.4	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Cobble	WHL	1	25.2	48.5	28.2	18.9	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	31-40mm	Cobble	-	1	10.7	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
49	97/0058	1	19	-	-	219	A	01	-	-	-	-	-	-	Unmodified Cobbles	Metamorphic	-	-	-	1	76.6	-	-	-	-
50	97/0058	1	19	-	-	219	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
50	97/0058	1	19	-	-	219	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
50	97/0058	1	19	-	-	219	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.2	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.3	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.1	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Absent	-	1	2.5	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Cobble	-	1	8.8	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
51	97/0058	1	19	-	-	220	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	18.0	-	-	-	-
52	97/0058	1	19	-	-	221	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
52	97/0058	1	19	-	-	221	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
53	97/0058	1	19	-	-	221	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
53	97/0058	1	19	-	-	221	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
54	97/0058	1	19	-	-	222	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
56	97/0058	1	19	-	-	223	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
57	97/0058	1	16	-	-	233	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
57	97/0058	1	16	-	-	233	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
57	97/0058	1	16	-	-	233	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
57	97/0058	1	16	-	-	233	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.8	-	-	-	-
57	97/0058	1	16	-	-	233	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.8	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	0.8	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.9	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.8	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.6	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
58	97/0058	1	16	-	-	233	A	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	75.5	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	206.6	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.7	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.8	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.9	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	4.7	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.5	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	19.0	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	5.6	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	1.5	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	15.6	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	88.4	-	-	-	-
59	97/0058	1	16	-	-	233	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	52.3	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.8	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.3	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	18.3	-	-	-	-
111	97/0058	1	16	-	-	233	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	4.0	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.1	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.2	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.0	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	4	11.1	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.3	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	3.6	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	41.6	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	105.0	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	124.3	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	10.6	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	301.9	-	-	-	-
60	97/0058	1	16	-	-	234	A	01	-	-	-	-	-	-	Minerals	-	Petrified Wood	-	-	1	0.5	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	84.4	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.2	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Absent	-	1	1.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	11.9	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	8.2	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.7	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	15.8	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	12.6	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	20.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	5.3	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	101.6	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	183.8	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	426.2	-	-	-	-
61	97/0058	1	16	-	-	234	B	02	-	-	-	-	-	-	Unmodified Pebbles	Quartz	-	-	-	1	75.4	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.7	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.4	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.9	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	22.3	-	-	-	-
112	97/0058	1	16	-	-	234	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	17.9	-	-	-	-
113	97/0058	1	16	-	-	234	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
142	97/0058	1	11/12	-	-	246	B	03	-	-	-	-	-	-	Cores	Metarhyolite	Bipolar Cores	Cobble	-	1	49.1	-	-	-	-
142	97/0058	1	11/12	-	-	246	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Cobble	-	1	0.1	-	-	-	-
2	98/0002	1	-	-	-	249	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
2	98/0002	1	-	-	-	249	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
2	98/0002	1	-	-	-	249	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
2	98/0002	1	-	-	-	249	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.2	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	79.1	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.2	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Block	-	1	0.1	-	-	-	LESS THAN 0.1 g.
5	98/0002	1	-	-	-	249	B	02	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
7	98/0002	1	-	-	-	249	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
7	98/0002	1	-	-	-	249	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	3.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
7	98/0002	1	-	-	-	249	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
7	98/0002	1	-	-	-	249	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
7	98/0002	1	-	-	-	249	C	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
9	98/0002	1	-	-	-	249	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
9	98/0002	1	-	-	-	249	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
9	98/0002	1	-	-	-	249	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
9	98/0002	1	-	-	-	249	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
13	98/0002	1	-	-	-	249	CD	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
13	98/0002	1	-	-	-	249	CD	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	4.2	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	2	7.4	-	-	-	-	-
3	98/0002	1	-	-	-	250	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	1	5.9	-	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	51.1	59.7	43.5	17.4	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.8	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.2	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	3.6	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	10.9	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.9	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Block	-	1	9.4	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	21.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	9	146.0	-	-	-	-	-
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	6	89.0	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	231.2	-	-	-	-	
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	3.8	-	-	-	-	
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	1.9	-	-	-	-	
10	98/0002	1	-	-	-	250	B	02	-	-	-	-	-	-	Fire-cracked Rock	Igneous	-	-	-	1	10.2	-	-	-	-	
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Freehand Cores	Cobble	-	-	1	60.9	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	-	1	160.9	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	-	2	1.3	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	-	1	1.1	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	-	1	5.7	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	-	1	0.1	-	-	-	LESS THAN 0.1 g.
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	74.4	-	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	15.4	-	-	-	-	-
14	98/0002	1	-	-	-	250	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	27.3	-	-	-	-	-
18	98/0002	1	-	-	-	250	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	-	1	1.8	-	-	-	-
20	98/0002	1	-	-	-	250	C	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	-	1	2.2	-	-	-	-
22	98/0002	1	-	-	-	250	D	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	-	1	0.9	-	-	-	-
23	98/0002	1	-	-	-	250	D	07	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	-	1	0.7	-	-	-	-
17	98/0002	1	-	-	-	250	-	-	-	-	-	-	-	WALL SCRAPING	Debitage	Chert	21-30mm	Absent	-	-	1	1.9	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	-	1	0.2	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	1	0.9	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	-	2	1.2	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	-	1	0.7	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	-	2	5.5	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	-	1	1.1	-	-	-	-
4	98/0002	1	-	-	-	251	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	76.8	-	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	-	1	0.2	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	-	1	0.3	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	3	0.6	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	-	1	0.5	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	-	1	1.1	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	-	1	2.5	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	-	1	0.5	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	-	1	4.7	-	-	-	-
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	-	1	0.1	-	-	-	LESS THAN 0.1 g.
6	98/0002	1	-	-	-	251	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	-	1	0.1	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	1	0.2	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	-	1	0.6	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	-	1	1.6	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	-	1	0.8	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	-	1	0.1	-	-	-	LESS THAN 0.1 g.

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	47.2	-	-	-	-
8	98/0002	1	-	-	-	251	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	95.5	-	-	-	-
12	98/0002	1	-	-	-	251	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
12	98/0002	1	-	-	-	251	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
12	98/0002	1	-	-	-	251	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
12	98/0002	1	-	-	-	251	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.7	-	-	-	-
12	98/0002	1	-	-	-	251	C	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	13.3	-	-	-	-
11	98/0002	1	-	-	-	252	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
11	98/0002	1	-	-	-	252	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	7.4	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	30.5	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	35.1	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	82.6	-	-	-	-
16	98/0002	1	-	-	-	252	B	02	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	363.7	-	-	-	-
19	98/0002	1	-	-	-	252	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
19	98/0002	1	-	-	-	252	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
21	98/0002	1	-	-	-	253	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
24	98/0002	1	-	-	-	254	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
24	98/0002	1	-	-	-	254	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
24	98/0002	1	-	-	-	254	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Bifaces	Chert	Other Bifaces	Absent	BRK	1	30.0	19.5	18.3	7.5	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Cores	Quartz	Bifacial Core	Cobble	-	1	47.8	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	21.6	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	13	2.4	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	7	1.7	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	10	2.0	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	3	0.6	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	6	3.2	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.7	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	3	0.9	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.4	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	3	1.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	5	6.7	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	6	5.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.4	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	0.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	2	1.9	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Block	-	1	0.1	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.3	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	45.8	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	25.2	-	-	-	-
26	98/0002	1	-	-	-	254	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.6	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	196.1	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.9	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.7	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.8	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	0.9	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.5	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	66.3	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
29	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	5	236.1	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	78.9	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	294.6	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	70.9	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	124.8	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	1,604.8	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	12	4,719.0	-	-	-	-
554	98/0002	1	-	-	-	254	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	22	1,109.1	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.9	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.9	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	1.2	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	12.6	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	5	252.3	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	89.7	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	119.0	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	4.5	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	20.5	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	7	902.3	-	-	-	-
555	98/0002	1	-	-	-	254	C	04	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	15	719.8	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	24.5	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	66.3	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	62.6	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	2	215.7	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	5.6	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	1,000.0	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	8	850.5	-	-	-	-
558	98/0002	1	-	-	-	254	C	05	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	15	632.2	-	-	-	-
25	98/0002	1	-	-	-	255	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
25	98/0002	1	-	-	-	255	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
25	98/0002	1	-	-	-	255	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
25	98/0002	1	-	-	-	255	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	49.6	59.3	43.7	20.5	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	31.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.6	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	1.8	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.9	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.7	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.5	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.9	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.9	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	6.7	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	20.4	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	21.3	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	31.5	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	26.0	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Absent	-	1	32.3	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	172.8	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	12.8	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	12.1	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	12.9	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	2.9	-	-	-	-
27	98/0002	1	-	-	-	255	B	02	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	20.3	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
28	98/0002	1	-	-	-	255	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
31	98/0002	1	-	-	-	255	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
31	98/0002	1	-	-	-	255	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
37	98/0002	1	-	-	-	255	D	04	-	-	-	-	-	BIOTURBATION	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
37	98/0002	1	-	-	-	255	D	04	-	-	-	-	-	BIOTURBATION	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
30	98/0002	1	-	-	-	255	D	05	-	-	-	-	-	RODENT DIST.	Debitage	Chert	11-15mm	Block	-	1	0.3	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Bifaces	Quartz	Middle-Stage Bifaces	Cobble	WHL	1	14.1	49.0	26.0	11.0	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	30	6.9	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	22	4.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	2	0.4	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	8	1.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	6	1.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	2	0.5	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	15	9.2	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	10	6.2	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	3	2.1	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	4	3.0	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	7	4.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.3	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	6	7.1	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.8	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	5	4.6	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	3	4.2	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	5	5.6	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.2	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	4.9	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	9.7	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	33.3	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	4	0.3	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.5	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.5	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Debitage	Sandstone	> 60mm	Cobble	-	1	66.8	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	34.1	-	-	-	-
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	128.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	4	15.5	-	-	-	-	
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	2	8.8	-	-	-	-	
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	2	50.1	-	-	-	-	
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	8	33.5	-	-	-	-	
34	98/0002	1	-	-	-	256	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	10	244.8	-	-	-	-	
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	10	2.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	5	2.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	3	1.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.3	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	2	2.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	4.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	5	7.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.6	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	3	35.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	15.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	5.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	8	0.8	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.8	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	9	117.2	-	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	31	778.4	-	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	43	839.2	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	11	518.0	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	5	43.5	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	11	98.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	15	304.1	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	1.2	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Minerals	-	Petrified Wood	-	-	1	0.4	-	-	-	-
42	98/0002	1	-	-	-	256	B	02	-	-	-	-	-	-	Unmodified Pebbles	Quartz	-	-	-	2	59.2	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.0	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	1.6	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	181.6	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	3	10.7	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	52.6	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	17.3	-	-	-	-
45	98/0002	1	-	-	-	256	B	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	18.5	-	-	-	-
46	98/0002	1	-	-	-	256	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
46	98/0002	1	-	-	-	256	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	127.0	-	-	-	-
46	98/0002	1	-	-	-	256	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	81.1	-	-	-	-
46	98/0002	1	-	-	-	256	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	31.4	-	-	-	-
46	98/0002	1	-	-	-	256	B	04	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	-	1	28.1	-	-	-	-
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.3	-	-	-	-
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.4	-	-	-	-
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.4	-	-	-	-
47	98/0002	1	-	-	-	256	B	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	1.0	-	-	-	-
48	98/0002	1	-	-	-	256	C	07	-	-	-	-	-	-	Unifaces	Quartz	Retouched Flakes	Cobble	-	1	4.8	30.0	20.0	9.0	-
48	98/0002	1	-	-	-	256	C	07	-	-	-	-	-	-	Unifaces	Jasper	Retouched Flakes	Cobble	-	1	3.6	30.0	24.0	6.0	-
32	98/0002	1	-	-	-	257	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
32	98/0002	1	-	-	-	257	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
32	98/0002	1	-	-	-	257	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
32	98/0002	1	-	-	-	257	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Block	-	1	12.9	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	10	3.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	3.5	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.5	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.0	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	2.1	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	2.7	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	24.8	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	46.1	-	-	-	-
33	98/0002	1	-	-	-	257	B	02	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	160.2	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	68.1	63.1	43.6	24.5	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	3.1	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	8.5	-	29.3	8.5	CONTRACTING STEM.
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	1.3	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	208.0	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	49.8	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.1	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.5	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.1	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	17	5.0	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.9	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	6	1.8	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.6	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chalcedony	11-15mm	Absent	-	1	0.2	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.4	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	1.1	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	2.4	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	7	5.6	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.0	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	4	2.5	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	1.7	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	4	17.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	5	6.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.3	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.4	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.6	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	12.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	7.0	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.6	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	16.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.5	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	65.3	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	54.9	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	6	110.3	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	49.6	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	8	502.4	-	-	-	-	
36	98/0002	1	-	-	-	257	C	03	-	-	-	-	-	-	Minerals	Mica	-	-	-	6	0.1	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Absent	WHL	1	15.4	45.1	26.8	12.2	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	MED	1	7.0	-	-	-	9.6	-
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.1	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	8.3	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	8.0	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	126.1	-	-	-	-	
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	21.9	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
40	98/0002	1	-	-	-	257	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	33.5	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.9	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.3	-	-	-	-
43	98/0002	1	-	-	-	257	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
39	98/0002	1	-	-	-	257	D	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
39	98/0002	1	-	-	-	257	D	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
39	98/0002	1	-	-	-	257	D	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
54	98/0002	1	-	-	-	257	D	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
54	98/0002	1	-	-	-	257	D	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
55	98/0002	1	-	-	-	257	D	06	-	-	-	-	-	-	RODENT TUNNEL Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
55	98/0002	1	-	-	-	257	D	06	-	-	-	-	-	-	RODENT TUNNEL Debitage	Jasper	31-40mm	Cobble	-	1	3.8	-	-	-	-
56	98/0002	1	-	-	-	257	-	-	-	-	-	-	-	-	WALL CLEANUP Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
35	98/0002	1	-	-	-	258	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	215.2	-	-	-	-
35	98/0002	1	-	-	-	258	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	13.5	-	-	-	-
38	98/0002	1	-	-	-	258	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
38	98/0002	1	-	-	-	258	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	167.8	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	90.3	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	32.2	-	-	-	-
41	98/0002	1	-	-	-	258	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	3.5	-	-	-	-
44	98/0002	1	-	-	-	258	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
44	98/0002	1	-	-	-	258	C	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-
44	98/0002	1	-	-	-	258	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
44	98/0002	1	-	-	-	258	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	2,503.3	-	-	-	-
44	98/0002	1	-	-	-	258	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	44.0	-	-	-	-
49	98/0002	1	-	-	-	259	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
49	98/0002	1	-	-	-	259	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	18.0	-	-	-	-
49	98/0002	1	-	-	-	259	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.7	-	-	-	-
50	98/0002	1	-	-	-	259	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
51	98/0002	1	-	-	-	259	C	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	15.3	37.6	29.2	16.8	-
51	98/0002	1	-	-	-	259	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
51	98/0002	1	-	-	-	259	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	4.2	-	-	-	-
53	98/0002	1	-	-	-	259	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
59	98/0002	1	-	-	-	259	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
52	98/0002	1	-	-	-	260	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
52	98/0002	1	-	-	-	260	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
52	98/0002	1	-	-	-	260	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
52	98/0002	1	-	-	-	260	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
57	98/0002	1	-	-	-	260	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
57	98/0002	1	-	-	-	260	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
57	98/0002	1	-	-	-	260	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.2	-	-	-	-
60	98/0002	1	-	-	-	260	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.8	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.9	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
58	98/0002	1	-	-	-	261	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	139.9	-	-	-	-
66	98/0002	1	-	-	-	261	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
69	98/0002	1	-	-	-	261	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
69	98/0002	1	-	-	-	261	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	4.2	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Absent	WHL	1	5.2	28.3	23.3	8.1	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Bifaces	Jasper	Other Bifaces	Absent	BRK	1	0.2	7.9	9.2	2.7	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	4.4	-	18.6	8.9	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.0	-	-	-	-
61	98/0002	1	-	-	-	263	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
64	98/0002	1	-	-	-	263	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
71	98/0002	1	-	-	-	263	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
71	98/0002	1	-	-	-	263	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
71	98/0002	1	-	-	-	263	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
71	98/0002	1	-	-	-	263	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
71	98/0002	1	-	-	-	263	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
62	98/0002	1	-	-	-	264	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
62	98/0002	1	-	-	-	264	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
62	98/0002	1	-	-	-	264	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.9	-	-	-	-
62	98/0002	1	-	-	-	264	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	8.1	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	1.6	-	-	5.5	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.9	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.1	-	-	-	-
65	98/0002	1	-	-	-	264	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	160.0	-	-	-	-
70	98/0002	1	-	-	-	264	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
70	98/0002	1	-	-	-	264	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	94.0	-	-	-	-
72	98/0002	1	-	-	-	264	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.6	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
63	98/0002	1	-	-	-	265	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.5	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.0	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	27.0	-	-	-	-
67	98/0002	1	-	-	-	265	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	18.6	-	-	-	-
68	98/0002	1	-	-	-	265	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
68	98/0002	1	-	-	-	265	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
68	98/0002	1	-	-	-	265	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
68	98/0002	1	-	-	-	265	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-
73	98/0002	1	-	-	-	265	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
77	98/0002	1	-	-	-	266	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	5.9	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	71.8	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	7	1.4	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.5	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	1.1	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.6	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	0.9	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.2	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.8	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	4.4	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.5	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.6	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.3	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	10.0	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	4.5	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	36.0	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	33.5	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	30.7	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	61.6	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	34.2	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	203.9	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	42.9	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	2.1	-	-	-	-
78	98/0002	1	-	-	-	266	B	02	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	-	1	12.4	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	12.3	58.3	26.7	10.6	CONTRACTING STEM.
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.0	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.6	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	2	8.7	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	10.6	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	23.1	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	100.6	-	-	-	-
79	98/0002	1	-	-	-	266	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	24.8	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	942.5	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	6.4	-	-	-	-
82	98/0002	1	-	-	-	266	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.1	-	-	-	-
84	98/0002	1	-	-	-	266	CD	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
74	98/0002	1	-	-	-	267	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
74	98/0002	1	-	-	-	267	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
74	98/0002	1	-	-	-	267	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
75	98/0002	1	-	-	-	267	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.8	-	-	-	-
75	98/0002	1	-	-	-	267	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
76	98/0002	1	-	-	-	267	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
76	98/0002	1	-	-	-	267	C	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.6	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Absent	WHL	1	8.9	35.0	29.9	10.4	CONTRACTING STEM PROJECTILE POINT.
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Cores	Siltstone	Freehand Cores	Cobble	-	1	23.4	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	11.1	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	40.4	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	88.1	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	1.0	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.3	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	2.2	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.6	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.7	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.9	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.9	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.2	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	18.1	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Block	-	1	14.3	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	WEIGHT LESS THAN 0.1 g.
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	49.1	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	3.0	-	-	-	-
92	98/0002	1	-	-	-	268	A	01	-	-	-	-	-	-	Unifaces	Jasper	Retouched Flakes	Cobble	-	1	2.2	18.0	16.0	9.0	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	61.7	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	89.5	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	WEATHERED.
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Cobble	-	1	0.3	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	1.1	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.1	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	13.5	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
96	98/0002	1	-	-	-	268	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	244.9	-	-	-	-
104	98/0002	1	-	-	-	268	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
104	98/0002	1	-	-	-	268	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
104	98/0002	1	-	-	-	268	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
104	98/0002	1	-	-	-	268	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.6	-	-	-	-
104	98/0002	1	-	-	-	268	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.6	-	-	-	-
113	98/0002	1	-	-	-	268	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
113	98/0002	1	-	-	-	268	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
113	98/0002	1	-	-	-	268	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Block	-	1	94.1	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.3	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	2	1.9	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.3	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	4.4	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.9	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.5	-	-	-	-
128	98/0002	1	-	-	-	269	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	8.9	45.3	29.3	10.3	CONTRACTING STEM PROJECTILE POINT.
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Cores	Chert	Bifacial Core	Cobble	-	1	21.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	70.4	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	2	179.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.9	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	6	2.0	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	0.7	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.2	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	14	3.4	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	4	2.9	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	1.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.8	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	7.9	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	4	8.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.2	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	3.6	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	3	2.2	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.4	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	3.4	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	3	25.5	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.9	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	2	8.7	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Ironstone	31-40mm	Block	-	1	12.7	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Block	-	1	20.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	34.5	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
134	98/0002	1	-	-	-	269	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	104.3	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	107.0	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.4	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.2	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.9	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
137	98/0002	1	-	-	-	269	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.4	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	79.9	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.7	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.7	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	1.2	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.6	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.0	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	8.1	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.8	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
139	98/0002	1	-	-	-	269	B	04	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	96.4	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Block	-	1	44.2	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	38.9	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	1.0	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	2	0.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	1.0	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.5	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	2.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.9	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	6.0	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	WEATHERED.
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Cobble	-	1	13.9	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.8	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	1	5.8	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	16.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	13.7	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	6	45.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	8	78.9	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	77.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	2	19.1	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	7.2	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Fire-cracked Rock	Indeterminate	-	-	-	1	15.9	-	-	-	-
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	7.5	33.0	18.0	10.0	POSSIBLE.
93	98/0002	1	-	-	-	270	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	-	1	1.1	26.0	10.0	5.0	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	30.2	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.8	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.7	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.9	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	6.3	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	119.4	-	-	-	-
102	98/0002	1	-	-	-	270	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	523.4	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	3.9	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	2.5	-	-	-	-
110	98/0002	1	-	-	-	270	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	7.9	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
120	98/0002	1	-	-	-	270	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
120	98/0002	1	-	-	-	270	C	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	4.1	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	1.2	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.9	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.3	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	99.5	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	39.3	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.0	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	11.0	-	-	-	-
86	98/0002	1	-	-	-	271	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Block	-	1	1.1	35.0	10.0	4.0	BLADE-SHAPE FLAKE WITH USEWEAR ON TWO EDGES.
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.2	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.9	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	2	3.5	-	-	-	MENDS.
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.8	-	-	-	-
94	98/0002	1	-	-	-	271	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
111	98/0002	1	-	-	-	271	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
111	98/0002	1	-	-	-	271	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	4.7	-	-	-	-
111	98/0002	1	-	-	-	271	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	2.3	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.5	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.1	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.1	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.3	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.3	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.6	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	7.6	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	6.6	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.3	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
145	98/0002	1	-	-	-	272	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	WEATHERED.
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.7	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
146	98/0002	1	-	-	-	272	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.7	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
147	98/0002	1	-	-	-	272	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.1	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	27.6	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.1	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.8	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.6	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.9	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	4.0	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	4.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.1	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	2.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	5.1	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	8.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	12.6	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	22.5	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.6	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	15.9	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	2.9	-	-	-	-
87	98/0002	1	-	-	-	273	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	6	113.0	-	-	-	-
100	98/0002	1	-	-	-	273	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.4	-	-	-	-
100	98/0002	1	-	-	-	273	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Block	-	1	2.4	-	-	-	-
100	98/0002	1	-	-	-	273	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
100	98/0002	1	-	-	-	273	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.4	-	-	-	-
118	98/0002	1	-	-	-	273	C	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	6.2	-	-	-	-
118	98/0002	1	-	-	-	273	C	04	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Absent	-	1	84.3	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.3	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	45.9	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	2.8	-	-	-	-
80	98/0002	1	-	-	-	274	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	5.1	-	-	-	-
83	98/0002	1	-	-	-	274	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.2	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	1	5.5	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.1	-	-	-	-
101	98/0002	1	-	-	-	274	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	27.6	-	-	-	-
108	98/0002	1	-	-	-	274	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
108	98/0002	1	-	-	-	274	C	04	-	-	-	-	-	-	Minerals	Mica	-	-	-	1	0.1	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	1.1	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.6	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.7	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	5.1	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.7	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
125	98/0002	1	-	-	-	275	A	01	-	-	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	1	53.2	-	-	-	-
130	98/0002	1	-	-	-	275	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	27.4	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	21.9	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.9	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	5	4.9	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	0.6	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.8	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.5	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	19.1	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	191.4	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	2.9	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.4	-	-	-	-
81	98/0002	1	-	-	-	276	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	12	271.2	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	11.8	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.6	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.8	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.1	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	6.5	-	-	-	-
99	98/0002	1	-	-	-	276	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	6.7	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
85	98/0002	1	-	-	-	277	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	8.5	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Absent	WHL	1	11.8	46.5	20.7	15.1	STEMMED POINT.
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.3	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	8	2.0	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.7	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	2.4	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.3	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	2	1.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.1	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	6.7	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	3.0	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
88	98/0002	1	-	-	-	277	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	8.4	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	56.7	66.5	32.9	23.0	INITIALLY DECORTICATED COBBLE.
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	48.2	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	7	1.5	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	6	2.8	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.9	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Absent	-	1	2.2	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.3	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	31.5	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	44.9	-	-	-	-
89	98/0002	1	-	-	-	277	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	55.1	-	-	-	-
90	98/0002	1	-	-	-	277	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
90	98/0002	1	-	-	-	277	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
90	98/0002	1	-	-	-	277	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.6	-	-	-	-
90	98/0002	1	-	-	-	277	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
91	98/0002	1	-	-	-	277	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	34.4	56.1	39.6	17.2	MOST WORK DONE UNIFACIALLY.
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Block	-	1	1,079.5	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	141.1	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
136	98/0002	1	-	-	-	277	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
138	98/0002	1	-	-	-	277	C	07	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
138	98/0002	1	-	-	-	277	C	07	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
142	98/0002	1	-	-	-	277	C	08	-	-	-	-	-	-	Bifaces	Quartzite	Other Bifaces	Absent	BRK	1	3.0	26.4	15.3	7.1	-
142	98/0002	1	-	-	-	277	C	08	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
142	98/0002	1	-	-	-	277	C	08	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
142	98/0002	1	-	-	-	277	C	08	-	-	-	-	-	-	Debitage	Rhyolite	> 60mm	Cobble	-	1	62.1	-	-	-	-
144	98/0002	1	-	-	-	277	CD	11	-	-	-	-	-	-	Cores	Quartz	Flake Core	Cobble	-	1	107.1	-	-	-	-
144	98/0002	1	-	-	-	277	CD	11	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	222.2	-	-	-	-
413	98/0002	1	-	-	-	277	C	11	-	-	-	-	-	FEA.14 FILL	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
413	98/0002	1	-	-	-	277	C	11	-	-	-	-	-	FEA.14 FILL	Fire-cracked Rock	Quartzite	-	-	1	2.4	-	-	-	-	-
443	98/0002	1	-	-	-	277	-	-	-	-	-	-	-	WALL SCRAP.PZ. FEA.14	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	8.5	27.3	24.3	14.3	-
95	98/0002	1	-	-	-	280	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
95	98/0002	1	-	-	-	280	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
103	98/0002	1	-	-	-	284	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	1.0	-	-	-	STEMMED POINT.
103	98/0002	1	-	-	-	284	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
109	98/0002	1	-	-	-	287	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
109	98/0002	1	-	-	-	287	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
109	98/0002	1	-	-	-	287	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	6.2	-	-	-	-
115	98/0002	1	-	-	-	289	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
115	98/0002	1	-	-	-	289	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
119	98/0002	1	-	-	-	291	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
119	98/0002	1	-	-	-	291	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	1.9	-	-	-	-
114	98/0002	1	-	-	-	293	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
124	98/0002	1	-	-	-	297	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
129	98/0002	1	-	-	-	299	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
129	98/0002	1	-	-	-	299	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
127	98/0002	1	-	-	-	300	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
131	98/0002	1	-	-	-	301	A	01	-	-	-	-	-	-	Bifaces	Rhyolite	Projectile Points	Absent	BAS	1	10.4	-	34.4	7.9	FOX CREEK POINT.
131	98/0002	1	-	-	-	301	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
141	98/0002	1	-	-	-	302	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	6.5	-	-	-	-
141	98/0002	1	-	-	-	302	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	2	157.3	-	-	-	-	MEND.
133	98/0002	1	-	-	-	303	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
133	98/0002	1	-	-	-	303	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
133	98/0002	1	-	-	-	303	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	5.5	-	-	-	-
133	98/0002	1	-	-	-	303	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Block	-	2	28.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
132	98/0002	1	-	-	-	304	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
132	98/0002	1	-	-	-	304	A	01	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	68.3	-	-	-	-
135	98/0002	1	-	-	-	306	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.3	-	-	-	-
140	98/0002	1	-	-	-	309	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.7	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.5	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	5.5	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	2	3.4	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.0	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	16.8	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	200.3	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.8	-	-	-	-
410	98/0002	1	-	-	-	342	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.9	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	22.0	-	-	-	-
411	98/0002	1	-	-	-	342	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	56.4	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Block	WHL	1	64.3	56.5	43.1	24.6	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.5	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.2	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.3	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.3	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.9	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	1.2	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	56.4	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	248.2	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	6	251.0	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	15.8	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	177.3	-	-	-	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Unifaces	Quartz	Retouched Flakes	Cobble	-	1	9.3	36.0	27.0	9.0	-
412	98/0002	1	-	-	-	342	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	2	83.6	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	572.8	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.8	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.2	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.5	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	24.3	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	10	86.1	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	158.5	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	426.6	-	-	-	-
442	98/0002	1	-	-	-	342	C	04	-	-	-	-	-	-	Fire-cracked Rock	Igneous	-	-	-	4	6.2	-	-	-	-
444	98/0002	1	-	-	-	342	C	05	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	1,012.8	-	-	-	-
447	98/0002	1	-	-	-	342	C	06	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
447	98/0002	1	-	-	-	342	C	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
447	98/0002	1	-	-	-	342	C	06	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	53.8	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	7.0	-	-	-	-
414	98/0002	1	-	-	-	343	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.4	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.6	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.8	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.1	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	121.9	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	11.9	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	5.1	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	3.6	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	201.9	-	-	-	-
415	98/0002	1	-	-	-	343	B	02	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	143.1	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	BRK	1	34.3	60.3	43.4	19.0	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	19.9	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.0	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	4.2	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.6	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.9	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.1	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.2	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.1	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.3	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.2	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.4	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	4	92.2	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	8	337.0	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	268.9	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	130.1	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	26.7	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	2.4	-	-	-	-
417	98/0002	1	-	-	-	343	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	5	333.8	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	HIGHLY POLISHED DORSAL SIDE.
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.3	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.1	-	-	-	HIGHLY POLISHED DORSAL SIDE.
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	4.3	-	-	-	HIGHLY POLISHED DORSAL SIDE.
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	6.4	-	-	-	FRESHLY BROKEN (TWO PIECES)
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	15	645.0	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	9.5	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	48.2	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	1.6	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Fire-cracked Rock	Metamorphic	-	-	-	2	129.4	-	-	-	-
435	98/0002	1	-	-	-	343	C	04	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	145.5	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	74.1	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.9	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	8.9	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	4.0	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.3	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	9.5	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	30.4	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.8	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	96.1	-	-	-	-
437	98/0002	1	-	-	-	343	C	05	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	17.5	-	-	-	-
440	98/0002	1	-	-	-	343	C	06	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.4	-	-	-	HIGHLY POLISHED DORSAL SIDE.
440	98/0002	1	-	-	-	343	C	06	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
440	98/0002	1	-	-	-	343	C	06	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.5	-	-	-	-
440	98/0002	1	-	-	-	343	C	06	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.1	-	-	-	-
440	98/0002	1	-	-	-	343	C	06	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	6.4	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	18.7	39.8	30.9	14.7	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	7	1.1	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.9	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.5	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.3	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	50.4	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	47.2	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	12.1	-	-	-	-
340	98/0002	1	-	-	-	358	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	150.9	-	-	-	-
354	98/0002	1	-	-	-	358	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
354	98/0002	1	-	-	-	358	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
354	98/0002	1	-	-	-	358	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.9	-	-	-	-
354	98/0002	1	-	-	-	358	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	13.4	-	-	-	-
354	98/0002	1	-	-	-	358	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	9.5	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	23.0	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	2	326.4	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.0	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	11	1.7	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.7	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	7	3.7	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.0	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.2	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.7	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Chalcedony	31-40mm	Absent	-	1	2.9	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	6.1	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.1	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	45.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	2	24.5	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	23.0	-	-	-	-
341	98/0002	1	-	-	-	359	A	01	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	120.1	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	17	3.0	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	1.4	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	9	1.6	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	7	2.2	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	3.1	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	3	1.3	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	2.1	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.3	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.0	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	48.0	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	8.6	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	2.6	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	9.9	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	15.8	-	-	-	-
407	98/0002	1	-	-	-	359	B	02	-	-	-	-	-	-	Unmodified Pebbles	Jasper	-	-	-	1	4.6	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	570.1	125.0	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Cores	Quartzite	Flake Core	Cobble	-	1	90.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	2	265.6	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	83.6	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.3	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Indeterminat e	-	2	0.5	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Indeterminat e	-	1	0.9	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.9	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.6	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	5.0	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	37.9	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	61.8	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	1.5	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	36.3	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	0.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	519.7	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	832.4	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	7	1,464.9	-	-	-	-
553	98/0002	1	-	-	-	359	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	67.5	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.6	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.8	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	90.5	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	135.0	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	23.8	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	21.1	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	114.2	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	45.5	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	9	1,659.6	-	-	-	-
556	98/0002	1	-	-	-	359	C	04	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	28	1,337.8	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.6	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.8	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	38.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	29.3	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	8	1,550.9	-	-	-	-
557	98/0002	1	-	-	-	359	C	05	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	12	730.1	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.0	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.8	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Cobble	-	1	6.1	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.8	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	13.9	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.7	-	-	-	-
355	98/0002	1	-	-	-	360	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	27.9	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	WHL	1	2.7	28.0	24.1	5.9	TRIANGULAR POINT MADISON.
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.8	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	4.2	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	2.7	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	90.0	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	16.4	-	-	-	-
356	98/0002	1	-	-	-	360	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	22.1	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	75.2	-	-	-	-
342	98/0002	1	-	-	-	361	A	01	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	332.2	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.5	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.0	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.3	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
343	98/0002	1	-	-	-	361	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	8.4	38.4	21.1	9.8	STEMMED PROJECTILE POINT.
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	56.8	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.0	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	7.0	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	2.7	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	8.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	10.6	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	44.0	-	-	-	-
344	98/0002	1	-	-	-	361	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	14.3	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.1	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	1.1	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	2.9	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	13.5	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	52.5	-	-	-	-
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	5.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
345	98/0002	1	-	-	-	361	C	04	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	89.4	-	-	-	-
400	98/0002	1	-	-	-	361	D	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	5.2	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.0	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	0.8	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	1.5	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.3	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.1	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	17.9	-	-	-	-
402	98/0002	1	-	-	-	361	D	06	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	13.5	-	-	-	-
404	98/0002	1	-	-	-	361	D	07	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Absent	BRK	1	14.4	-	31.0	14.5	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	41.3	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	212.3	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.4	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.4	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	88.7	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	16.9	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	11.9	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	3.3	-	-	-	-
421	98/0002	1	-	-	-	376	A	01	-	-	-	-	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	14.2	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.5	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	2	4.4	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.2	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	471.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	2.1	-	-	-	-
422	98/0002	1	-	-	-	376	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.8	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.4	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.4	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.4	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.2	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	2	2.1	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.6	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	12.0	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	21.2	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	35.5	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	26.5	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	27.6	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	82.4	-	-	-	-
425	98/0002	1	-	-	-	376	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	22.6	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Cores	Quartzite	Bipolar Cores	Cobble	-	1	93.9	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Cores	Quartzite	Other Core Types	Absent	-	1	787.2	-	-	-	QUARRY BLANK.
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	21.1	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.3	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	23.3	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	4	32.9	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	10.9	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	41.8	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	143.6	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	11	1,024.0	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	5	2,462.3	-	-	-	-
430	98/0002	1	-	-	-	376	C	04	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	2	127.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	4.8	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.1	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	7,881.6	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	9.6	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	79.1	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	1.8	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	3.2	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	113.2	-	-	-	-
434	98/0002	1	-	-	-	376	C	05	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	49.7	-	-	-	-
446	98/0002	1	-	-	-	376	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	4.2	-	-	-	-
446	98/0002	1	-	-	-	376	C	06	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	14.5	-	-	-	-
446	98/0002	1	-	-	-	376	C	06	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	19.4	-	-	-	-
550	98/0002	1	-	-	-	376	D	07	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.6	-	-	-	-
550	98/0002	1	-	-	-	376	D	07	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
550	98/0002	1	-	-	-	376	D	07	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
550	98/0002	1	-	-	-	376	D	07	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	350.1	-	-	-	-
550	98/0002	1	-	-	-	376	D	07	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	88.1	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	161.3	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.2	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	11.3	-	-	-	-
418	98/0002	1	-	-	-	377	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	37.4	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	2.4	-	-	6.3	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.7	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.9	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.0	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.7	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.5	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.0	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	77.5	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	11.9	-	-	-	-
419	98/0002	1	-	-	-	377	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	5.4	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.4	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.4	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.6	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.8	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.8	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
420	98/0002	1	-	-	-	377	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	71.6	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.8	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
423	98/0002	1	-	-	-	377	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.4	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	1.0	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	3.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.3	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.8	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	16.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	106.3	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	8.4	-	-	-	-
426	98/0002	1	-	-	-	378	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	8.4	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Absent	WHL	1	25.1	54.9	35.4	12.9	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Bifaces	Chert	Late-Stage Bifaces	Absent	WHL	1	5.0	33.4	19.7	8.6	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	42.5	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	7	2.2	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	5	4.0	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.7	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	2.8	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	1.8	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.9	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.8	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.8	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.6	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.9	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.9	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.7	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	2	10.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Absent	-	1	16.5	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	47.5	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	18.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	38.1	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	4.2	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	88.6	-	-	-	-
433	98/0002	1	-	-	-	378	B	02	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	2	34.9	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Bifaces	Sandstone	Early-Stage Bifaces	Absent	WHL	1	7.1	40.8	23.5	11.3	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	34.8	58.9	31.4	19.2	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Absent	WHL	1	14.4	44.3	28.3	14.4	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Bifaces	Quartz	Middle-Stage Bifaces	Absent	WHL	1	10.3	42.9	26.0	10.7	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	20.7	-	-	-	PREPARED.
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.6	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Indeterminate	11-15mm	Absent	-	2	0.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.9	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.2	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.1	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.1	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	6.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	8.9	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Absent	-	1	25.6	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	18	1,110.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Rhyolite	-	-	-	1	13.9	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	99.2	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	6.9	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	7	15.5	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	226.3	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	18	188.7	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	82.0	-	-	-	-
436	98/0002	1	-	-	-	378	C	03	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	2	101.0	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Cores	Sandstone	Tested Cobbles	Cobble	-	1	135.6	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	120.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.6	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.4	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.3	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.6	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.7	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.8	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	40.8	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	2	29.9	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	9	320.3	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	27.6	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	27.4	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	5	61.5	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	59.3	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	121.3	-	-	-	-
441	98/0002	1	-	-	-	378	C	04	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	3	139.8	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	281.4	81.0	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	3	196.8	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	4,983.0	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Indeterminat e	-	1	0.3	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.9	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.1	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.7	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.4	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	8.8	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	208.5	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	421.7	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.8	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	3.5	-	-	-	-
448	98/0002	1	-	-	-	378	C	05	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	113.8	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	2	185.0	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	3.6	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	7.0	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	30.2	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	301.9	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	10.3	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	24.7	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	21.4	-	-	-	-
552	98/0002	1	-	-	-	378	C	06	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	132.7	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Absent	WHL	1	24.0	45.4	32.0	18.0	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	79.1	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.6	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.8	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.8	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	3.7	-	-	-	-
424	98/0002	1	-	-	-	384	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	1.1	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.0	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	1.7	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	6.6	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	49.1	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	3.0	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	103.0	-	-	-	-
429	98/0002	1	-	-	-	384	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	9	97.3	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Bifaces	Rhyolite	Late-Stage Bifaces	Absent	WHL	1	6.6	41.1	23.0	6.4	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Cores	Quartz	Flake Core	Absent	-	1	76.1	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	33.9	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	171.1	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	44.8	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.3	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	2.9	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.8	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.8	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	9.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	6.5	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	9.4	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	1.8	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	2	12.5	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	28.5	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	20.5	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	5.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	3	26.6	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	61.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	11	508.0	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	9	274.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	7	317.5	-	-	-	-
431	98/0002	1	-	-	-	384	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	15	766.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	175.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.3	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	11.4	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	1.2	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	13.9	-	-	-	-
438	98/0002	1	-	-	-	384	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	28.7	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	242.4	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	28.3	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
445	98/0002	1	-	-	-	384	C	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	5,800.0	-	-	-	-
875	98/0002	1	-	-	-	392	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.8	-	-	-	-
875	98/0002	1	-	-	-	392	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.7	-	-	-	-
875	98/0002	1	-	-	-	392	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
875	98/0002	1	-	-	-	392	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	36.1	-	-	-	-
875	98/0002	1	-	-	-	392	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	12.1	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Indeterminate	-	1	0.2	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.1	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.4	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	43.2	-	-	-	-
876	98/0002	1	-	-	-	392	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.1	-	-	-	LESS THAN 0.1 g.
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	TIP	1	3.1	-	-	7.2	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.1	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Exotic/Rare Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.7	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.5	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.6	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	5.0	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	509.1	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	56.7	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	193.9	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	47.9	-	-	-	-
877	98/0002	1	-	-	-	392	C	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	7.4	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
890	98/0002	1	-	-	-	392	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	0.2	-	-	-	-
891	98/0002	1	-	-	-	392	D	06	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
76	97/0058	1	14	-	-	185	-	-	-	01	B	02	-	-	Debitage	Chert	21-30mm	Block	-	1	0.8	-	-	-	-
77	97/0058	1	14	-	-	185	-	-	-	01	B	03	-	-	Debitage	Chert	31-40mm	Block	-	1	4.4	-	-	-	-
114	97/0058	1	14	-	-	235	-	-	-	01	A	01	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
115	97/0058	1	14	-	-	235	-	-	-	01	B	01	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.0	-	-	-	-
1067	98/0002	1	-	-	-	-	-	-	-	03	B	02	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1067	98/0002	1	-	-	-	-	-	-	-	03	B	02	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
1067	98/0002	1	-	-	-	-	-	-	-	03	B	02	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	16.7	-	-	-	-
1067	98/0002	1	-	-	-	-	-	-	-	03	B	02	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
1067	98/0002	1	-	-	-	-	-	-	-	03	B	02	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
1148	98/0002	1	-	-	-	-	-	-	-	03	B	02	S W	-	Fire-cracked Rock	Quartzite	-	-	-	1	38.9	-	-	-	-
1200	98/0002	1	-	-	-	-	-	-	-	03	B	03	S W	-	Fire-cracked Rock	Jasper	-	-	-	3	20.1	-	-	-	-
1069	98/0002	1	-	-	-	-	-	-	-	03	B	04	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1206	98/0002	1	-	-	-	-	-	-	-	03	B	04	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1206	98/0002	1	-	-	-	-	-	-	-	03	B	04	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
1081	98/0002	1	-	-	-	-	-	-	-	03	B	05	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
1208	98/0002	1	-	-	-	-	-	-	-	03	B	06	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
1208	98/0002	1	-	-	-	-	-	-	-	03	B	06	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1220	98/0002	1	-	-	-	-	-	-	-	03	B	07	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	13.2	-	-	-	-
1220	98/0002	1	-	-	-	-	-	-	-	03	B	07	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	35.9	-	-	-	-
1096	98/0002	1	-	-	-	-	-	-	-	03	B	07	SE	-	Unmodified Cobbles	Quartzite	-	-	-	1	4,600.0	-	-	-	-
1098	98/0002	1	-	-	-	-	-	-	-	03	B	09	SE	-	Fire-cracked Rock	Jasper	-	-	-	2	21.3	-	-	-	-
1098	98/0002	1	-	-	-	-	-	-	-	03	B	09	SE	-	Unmodified Cobbles	Quartzite	-	Cobble	-	1	255.1	-	-	-	-
1229	98/0002	1	-	-	-	-	-	-	-	03	B	09	S W	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1229	98/0002	1	-	-	-	-	-	-	-	03	B	09	S W	-	Fire-cracked Rock	Jasper	-	-	-	1	2.3	-	-	-	-
1237	98/0002	1	-	-	-	-	-	-	-	03	C	06	S W	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
1238	98/0002	1	-	-	-	-	-	-	-	03	C	08	S W	-	Fire-cracked Rock	Jasper	-	-	-	1	6.2	-	-	-	-
1239	98/0002	1	-	-	-	-	-	-	-	03	C	09	S W	-	Fire-cracked Rock	Jasper	-	-	-	1	1.8	-	-	-	-
1128	98/0002	1	-	-	-	-	-	-	-	03	E	11	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	179.9	-	-	-	-
116	97/0058	1	14	-	-	238	-	-	-	03	A	02	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.2	-	-	-	-
117	97/0058	1	14	-	-	239	-	-	-	03	A	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
120	97/0058	1	14	-	-	239	-	-	-	03	A	07	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
121	97/0058	1	14	-	-	239	-	-	-	03	B	09	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
130	97/0058	1	14	-	-	240	-	-	-	03	A	01	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
1117	98/0002	1	-	-	-	-	-	-	-	04	B	02	S W	-	Fire-cracked Rock	Quartzite	-	-	-	1	406.3	-	-	-	-
1077	98/0002	1	-	-	-	-	-	-	-	04	B	03	N W	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
1119	98/0002	1	-	-	-	-	-	-	-	04	B	03	S W	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1119	98/0002	1	-	-	-	-	-	-	-	04	B	03	S W	-	Debitage	Jasper	31-40mm	Cobble	-	2	21.8	-	-	-	-
1121	98/0002	1	-	-	-	-	-	-	-	04	B	04	S W	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1121	98/0002	1	-	-	-	-	-	-	-	04	B	04	S W	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.6	-	-	-	-
1121	98/0002	1	-	-	-	-	-	-	-	04	B	04	S W	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
1089	98/0002	1	-	-	-	-	-	-	-	04	B	05	N W	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1130	98/0002	1	-	-	-	-	-	-	-	04	B	05	S W	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
1130	98/0002	1	-	-	-	-	-	-	-	04	B	05	S W	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
1130	98/0002	1	-	-	-	-	-	-	-	04	B	05	S W	-	Fire-cracked Rock	Quartz	-	-	-	2	24.8	-	-	-	-
1131	98/0002	1	-	-	-	-	-	-	-	04	B	06	S W	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1137	98/0002	1	-	-	-	-	-	-	-	04	B	09	S W	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1143	98/0002	1	-	-	-	-	-	-	-	04	B	10	S W	-	Debitage	Quartz	41-50mm	Cobble	-	1	13.5	-	-	-	-
1122	98/0002	1	-	-	-	-	-	-	-	04	C	04	S W	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
1090	98/0002	1	-	-	-	-	-	-	-	04	C	05	N W	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
1090	98/0002	1	-	-	-	-	-	-	-	04	C	05	N W	-	Fire-cracked Rock	Chert	-	-	-	1	2.3	-	-	-	-
1093	98/0002	1	-	-	-	-	-	-	-	04	C	07	N W	-	Fire-cracked Rock	Chert	-	-	-	1	2.3	-	-	-	-
1093	98/0002	1	-	-	-	-	-	-	-	04	C	07	N W	-	Fire-cracked Rock	Quartz	-	-	-	1	7.4	-	-	-	-
1093	98/0002	1	-	-	-	-	-	-	-	04	C	07	N W	-	Minerals	-	Other Minerals	-	-	1	0.1	-	-	-	OCHRE; LESS THAN 0.1 g.
133	97/0058	1	14	-	-	242	-	-	-	04	A	01	-	-	Cores	Quartzite	Freehand Cores	Absent	-	1	31.1	-	-	-	-
134	97/0058	1	14	-	-	242	-	-	-	04	B	03	-	-	Debitage	Quartz	31-40mm	Absent	-	1	11.5	-	-	-	-
134	97/0058	1	14	-	-	242	-	-	-	04	B	03	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	19.3	-	-	-	-
134	97/0058	1	14	-	-	242	-	-	-	04	B	03	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
135	97/0058	1	14	-	-	242	-	-	-	04	B	06	-	-	Debitage	Chert	6-10mm	Block	-	1	0.1	-	-	-	-
136	97/0058	1	14	-	-	242	-	-	-	04	C	03	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
137	97/0058	1	14	-	-	242	-	-	-	04	C	09	-	-	Minerals	-	Petrified Wood	-	-	1	0.5	-	-	-	-
124	97/0058	1	14	-	-	243	-	-	-	06	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.8	-	-	-	-
125	97/0058	1	14	-	-	243	-	-	-	06	B	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	91.9	-	-	-	-
126	97/0058	1	14	-	-	243	-	-	-	06	B	02	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.3	-	-	-	-
126	97/0058	1	14	-	-	243	-	-	-	06	B	02	-	-	Fire-cracked Rock	Chert	-	-	-	1	2.1	-	-	-	-
127	97/0058	1	14	-	-	243	-	-	-	06	B	03	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.3	-	-	-	-
138	97/0058	1	14	-	-	244	-	-	-	06	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	82.9	-	-	-	-
139	97/0058	1	14	-	-	244	-	-	-	06	B	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
140	97/0058	1	14	-	-	244	-	-	-	06	B	02	-	-	Minerals	-	Petrified Wood	-	-	2	0.6	-	-	-	-
1300	98/0002	1	-	-	-	-	-	-	-	07a	A	01	NE	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.9	-	-	-	-
1300	98/0002	1	-	-	-	-	-	-	-	07a	A	01	NE	-	Fire-cracked Rock	Quartzite	-	-	-	1	35.9	-	-	-	-
1327	98/0002	1	-	-	-	-	-	-	-	07a	A	01	SE	-	Fire-cracked Rock	Quartz	-	-	-	1	10.6	-	-	-	-
1327	98/0002	1	-	-	-	-	-	-	-	07a	A	01	SE	-	Fire-cracked Rock	Chert	-	-	-	1	28.6	-	-	-	-
1328	98/0002	1	-	-	-	-	-	-	-	07a	A	02	SE	-	Fire-cracked Rock	Quartzite	-	-	-	1	73.8	-	-	-	-
1073	98/0002	1	-	-	-	-	-	-	-	07a	A	02	W	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1073	98/0002	1	-	-	-	-	-	-	-	07a	A	02	W	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
1073	98/0002	1	-	-	-	-	-	-	-	07a	A	02	W	-	Debitage	Chert	31-40mm	Absent	-	1	1.9	-	-	-	-
1302	98/0002	1	-	-	-	-	-	-	-	07a	A	03	NE	-	Fire-cracked Rock	Siltstone	-	-	-	1	97.3	-	-	-	-
1086	98/0002	1	-	-	-	-	-	-	-	07a	A	03	W	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1330	98/0002	1	-	-	-	-	-	-	-	07a	A	04	SE	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.1	-	-	-	-
1107	98/0002	1	-	-	-	-	-	-	-	07a	A	04	W	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
1107	98/0002	1	-	-	-	-	-	-	-	07a	A	04	W	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.9	-	-	-	-
1306	98/0002	1	-	-	-	-	-	-	-	07a	A	05	NE	-	Fire-cracked Rock	Jasper	-	-	-	1	6.9	-	-	-	-
1120	98/0002	1	-	-	-	-	-	-	-	07a	A	05	W	-	Debitage	Chert	51-60mm	Cobble	-	1	11.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1331	98/0002	1	-	-	-	-	-	-	-	07a	A	06	SE	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
1201	98/0002	1	-	-	-	-	-	-	-	07a	A	07	W	-	Debitage	Jasper	41-50mm	Block	-	1	7.8	-	-	-	-
1319	98/0002	1	-	-	-	-	-	-	-	07a	B	08	NE	-	Fire-cracked Rock	Quartz	-	-	-	2	10.1	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Jasper	16-20mm	Block	-	1	0.9	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
1063	98/0002	1	-	-	-	-	-	-	-	07a b	A	01	W	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.5	-	-	-	-
1303	98/0002	1	-	-	-	-	-	-	-	07b	A	02	SE	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.1	-	-	-	-
1074	98/0002	1	-	-	-	-	-	-	-	07b	A	02	W	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
1307	98/0002	1	-	-	-	-	-	-	-	07b	A	04	SE	-	Fire-cracked Rock	Sandstone	-	-	-	1	2.9	-	-	-	-
1109	98/0002	1	-	-	-	-	-	-	-	07b	A	04	W	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1109	98/0002	1	-	-	-	-	-	-	-	07b	A	04	W	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
1109	98/0002	1	-	-	-	-	-	-	-	07b	A	04	W	-	Fire-cracked Rock	Quartz	-	-	-	1	11.8	-	-	-	-
1320	98/0002	1	-	-	-	-	-	-	-	07b	A	05	SE	-	Debitage	Jasper	31-40mm	Absent	-	1	2.1	-	-	-	-
1320	98/0002	1	-	-	-	-	-	-	-	07b	A	05	SE	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.8	-	-	-	-
1323	98/0002	1	-	-	-	-	-	-	-	07b	A	07	SE	-	Debitage	Jasper	31-40mm	Cobble	-	1	5.5	-	-	-	-
1326	98/0002	1	-	-	-	-	-	-	-	07b	A	08	SE	-	Debitage	Quartz	21-30mm	Absent	-	1	2.7	-	-	-	-
1337	98/0002	1	-	-	-	-	-	-	-	07b	B	-	SE	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	18.0	-	-	-	-
1337	98/0002	1	-	-	-	-	-	-	-	07b	B	-	SE	-	Debitage	Jasper	21-30mm	Block	-	1	3.6	-	-	-	-
1346	98/0002	1	-	-	-	-	-	-	-	07b	C	-	NE	-	Cobble Tools	Quartzite	Metates	Cobble	-	1	1,296.0	178.0	-	-	POSS. ANVIL.
1346	98/0002	1	-	-	-	-	-	-	-	07b	C	-	NE	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	77.0	-	-	-	-
1346	98/0002	1	-	-	-	-	-	-	-	07b	C	-	NE	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.7	-	-	-	-
416	98/0002	1	-	-	-	277	C	12	-	14	-	-	-	-	Cores	Chert	Freehand Cores	Block	-	1	960.7	-	-	-	-
439	98/0002	1	-	-	-	277	C	03	-	14	-	-	-	-	WALL SCRAPING S	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
401	98/0002	1	-	-	-	361	-	-	-	14	A	01	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	76.1	-	-	-	-
401	98/0002	1	-	-	-	361	-	-	-	14	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
401	98/0002	1	-	-	-	361	-	-	-	14	A	01	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.7	-	-	-	-
401	98/0002	1	-	-	-	361	-	-	-	14	A	01	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.5	-	-	-	-
401	98/0002	1	-	-	-	361	-	-	-	14	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	338.3	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.8	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Fire-cracked Rock	Jasper	-	-	-	1	57.4	-	-	-	-
403	98/0002	1	-	-	-	361	-	-	-	14	A	02	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	584.1	-	-	-	-
405	98/0002	1	-	-	-	361	-	-	-	14	A	03	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
405	98/0002	1	-	-	-	361	-	-	-	14	A	03	-	-	Fire-cracked Rock	Quartz	-	-	-	2	37.1	-	-	-	-
405	98/0002	1	-	-	-	361	-	-	-	14	A	03	-	-	Fire-cracked Rock	Chert	-	-	-	1	9.1	-	-	-	-
406	98/0002	1	-	-	-	361	-	-	-	14	A	04	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
408	98/0002	1	-	-	-	361	-	-	-	14	A	05	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	25.5	-	-	-	-
408	98/0002	1	-	-	-	361	-	-	-	14	A	05	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.7	-	-	-	-
408	98/0002	1	-	-	-	361	-	-	-	14	A	05	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.0	-	-	-	-
409	98/0002	1	-	-	-	361	-	-	-	14	A	06	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
409	98/0002	1	-	-	-	361	-	-	-	14	A	06	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
409	98/0002	1	-	-	-	361	-	-	-	14	A	06	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
428	98/0002	1	-	-	-	377	-	-	-	14	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
428	98/0002	1	-	-	-	377	-	-	-	14	A	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
881	98/0002	1	-	-	-	-	-	-	-	39	A	01	NE	-	Debitage	Jasper	51-60mm	Cobble	-	1	14.0	-	-	-	-
1245	98/0002	1	-	-	-	-	-	-	-	39	A	02	N W	-	Debitage	Chert	> 60mm	Block	-	1	46.1	-	-	-	-
894	98/0002	1	-	-	-	-	-	-	-	39	A	03	NE	-	Unmodified Cobbles	Sandstone	-	-	-	1	131.8	-	-	-	-
1246	98/0002	1	-	-	-	-	-	-	-	39	A	05	N W	-	Cores	Chert	Tested Cobbles	Cobble	-	1	32.7	-	-	-	-
1246	98/0002	1	-	-	-	-	-	-	-	39	A	05	N W	-	Fire-cracked Rock	Quartzite	-	-	-	1	11.0	-	-	-	-
1246	98/0002	1	-	-	-	-	-	-	-	39	A	05	N W	-	Fire-cracked Rock	Quartz	-	-	-	1	0.4	-	-	-	-
592	98/0002	1	-	-	-	-	-	-	-	39	A	06	S	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	2,283.5	-	-	-	-
592	98/0002	1	-	-	-	-	-	-	-	39	A	06	S	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	343.8	-	-	-	-
592	98/0002	1	-	-	-	-	-	-	-	39	A	06	S	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
592	98/0002	1	-	-	-	-	-	-	-	39	A	06	S	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
561	98/0002	1	-	-	-	-	-	-	-	39	A	07	S	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
561	98/0002	1	-	-	-	-	-	-	-	39	A	07	S	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
561	98/0002	1	-	-	-	-	-	-	-	39	A	07	S	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
564	98/0002	1	-	-	-	-	-	-	-	39	A	08	S	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Debitage	Metamorphic	31-40mm	Indeterminat e	-	1	6.0	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	18.8	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	238.6	-	-	-	MENDS.
449	98/0002	1	-	-	-	376	-	-	-	39	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	12.0	-	-	-	-
551	98/0002	1	-	-	-	376	-	-	-	39	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	43.7	-	-	-	-
551	98/0002	1	-	-	-	376	-	-	-	39	A	02	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	8.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
551	98/0002	1	-	-	-	376	-	-	-	39	A	02	-	-	Fire-cracked Rock	Jasper	-	-	-	1	21.3	-	-	-	-
551	98/0002	1	-	-	-	376	-	-	-	39	A	02	-	-	Fire-cracked Rock	Quartz	-	-	-	1	9.2	-	-	-	-
591	98/0002	1	-	-	-	-	-	-	-	41	A	01	S	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
701	98/0002	1	-	-	-	-	-	-	-	41	A	02	S	-	Debitage	Chert	31-40mm	Cobble	-	1	4.0	-	-	-	-
1085	98/0002	1	-	-	-	-	-	-	-	41	A	03	NE	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
716	98/0002	1	-	-	-	-	-	-	-	41	A	05	S	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1095	98/0002	1	-	-	-	-	-	-	-	41	B	04	NE	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
572	98/0002	1	-	-	-	-	-	-	-	44	A	01	E	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	610.0	-	-	-	-
572	98/0002	1	-	-	-	-	-	-	-	44	A	01	E	-	Fire-cracked Rock	Sandstone	-	-	-	3	2,690.0	-	-	-	-
572	98/0002	1	-	-	-	-	-	-	-	44	A	01	E	-	Fire-cracked Rock	Siltstone	-	-	-	1	323.4	-	-	-	-
594	98/0002	1	-	-	-	-	-	-	-	44	A	01	W	-	Fire-cracked Rock	Sandstone	-	-	-	2	188.7	-	-	-	-
594	98/0002	1	-	-	-	-	-	-	-	44	A	01	W	-	Fire-cracked Rock	Siltstone	-	-	-	2	82.8	-	-	-	-
594	98/0002	1	-	-	-	-	-	-	-	44	A	01	W	-	Fire-cracked Rock	Quartz	-	-	-	2	20.7	-	-	-	-
594	98/0002	1	-	-	-	-	-	-	-	44	A	01	W	-	Fire-cracked Rock	Quartzite	-	-	-	2	184.7	-	-	-	-
573	98/0002	1	-	-	-	-	-	-	-	44	A	02	E	-	Fire-cracked Rock	Sandstone	-	-	-	14	533.8	-	-	-	-
573	98/0002	1	-	-	-	-	-	-	-	44	A	02	E	-	Fire-cracked Rock	Siltstone	-	-	-	5	147.7	-	-	-	-
573	98/0002	1	-	-	-	-	-	-	-	44	A	02	E	-	Fire-cracked Rock	Quartz	-	-	-	3	15.6	-	-	-	-
595	98/0002	1	-	-	-	-	-	-	-	44	A	02	W	-	Fire-cracked Rock	Quartz	-	-	-	1	21.9	-	-	-	-
595	98/0002	1	-	-	-	-	-	-	-	44	A	02	W	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.7	-	-	-	-
595	98/0002	1	-	-	-	-	-	-	-	44	A	02	W	-	Fire-cracked Rock	Sandstone	-	-	-	3	6.8	-	-	-	-
595	98/0002	1	-	-	-	-	-	-	-	44	A	02	W	-	Fire-cracked Rock	Siltstone	-	-	-	1	16.6	-	-	-	-
579	98/0002	1	-	-	-	-	-	-	-	44	A	03	E	-	Fire-cracked Rock	Sandstone	-	-	-	2	2.4	-	-	-	-
596	98/0002	1	-	-	-	-	-	-	-	44	A	03	W	-	Debitage	Jasper	6-10mm	Block	-	1	0.1	-	-	-	-
596	98/0002	1	-	-	-	-	-	-	-	44	A	03	W	-	Fire-cracked Rock	Sandstone	-	-	-	1	4.4	-	-	-	-
574	98/0002	1	-	-	-	-	-	-	-	44	-	-	-	BACKHOE	Fire-cracked Rock	Sandstone	-	-	-	45	2,973.4	-	-	-	-
574	98/0002	1	-	-	-	-	-	-	-	44	-	-	-	BACKHOE	Fire-cracked Rock	Siltstone	-	-	-	6	618.8	-	-	-	-
574	98/0002	1	-	-	-	-	-	-	-	44	-	-	-	BACKHOE	Fire-cracked Rock	Quartz	-	-	-	11	19.3	-	-	-	-
721	98/0002	1	-	-	-	-	-	-	-	46	A	01	E	-	Debitage	Chert	21-30mm	Cobble	-	1	3.5	-	-	-	-
721	98/0002	1	-	-	-	-	-	-	-	46	A	01	E	-	Debitage	Quartz	41-50mm	Cobble	-	1	50.6	-	-	-	-
721	98/0002	1	-	-	-	-	-	-	-	46	A	01	E	-	Fire-cracked Rock	Chert	-	-	-	4	41.1	-	-	-	MEND.
1083	98/0002	1	-	-	-	-	-	-	-	46	A	01	N W	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1083	98/0002	1	-	-	-	-	-	-	-	46	A	01	N W	-	Fire-cracked Rock	Sandstone	-	-	-	1	38.5	-	-	-	-
722	98/0002	1	-	-	-	-	-	-	-	46	A	02	E	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
722	98/0002	1	-	-	-	-	-	-	-	46	A	02	E	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
722	98/0002	1	-	-	-	-	-	-	-	46	A	02	E	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
724	98/0002	1	-	-	-	-	-	-	-	46	A	03	E	-	Debitage	Quartzite	41-50mm	Cobble	-	1	17.5	-	-	-	-
1111	98/0002	1	-	-	-	-	-	-	-	46	A	03	N W	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1111	98/0002	1	-	-	-	-	-	-	-	46	A	03	N W	-	Fire-cracked Rock	Quartzite	-	-	-	1	65.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1215	98/0002	1	-	-	-	-	-	-	-	46	A	03	S W	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
725	98/0002	1	-	-	-	-	-	-	-	46	A	04	E	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
725	98/0002	1	-	-	-	-	-	-	-	46	A	04	E	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
1112	98/0002	1	-	-	-	-	-	-	-	46	A	04	N W	-	Fire-cracked Rock	Quartz	-	-	-	1	12.4	-	-	-	-
1112	98/0002	1	-	-	-	-	-	-	-	46	A	04	N W	-	Fire-cracked Rock	Siltstone	-	-	-	1	19.9	-	-	-	-
727	98/0002	1	-	-	-	-	-	-	-	46	A	05	E	-	Debitage	Quartz	41-50mm	Cobble	-	1	23.8	-	-	-	-
1216	98/0002	1	-	-	-	-	-	-	-	46	A	05	S W	-	Debitage	Chert	21-30mm	Absent	-	1	2.2	-	-	-	-
1216	98/0002	1	-	-	-	-	-	-	-	46	A	05	S W	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.6	-	-	-	-
1216	98/0002	1	-	-	-	-	-	-	-	46	A	05	S W	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.5	-	-	-	-
729	98/0002	1	-	-	-	-	-	-	-	46	A	06	E	-	Fire-cracked Rock	Quartz	-	-	-	4	150.8	-	-	-	-
730	98/0002	1	-	-	-	-	-	-	-	46	A	07	E	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1217	98/0002	1	-	-	-	-	-	-	-	46	A	07	S W	-	Debitage	Jasper	21-30mm	Absent	-	1	0.4	-	-	-	-
1217	98/0002	1	-	-	-	-	-	-	-	46	A	07	S W	-	Debitage	Chert	41-50mm	Cobble	-	1	26.6	-	-	-	-
1231	98/0002	1	-	-	-	-	-	-	-	46	C	01	S W	-	Debitage	Chert	31-40mm	Absent	-	1	29.0	-	-	-	-
1222	98/0002	1	-	-	-	-	-	-	-	47	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.9	-	-	-	-
569	98/0002	1	-	-	-	-	-	-	-	47	A	01	N	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
569	98/0002	1	-	-	-	-	-	-	-	47	A	01	N	-	Debitage	Jasper	21-30mm	Block	-	1	1.9	-	-	-	-
569	98/0002	1	-	-	-	-	-	-	-	47	A	01	N	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	LESS THAN 0.1 g.
569	98/0002	1	-	-	-	-	-	-	-	47	A	01	N	-	Fire-cracked Rock	Quartz	-	-	-	2	4.6	-	-	-	-
575	98/0002	1	-	-	-	-	-	-	-	47	A	02	N	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
575	98/0002	1	-	-	-	-	-	-	-	47	A	02	N	-	Fire-cracked Rock	Quartzite	-	-	-	2	158.8	-	-	-	-
575	98/0002	1	-	-	-	-	-	-	-	47	A	02	N	-	Fire-cracked Rock	Quartz	-	-	-	3	24.1	-	-	-	-
575	98/0002	1	-	-	-	-	-	-	-	47	A	02	N	-	Fire-cracked Rock	Jasper	-	-	-	1	13.8	-	-	-	-
749	98/0002	1	-	-	-	-	-	-	-	47	A	02	SE	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
749	98/0002	1	-	-	-	-	-	-	-	47	A	02	SE	-	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
1223	98/0002	1	-	-	-	-	-	-	-	47	A	03	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	19.1	-	-	-	-
577	98/0002	1	-	-	-	-	-	-	-	47	A	03	N	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
577	98/0002	1	-	-	-	-	-	-	-	47	A	03	N	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
577	98/0002	1	-	-	-	-	-	-	-	47	A	03	N	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
854	98/0002	1	-	-	-	-	-	-	-	47	A	03	SE	-	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
854	98/0002	1	-	-	-	-	-	-	-	47	A	03	SE	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
854	98/0002	1	-	-	-	-	-	-	-	47	A	03	SE	-	Fire-cracked Rock	Quartzite	-	-	-	1	271.1	-	-	-	-
860	98/0002	1	-	-	-	-	-	-	-	47	A	04	SE	-	Fire-cracked Rock	Sandstone	-	-	-	1	56.9	-	-	-	-
580	98/0002	1	-	-	-	-	-	-	-	47	A	05	N	-	Fire-cracked Rock	Quartzite	-	-	-	1	105.2	-	-	-	-
580	98/0002	1	-	-	-	-	-	-	-	47	A	05	N	-	Fire-cracked Rock	Siltstone	-	-	-	1	306.4	-	-	-	-
580	98/0002	1	-	-	-	-	-	-	-	47	A	05	N	-	Fire-cracked Rock	Sandstone	-	-	-	1	307.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1225	98/0002	1	-	-	-	-	-	-	-	47	A	05	S W	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1225	98/0002	1	-	-	-	-	-	-	-	47	A	05	S W	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
867	98/0002	1	-	-	-	-	-	-	-	47	B	05	SE	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	210.8	-	-	-	-
1226	98/0002	1	-	-	-	-	-	-	-	47	B	08	S W	-	Fire-cracked Rock	Sandstone	-	-	-	1	68.1	-	-	-	-
1227	98/0002	1	-	-	-	-	-	-	-	47	C	10	S W	-	Fire-cracked Rock	Sandstone	-	-	-	1	220.4	-	-	-	-
1309	98/0002	1	-	-	-	-	-	-	-	48	A	01	NE	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1309	98/0002	1	-	-	-	-	-	-	-	48	A	01	NE	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
737	98/0002	1	-	-	-	-	-	-	-	48	A	01	N W	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
737	98/0002	1	-	-	-	-	-	-	-	48	A	01	N W	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
703	98/0002	1	-	-	-	-	-	-	-	48	A	01	S	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
703	98/0002	1	-	-	-	-	-	-	-	48	A	01	S	-	Fire-cracked Rock	Sandstone	-	-	-	1	140.6	-	-	-	-
1311	98/0002	1	-	-	-	-	-	-	-	48	A	03	NE	-	Fire-cracked Rock	Quartzite	-	-	-	1	119.5	-	-	-	-
746	98/0002	1	-	-	-	-	-	-	-	48	A	03	N W	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
746	98/0002	1	-	-	-	-	-	-	-	48	A	03	N W	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
705	98/0002	1	-	-	-	-	-	-	-	48	A	03	S	-	Debitage	Chert	21-30mm	Absent	-	2	2.1	-	-	-	-
1313	98/0002	1	-	-	-	-	-	-	-	48	A	04	NE	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
1313	98/0002	1	-	-	-	-	-	-	-	48	A	04	NE	-	Fire-cracked Rock	Sandstone	-	-	-	1	72.5	-	-	-	-
851	98/0002	1	-	-	-	-	-	-	-	48	A	04	N W	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
706	98/0002	1	-	-	-	-	-	-	-	48	A	04	S	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	BROKEN RECENTLY.
1314	98/0002	1	-	-	-	-	-	-	-	48	A	05	NE	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1314	98/0002	1	-	-	-	-	-	-	-	48	A	05	NE	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
858	98/0002	1	-	-	-	-	-	-	-	48	A	05	N W	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-
858	98/0002	1	-	-	-	-	-	-	-	48	A	05	N W	-	Fire-cracked Rock	Quartzite	-	-	-	1	19.7	-	-	-	-
712	98/0002	1	-	-	-	-	-	-	-	48	A	06	S	-	Debitage	Jasper	16-20mm	Block	-	1	0.3	-	-	-	-
873	98/0002	1	-	-	-	-	-	-	-	48	A	07	N W	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	138.8	-	-	-	-
1310	98/0002	1	-	-	-	-	-	-	-	48	B	02	NE	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1312	98/0002	1	-	-	-	-	-	-	-	48	B	03	NE	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1315	98/0002	1	-	-	-	-	-	-	-	48	B	05	NE	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1316	98/0002	1	-	-	-	-	-	-	-	48	B	06	NE	-	Debitage	Jasper	21-30mm	Absent	-	1	0.4	-	-	-	-
1316	98/0002	1	-	-	-	-	-	-	-	48	B	06	NE	-	Fire-cracked Rock	Jasper	-	-	-	1	14.8	-	-	-	-
1317	98/0002	1	-	-	-	-	-	-	-	48	B	09	NE	-	Fire-cracked Rock	Sandstone	-	-	-	1	26.1	-	-	-	-
893	98/0002	1	-	-	-	-	-	-	-	48	B	09	N W	-	Debitage	Jasper	16-20mm	Block	-	1	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1061	98/0002	1	-	-	-	-	-	-	-	50	A	01	N W	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
584	98/0002	1	-	-	-	-	-	-	-	50	A	02	-	-	Debitage	Jasper	41-50mm	Block	-	1	6.9	-	-	-	-
1140	98/0002	1	-	-	-	-	-	-	-	50	A	02	NE	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-
1141	98/0002	1	-	-	-	-	-	-	-	50	A	03	NE	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
586	98/0002	1	-	-	-	-	-	-	-	50	A	03	S	-	Fire-cracked Rock	Quartzite	-	-	-	2	163.9	-	-	-	-
588	98/0002	1	-	-	-	-	-	-	-	50	A	04	S	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
588	98/0002	1	-	-	-	-	-	-	-	50	A	04	S	-	Fire-cracked Rock	Quartzite	-	-	-	2	71.1	-	-	-	-
597	98/0002	1	-	-	-	-	-	-	-	50	A	05	S	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	198.3	72.0	-	-	-
597	98/0002	1	-	-	-	-	-	-	-	50	A	05	S	-	Fire-cracked Rock	Quartzite	-	-	-	1	83.9	-	-	-	-
742	98/0002	1	-	-	-	-	-	-	-	51	A	01	E	-	Debitage	Jasper	31-40mm	Cobble	-	1	5.4	-	-	-	-
742	98/0002	1	-	-	-	-	-	-	-	51	A	01	E	-	Unmodified Cobbles	Siltstone	-	Cobble	-	1	149.8	-	-	-	-
743	98/0002	1	-	-	-	-	-	-	-	51	A	02	E	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
743	98/0002	1	-	-	-	-	-	-	-	51	A	02	E	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.1	-	-	-	-
743	98/0002	1	-	-	-	-	-	-	-	51	A	02	E	-	Fire-cracked Rock	Sandstone	-	-	-	2	141.6	-	-	-	-
743	98/0002	1	-	-	-	-	-	-	-	51	A	02	E	-	Fire-cracked Rock	Quartzite	-	-	-	1	116.2	-	-	-	-
744	98/0002	1	-	-	-	-	-	-	-	51	A	03	E	-	Fire-cracked Rock	Quartzite	-	-	-	1	98.6	-	-	-	-
744	98/0002	1	-	-	-	-	-	-	-	51	A	03	E	-	Fire-cracked Rock	Quartz	-	-	-	1	3.9	-	-	-	-
1145	98/0002	1	-	-	-	-	-	-	-	51	A	03	S W	-	Debitage	Jasper	21-30mm	Cobble	-	1	10.6	-	-	-	-
1145	98/0002	1	-	-	-	-	-	-	-	51	A	03	S W	-	Fire-cracked Rock	Quartzite	-	-	-	1	140.2	-	-	-	-
861	98/0002	1	-	-	-	-	-	-	-	51	B	04	N W	-	Unmodified Cobbles	Sandstone	-	-	-	1	253.9	-	-	-	-
718	98/0002	1	-	-	-	-	-	-	-	53	A	04	W	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
718	98/0002	1	-	-	-	-	-	-	-	53	A	04	W	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
720	98/0002	1	-	-	-	-	-	-	-	53	A	06	W	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
896	98/0002	1	-	-	-	-	-	-	-	53	A	08	NE	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
1244	98/0002	1	-	-	-	-	-	-	-	58	B	01	NE	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
1218	98/0002	1	-	-	-	-	-	-	-	59	A	01	N W	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
1218	98/0002	1	-	-	-	-	-	-	-	59	A	01	N W	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.9	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.5	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.5	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	8.4	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.8	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.4	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.9	-	-	-	-
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1221	98/0002	1	-	-	-	-	-	-	-	60	A	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	1,385.5	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Bifaces	Chert	Late-Stage Bifaces	Cobble	BRK	1	5.6	22.0	26.9	8.7	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Bifaces	Chert	Other Bifaces	Cobble	BRK	1	13.9	33.1	31.1	11.4	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	5.8	38.6	21.3	8.6	EXPANDING STEM PROJECTILE POINT.
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Bifaces	Jasper	Projectile Points	Absent	WHL	2	4.3	37.3	28.6	4.2	BIFURCATED PROJECTILE POINT; CROSSMEND.
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Cores	Jasper	Freehand Cores	Cobble	-	1	6.8	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	11-15mm	Absent	-	6	0.9	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	11-15mm	Cobble	-	2	0.6	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	11-15mm	Block	-	1	0.2	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	11-15mm	Absent	-	3	0.8	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	16-20mm	Block	-	3	3.1	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	16-20mm	Cobble	-	1	2.4	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	16-20mm	Absent	-	2	2.0	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	16-20mm	Block	-	2	0.9	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	16-20mm	Cobble	-	3	2.0	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.7	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	21-30mm	Cobble	-	4	11.6	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	31-40mm	Block	-	1	2.2	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	31-40mm	Block	-	1	1.7	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	31-40mm	Absent	-	1	2.2	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Chert	41-50mm	Block	-	1	14.7	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Fire-cracked Rock	Sandstone	-	-	-	5	765.6	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Fire-cracked Rock	Quartzite	-	-	-	2	112.7	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Fire-cracked Rock	Jasper	-	-	-	2	4.9	-	-	-	-
1344	98/0002	1	-	-	-	-	-	-	-	60	A	-	N	-	Fire-cracked Rock	Chert	-	-	-	3	18.9	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-
1391	98/0002	1	-	-	-	-	-	-	-	62	A	-	S	-	Debitage	Chert	21-30mm	Cobble	-	2	3.0	-	-	-	-

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.	
1392	98/0002	1	-	-	-	-	-	-	-	62	B	-	S	-	Fire-cracked Rock	Quartzite	-	-	1	74.2	-	-	-	-	-	
723	98/0002	1	-	-	-	-	-	-	-	64	A	01	W	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
1056	98/0002	1	-	-	-	-	-	-	-	64	A	02	SE	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-	
726	98/0002	1	-	-	-	-	-	-	-	64	A	02	W	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-	
731	98/0002	1	-	-	-	-	-	-	-	64	A	04	W	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
1071	98/0002	1	-	-	-	-	-	-	-	64	A	06	SE	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
1144	98/0002	1	-	-	-	-	-	-	-	64	C	07	NE	-	Bifaces	Chert	Projectile Points	Absent	BRK	1	3.0	29.6	29.3	4.5	SERRATED, BARBED BLADE; BROKEN BASE.	
704	98/0002	1	-	-	-	-	-	-	-	66	A	01	E	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
704	98/0002	1	-	-	-	-	-	-	-	66	A	01	E	-	Fire-cracked Rock	Quartzite	-	-	2	165.5	-	-	-	-	-	
704	98/0002	1	-	-	-	-	-	-	-	66	A	01	E	-	Minerals	-	Petrified Wood	-	-	1	0.5	-	-	-	-	
859	98/0002	1	-	-	-	-	-	-	-	66	A	01	N W	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-	
859	98/0002	1	-	-	-	-	-	-	-	66	A	01	N W	-	Fire-cracked Rock	Quartzite	-	-	1	9.9	-	-	-	-	-	
1066	98/0002	1	-	-	-	-	-	-	-	66	A	01	S W	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-	
1066	98/0002	1	-	-	-	-	-	-	-	66	A	01	S W	-	Fire-cracked Rock	Sandstone	-	-	1	21.5	-	-	-	-	-	
868	98/0002	1	-	-	-	-	-	-	-	66	A	02	N W	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	134.6	65.0	-	-	-	-
1072	98/0002	1	-	-	-	-	-	-	-	66	A	02	S W	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-	
1072	98/0002	1	-	-	-	-	-	-	-	66	A	02	S W	-	Fire-cracked Rock	Chert	-	-	1	6.2	-	-	-	-	-	
1072	98/0002	1	-	-	-	-	-	-	-	66	A	02	S W	-	Fire-cracked Rock	Sandstone	-	-	2	30.3	-	-	-	-	-	
708	98/0002	1	-	-	-	-	-	-	-	66	A	03	E	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
897	98/0002	1	-	-	-	-	-	-	-	66	A	05	N W	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-	
715	98/0002	1	-	-	-	-	-	-	-	66	A	06	-	-	Debitage	Quartz	31-40mm	Absent	-	1	14.4	-	-	-	-	
874	98/0002	1	-	-	-	-	-	-	-	66	B	04	N W	-	Fire-cracked Rock	Sandstone	-	-	1	21.4	-	-	-	-	-	
734	98/0002	1	-	-	-	-	-	-	-	67	A	02	S	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
734	98/0002	1	-	-	-	-	-	-	-	67	A	02	S	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-	
736	98/0002	1	-	-	-	-	-	-	-	67	A	04	S	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	387.8	-	-	-	-	
560	98/0002	1	-	-	-	-	-	-	-	68	A	02	-	-	Debitage	Chert	41-50mm	Absent	-	1	2.7	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Chert	11-15mm	Block	-	1	0.2	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.4	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Quartz	21-30mm	Absent	-	1	0.5	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.8	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	21-30mm	Block	-	1	0.7	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.6	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Quartzite	31-40mm	Absent	-	1	7.1	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Fire-cracked Rock	Quartz	-	-	-	1	25.8	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Fire-cracked Rock	Siltstone	-	-	-	1	2.5	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Fire-cracked Rock	Chert	-	-	-	2	35.0	-	-	-	-	
1335	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	-	Fire-cracked Rock	Sandstone	-	-	-	4	682.0	-	-	-	-	ONE FCR REFITS WITH FCRs FROM ACCESSION# 98/0002 CAT# 1333.
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Debitage	Jasper	16-20mm	Block	-	1	0.3	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Fire-cracked Rock	Sandstone	-	-	-	1	601.2	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Fire-cracked Rock	Siltstone	-	-	-	9	562.4	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Fire-cracked Rock	Quartz	-	-	-	1	20.1	-	-	-	-	
559	98/0002	1	-	-	-	-	-	-	-	69	A	01	N	-	Fire-cracked Rock	Quartzite	-	-	-	1	12.6	-	-	-	-	
562	98/0002	1	-	-	-	-	-	-	-	69	A	02	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	15.0	-	-	-	-	
565	98/0002	1	-	-	-	-	-	-	-	69	A	03	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-	
565	98/0002	1	-	-	-	-	-	-	-	69	A	03	-	-	Debitage	Jasper	21-30mm	Block	-	1	0.4	-	-	-	-	
565	98/0002	1	-	-	-	-	-	-	-	69	A	03	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	119.4	-	-	-	-	
565	98/0002	1	-	-	-	-	-	-	-	69	A	03	-	-	Fire-cracked Rock	Quartz	-	-	-	1	8.2	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Jasper	11-15mm	Absent	-	3	0.8	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.7	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Quartz	21-30mm	Absent	-	2	4.9	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Fire-cracked Rock	Sandstone	-	-	-	4	562.1	-	-	-	-	
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Fire-cracked Rock	Jasper	-	-	-	5	74.8	-	-	-	-	2 PIECES MEND.
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Fire-cracked Rock	Quartzite	-	-	-	1	52.5	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Fire-cracked Rock	Chert	-	-	-	2	3.0	-	-	-	-
1336	98/0002	1	-	-	-	-	-	-	-	69	B	-	S	-	Unmodified Pebbles	Jasper	-	Absent	-	1	0.7	-	-	-	-
570	98/0002	1	-	-	-	-	-	-	-	69	B	03	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
571	98/0002	1	-	-	-	-	-	-	-	69	B	04	-	-	Fire-cracked Rock	Chert	-	-	-	1	40.7	-	-	-	-
571	98/0002	1	-	-	-	-	-	-	-	69	B	04	-	-	Fire-cracked Rock	Siltstone	-	-	-	3	917.4	-	-	-	-
578	98/0002	1	-	-	-	-	-	-	-	69	B	05	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
581	98/0002	1	-	-	-	-	-	-	-	69	B	06	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	414.0	-	-	-	-
581	98/0002	1	-	-	-	-	-	-	-	69	B	06	-	-	Fire-cracked Rock	Metamorphic	-	-	-	1	396.1	-	-	-	-
582	98/0002	1	-	-	-	-	-	-	-	69	B	07	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
582	98/0002	1	-	-	-	-	-	-	-	69	B	07	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	535.2	-	-	-	-
582	98/0002	1	-	-	-	-	-	-	-	69	B	07	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	33.2	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Quartz	21-30mm	Cobble	-	1	6.3	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Jasper	21-30mm	Absent	-	1	1.7	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Quartz	31-40mm	Cobble	-	1	11.9	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
1333	98/0002	1	-	-	-	-	-	-	-	69	A	08	-	2nd BISECTION	Fire-cracked Rock	Sandstone	-	-	-	5	3,953.0	-	-	-	-
1334	98/0002	1	-	-	-	-	-	-	-	69	B	-	-	2nd BISECTION	Debitage	Jasper	11-15mm	Block	-	1	0.1	-	-	-	-
1334	98/0002	1	-	-	-	-	-	-	-	69	B	-	-	2nd BISECTION	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1334	98/0002	1	-	-	-	-	-	-	-	69	B	-	-	2nd BISECTION	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
1334	98/0002	1	-	-	-	-	-	-	-	69	B	-	-	2nd BISECTION	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
1334	98/0002	1	-	-	-	-	-	-	-	69	B	-	-	2nd BISECTION	Fire-cracked Rock	Quartzite	-	-	-	2	376.0	-	-	-	-
739	98/0002	1	-	-	-	-	-	-	-	69	A	-	S	WALL SCRAPING	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.1	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.1	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Fire-cracked Rock	Quartzite	-	-	-	3	335.5	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Fire-cracked Rock	Quartz	-	-	-	1	7.3	-	-	-	-
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Fire-cracked Rock	Chert	-	-	-	1	11.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-1

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
740	98/0002	1	-	-	-	-	-	-	-	85	A	01	E	-	Fire-cracked Rock	Metasedimentary	-	-	-	1	44.6	-	-	-	-
741	98/0002	1	-	-	-	-	-	-	-	85	A	02	E	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
741	98/0002	1	-	-	-	-	-	-	-	85	A	02	E	-	Debitage	Quartz	21-30mm	Absent	-	1	6.8	-	-	-	-
741	98/0002	1	-	-	-	-	-	-	-	85	A	02	E	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.9	-	-	-	-
741	98/0002	1	-	-	-	-	-	-	-	85	A	02	E	-	Fire-cracked Rock	Quartzite	-	-	-	2	231.2	-	-	-	-
741	98/0002	1	-	-	-	-	-	-	-	85	A	02	E	-	Fire-cracked Rock	Quartz	-	-	-	1	70.1	-	-	-	-
862	98/0002	1	-	-	-	-	-	-	-	85	A	04	E	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
862	98/0002	1	-	-	-	-	-	-	-	85	A	04	E	-	Fire-cracked Rock	Quartz	-	-	-	2	87.4	-	-	-	-
863	98/0002	1	-	-	-	-	-	-	-	85	A	05	E	-	Debitage	Quartz	21-30mm	Absent	-	1	7.4	-	-	-	-
863	98/0002	1	-	-	-	-	-	-	-	85	A	05	E	-	Fire-cracked Rock	Chert	-	-	-	1	3.3	-	-	-	-
863	98/0002	1	-	-	-	-	-	-	-	85	A	05	E	-	Fire-cracked Rock	Quartz	-	-	-	1	3.5	-	-	-	-
863	98/0002	1	-	-	-	-	-	-	-	85	A	05	E	-	Fire-cracked Rock	Quartzite	-	-	-	1	131.5	-	-	-	-
1345	98/0002	1	-	-	-	-	-	-	-	98	A	02	NE	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
1345	98/0002	1	-	-	-	-	-	-	-	98	A	02	NE	-	Fire-cracked Rock	Chert	-	-	-	1	38.8	-	-	-	-
1338	98/0002	1	-	-	-	-	-	-	-	98	A	02	SE	-	Fire-cracked Rock	Quartzite	-	-	-	2	14.0	-	-	-	-
1324	98/0002	1	-	-	-	-	-	-	-	98	A	04	W	-	Debitage	Quartzite	41-50mm	Cobble	-	1	22.4	-	-	-	-
1325	98/0002	1	-	-	-	-	-	-	-	98	A	05	W	-	Debitage	Jasper	11-15mm	Block	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	BRK	1	7.9	26.8	27.4	9.0	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	27.3	53.9	31.4	24.1	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Absent	-	1	18.2	-	-	-	BIFACIAL KNAPPING.
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.0	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.5	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.6	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.0	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.5	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	13.1	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	50.3	-	-	-	-
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	132.2	-	-	-	CROSS-MEND.
1	97/0059	2	18	-	-	-	AB	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	113.4	-	-	-	-
46	97/0059	2	18	-	-	-	-	-	-	-	-	-	-	-	BACK FILL Unifaces	Chert	Retouched Flakes	Cobble	WHL	1	9.5	34.0	24.9	12.7	-
2	97/0059	2	18	-	-	-	-	-	-	-	-	-	-	-	BACKDIRT- GENERAL Unmodified Cobbles	Sandstone	-	-	-	1	167.5	-	-	-	-
3	97/0059	2	19	-	-	-	AB	-	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	4.0	-	26.1	5.7	WELL GROUND, ROUNDED BASE.
3	97/0059	2	19	-	-	-	AB	-	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	499.5	87.0	-	-	POSSIBLE.
3	97/0059	2	19	-	-	-	AB	-	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.9	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	19.1	43.9	30.9	8.8	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	248.9	-	-	-	POSSIBLE.
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	1.2	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.8	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.5	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.1	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	3.0	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.2	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.6	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.0	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Cobble	-	1	6.7	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.7	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	30.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.5	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	151.7	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	196.3	-	-	-	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	1.9	23.1	15.1	5.8	-
4	97/0059	2	17	-	-	200	A	01	-	-	-	-	-	-	Unmodified Pebbles	Quartzite	-	-	-	1	37.0	-	-	-	-
5	97/0059	2	17	-	-	200	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.8	-	-	-	-
5	97/0059	2	17	-	-	200	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	43.4	-	-	-	-
6	97/0059	2	17	-	-	201	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	86.5	-	-	-	POSSIBLE.
6	97/0059	2	17	-	-	201	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
6	97/0059	2	17	-	-	201	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	POSSIBLE EDGE MODIFICATION.
6	97/0059	2	17	-	-	201	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-
6	97/0059	2	17	-	-	201	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	11.8	-	-	-	-
7	97/0059	2	17	-	-	202	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
7	97/0059	2	17	-	-	202	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
7	97/0059	2	17	-	-	202	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.6	-	-	-	-
7	97/0059	2	17	-	-	202	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.6	-	-	-	-
7	97/0059	2	17	-	-	202	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	116.6	-	-	-	-
8	97/0059	2	17	-	-	202	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	55.7	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Absent	WHL	1	15.0	37.1	30.0	14.0	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.6	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.8	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	6.7	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	42.7	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	180.3	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	100.6	-	-	-	-
9	97/0059	2	17	-	-	203	A	01	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Absent	WHL	1	2.5	24.8	19.7	5.8	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.6	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.6	-	-	-	-

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
10	97/0059	2	17	-	-	204	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	54.6	-	-	-	-
11	97/0059	2	17	-	-	204	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	2.0	-	16.1	4.4	SIDE-NOTCHED PROJECTILE POINT WITH SERRATED BLADE. KIRK ?
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Absent	BAS	1	1.1	-	17.3	6.2	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	32.6	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.9	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.8	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	10	1.7	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	17	8.0	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	3.6	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.5	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	2.7	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	2.3	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.8	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	4.0	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	4	6.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.5	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	6	7.2	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	2	1.9	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.7	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.6	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	11.8	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	12.0	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	2.3	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.5	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	3	30.4	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Absent	-	1	2.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	10.9	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	46.4	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-



Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.4	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.7	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	2	0.1	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	21	916.4	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	72	1,106.5	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	5	41.9	-	-	-	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	9.3	39.3	24.8	9.3	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	WHL	1	0.7	22.9	11.4	2.6	-
12	97/0059	2	18	-	-	214	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	2	446.3	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.7	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	6	2.4	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	1.0	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.9	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	2.2	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	12.7	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	13.0	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.1	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	35.0	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
13	97/0059	2	18	-	-	214	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.7	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
14	97/0059	2	18	-	-	214	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
15	97/0059	2	18	-	-	214	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
15	97/0059	2	18	-	-	214	C	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.4	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	42.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.6	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	3.9	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.3	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	4.4	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.6	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.9	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.7	-	-	-	BIPOLAR REDUCTION.
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.8	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	8.9	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.8	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	7.5	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	11.9	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	193.9	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	25.5	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	109.2	-	-	-	-
16	97/0059	2	18	-	-	215	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	22.8	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.1	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.4	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	12.5	-	-	-	-
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	31.8	-	-	-	-	
17	97/0059	2	18	-	-	215	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	87.4	-	-	-	-	
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	-	1	0.2	-	-	-	-
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	-	1	0.1	-	-	-	-
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	-	1	0.3	-	-	-	-
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	-	1	8.3	-	-	-	-
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	-	1	0.1	-	-	-	-
18	97/0059	2	18	-	-	215	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	-	1	0.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	-	1	130.8	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	2	0.2	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	2	0.3	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	-	1	0.4	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	-	4	0.5	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	-	4	1.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	-	3	0.7	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	-	1	0.2	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	-	1	0.3	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	-	2	1.5	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	-	1	0.3	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	-	1	1.0	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	-	1	0.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	-	1	0.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	-	1	0.5	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	-	1	0.4	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	-	1	0.9	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	-	2	1.8	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	-	2	7.4	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	-	1	1.7	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	-	1	4.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	-	1	2.9	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	-	1	1.0	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	-	1	1.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	-	1	2.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	-	1	3.5	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	-	1	3.8	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	-	1	10.4	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	-	1	8.0	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	-	1	16.7	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	-	1	0.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	-	1	0.1	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	-	1	38.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	47.4	-	-	-	-
19	97/0059	2	18	-	-	216	A	01	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	148.4	-	-	-	-
20	97/0059	2	18	-	-	216	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
20	97/0059	2	18	-	-	216	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
20	97/0059	2	18	-	-	216	B	02	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	MED	1	3.0	-	-	6.4	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	2.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	17	4.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.7	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	1.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.5	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	0.9	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	0.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.3	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	3.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.3	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chalcedony	16-20mm	Absent	-	1	1.1	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	6.5	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	5.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.8	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.9	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.9	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	11.5	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.4	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.0	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.5	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.3	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	4	0.5	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	10	135.6	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	14.1	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	131.7	-	-	-	-
21	97/0059	2	18	-	-	217	A	01	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Absent	WHL	1	1.7	29.0	15.3	3.8	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	9	1.6	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.8	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Exotic/Rare Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	8	0.8	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.9	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.5	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	4	2.6	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	3	1.2	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.5	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.4	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.5	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.7	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.3	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	3	0.3	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	0.9	-	-	-	-
22	97/0059	2	18	-	-	217	B	02	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	0.8	20.4	13.6	3.6	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	7	0.8	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	1.6	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.8	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.3	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.0	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.3	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.4	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	5	0.6	-	-	-	-
23	97/0059	2	18	-	-	217	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	2.8	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.4	-	-	-	BIPOLAR REDUCTION.
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
24	97/0059	2	18	-	-	218	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	133.0	-	-	-	TWO CROSS-MEND.
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	MED	1	1.9	-	18.8	4.4	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	61.7	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Cores	Metarhyolite	Tested Cobbles	Cobble	-	1	18.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.6	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	POT-LID.

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.0	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	1.8	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.8	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.1	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.8	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	18.6	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	2	31.4	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.3	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	42.5	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.7	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	9.5	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	226.7	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	109.4	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.5	-	-	-	-
25	97/0059	2	18	-	-	218	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	209.1	-	-	-	-
28	97/0059	2	18	-	-	218	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
28	97/0059	2	18	-	-	218	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
28	97/0059	2	18	-	-	218	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	4.8	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.2	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
29	97/0059	2	18	-	-	218	B	05	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
30	97/0059	2	18	-	-	218	B	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
30	97/0059	2	18	-	-	218	B	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
30	97/0059	2	18	-	-	218	B	06	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
30	97/0059	2	18	-	-	218	B	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Cobble	WHL	1	11.6	38.5	25.8	11.2	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Cores	Quartz	Bipolar Cores	Cobble	-	1	22.9	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	11.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.9	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.8	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	0.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.6	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.6	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	10.4	-	-	-	-	ONE PIECE OF MILK QUARTZ - AGATE-LIKE.
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	2.8	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	2.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	3.8	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	2.3	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	1.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	6.9	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	6.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	16.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.4	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	27.5	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	38.7	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-	
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	54.8	-	-	-	-
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.9	-	-	-	-
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	104.7	-	-	-	-
31	97/0059	2	-	-	-	224	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	36.7	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	40.8	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.9	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	1.5	-	-	-	CROSS-MEND WITH ROW# 11006.
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	41-50mm	Cobble	-	1	6.1	-	-	-	CROSS-MEND WITH ROW# 11007.
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Cobble	-	1	55.8	-	-	-	-
32	97/0059	2	-	-	-	225	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	309.9	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	19.3	39.8	29.7	15.3	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	14.5	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.9	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.8	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.9	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.6	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	14.2	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.7	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	2.4	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	11.2	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	18.7	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	51.6	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	7	91.7	-	-	-	-
34	97/0059	2	-	-	-	226	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	209.8	-	-	-	-
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	TIP	1	4.1	-	-	6.9	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	2.2	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.6	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	7.6	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.7	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.7	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	36.2	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	6	132.4	-	-	-	-	
35	97/0059	2	-	-	-	227	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	177.3	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	1.5	-	9.5	6.5	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	9.7	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	63.2	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	9.6	-	-	-	-	
36	97/0059	2	20	-	-	228	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	171.9	-	-	-	-	PLOW-TRAUMA.
37	97/0059	2	20	-	-	228	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-	
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	79.6	-	-	-	-	
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	BIPOLAR REDUCTION.
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	-
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-	-
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-	BIPOLAR REDUCTION.
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	1.2	-	-	-	-	-
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	-
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	19.9	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-2

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
38	97/0059	2	20	-	-	229	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	18.8	-	-	-	-
39	97/0059	2	20	-	-	229	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
39	97/0059	2	20	-	-	229	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	164.4	-	-	-	-
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	1.5	-	15.8	4.6	SIDE-NOTCHED BASE.
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Cores	Quartzite	Other Core Types	Cobble	-	1	97.5	-	-	-	-
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.2	-	-	-	WATERWORN.
40	97/0059	2	20	-	-	230	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	94.3	-	-	-	-
41	97/0059	2	20	-	-	231	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
41	97/0059	2	20	-	-	231	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.9	-	-	-	-
41	97/0059	2	20	-	-	231	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metarhyolite	-	-	-	1	66.2	-	-	-	-
42	97/0059	2	20	-	-	232	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
42	97/0059	2	20	-	-	232	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
42	97/0059	2	20	-	-	232	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
42	97/0059	2	20	-	-	232	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
43	97/0059	2	20	-	-	247	-	-	-	01	A	04	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
44	97/0059	2	20	-	-	247	-	-	-	01	A	05	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	26.2	-	-	-	-
45	97/0059	2	20	-	-	248	-	-	-	01	A	01	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	24.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
473	97/0055	3	-	-	-	-	SS	-	-	-	-	-	-	30' WEST UNIT 167	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	830.0	131.0	-	-	-	
18	97/0055	3	01	-	-	-	-	-	-	-	-	-	-	ART#1	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	4.4	35.0	18.4	8.4	SMALL, STEMMED POINT; PIECE OF CORTEX LEFT ON THE BASE.	
20	97/0055	3	02	-	-	-	-	-	-	-	-	-	-	ART#3	Bifaces	Quartz	Projectile Points	Absent	WHL	1	6.4	34.0	19.8	9.5	SMALL, STEMMED POINT; SLIGHTLY BROKEN TIP.	
22	97/0055	3	02	-	-	-	-	-	-	-	-	-	-	EXCAVATION	Bifaces	Chert	Projectile Points	Cobble	WHL	1	7.7	41.0	20.6	11.1	SMALL, STEMMED POINT; SLIGHTLY BROKEN TIP; PIECE OF CORTEX ON BASE.	
167	97/0055	3	02	-	-	-	-	-	-	-	-	-	-	GRAB SAMPLE Ap	Bifaces	Chert	Projectile Points	Absent	WHL	1	5.7	35.5	22.2	7.7	STEMMED POINT; SLIGHTLY BROKEN TIP; UNFINISHED BASE.	
167	97/0055	3	02	-	-	-	-	-	-	-	-	-	-	GRAB SAMPLE Ap	Bifaces	Jasper	Projectile Points	Absent	WHL	1	8.8	51.8	19.5	10.2	CONTRACTING STEM POINT.	
63	97/0055	3	04	-	-	-	A	-	-	-	-	-	-	BACKHOE EXCAVATION	Debitage	Argillite	41-50mm	Absent	-	1	4.2	-	-	-	-	
16	97/0055	3	04	-	-	-	SS	-	-	-	-	-	-	BASE OF Ap	Bifaces	Quartzite	Projectile Points	Absent	TIP	1	8.4	-	-	8.7	-	
62	97/0055	3	06	-	-	-	-	-	-	-	-	-	-	BACKHOE EXCAVATION	Bifaces	Chert	Projectile Points	Cobble	WHL	1	10.4	48.6	20.2	12.1	STEMMED PROJECTILE POINT UNFINISHED BASE; CORTEX ON BLADE.	
274	97/0055	3	06	-	-	-	SS	-	-	-	-	-	-	GENERAL	Cobble Tools	Quartzite	Hammerstones	-	-	1	465.5	102.5	78.8	43.1	EVIDENCE OF BATTERING AND CRUSHING.	
520	97/0055	3	06	-	-	-	-	-	-	-	-	-	-	NEAR FEAT.3	Cores	Chert	Other Core Types	Cobble	-	1	31.1	-	-	-	-	PREPARED CORE.
86	97/0051	3	-	H	04	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	
93	97/0051	3	-	I	06	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
93	97/0051	3	-	I	06	-	A	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-	
93	97/0051	3	-	I	06	-	A	-	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-	
94	97/0051	3	-	I	06	-	B	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
94	97/0051	3	-	I	06	-	B	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-	
95	97/0051	3	-	I	07	-	B	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.2	-	-	-	-	
95	97/0051	3	-	I	07	-	B	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-	
97	97/0051	3	-	J	02	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-	
97	97/0051	3	-	J	02	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
97	97/0051	3	-	J	02	-	A	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-	
98	97/0051	3	-	J	02	-	B	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-	
98	97/0051	3	-	J	02	-	B	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-	
100	97/0051	3	-	J	06	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
101	97/0051	3	-	J	06	-	B	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-	
102	97/0051	3	-	J	07	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
102	97/0051	3	-	J	07	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
106	97/0051	3	-	K	06	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.9	-	-	-	-
107	97/0051	3	-	K	06	-	B	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.4	-	-	-	-
108	97/0051	3	-	K	07	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
108	97/0051	3	-	K	07	-	B	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
108	97/0051	3	-	K	07	-	B	-	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
112	97/0051	3	-	M	07	-	B	-	-	-	-	-	-	-	Cores	Chert	Bifacial Core	Cobble	-	1	35.7	69.5	-	-	-
112	97/0051	3	-	M	07	-	B	-	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
114	97/0051	3	-	N	02	-	A	-	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	20.9	50.5	-	-	-
114	97/0051	3	-	N	02	-	A	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-
115	97/0051	3	-	N	04	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
115	97/0051	3	-	N	04	-	A	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	2	19.3	-	-	-	-
115	97/0051	3	-	N	04	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	109.3	-	-	-	-
117	97/0051	3	-	N	05	-	B	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
119	97/0051	3	-	N	07	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
120	97/0051	3	-	N	07	-	B	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.2	-	-	-	-
121	97/0051	3	-	O	03	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.3	-	-	-	-
122	97/0051	3	-	O	04	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
122	97/0051	3	-	O	04	-	A	-	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	2.8	-	-	-	-
123	97/0051	3	-	O	06	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
123	97/0051	3	-	O	06	-	A	-	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
125	97/0051	3	-	P	03	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
125	97/0051	3	-	P	03	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
125	97/0051	3	-	P	03	-	A	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
125	97/0051	3	-	P	03	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.9	-	-	-	-
126	97/0051	3	-	P	04	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.6	-	-	-	-
127	97/0051	3	-	P	05	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	2.1	-	-	-	-
127	97/0051	3	-	P	05	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	42.7	-	-	-	-
128	97/0051	3	-	P	06	-	B	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	24.9	-	-	-	-
129	97/0051	3	-	Q	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	4.4	-	-	-	-
134	97/0051	3	-	R	02	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
135	97/0051	3	-	S	01	-	A	-	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.2	-	-	-	-
135	97/0051	3	-	S	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	96.5	-	-	-	-
135	97/0051	3	-	S	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	173.0	-	-	-	-
137	97/0051	3	-	T	01	-	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
137	97/0051	3	-	T	01	-	A	-	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
137	97/0051	3	-	T	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	45.9	-	-	-	-
138	97/0051	3	-	T	02	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
138	97/0051	3	-	T	02	-	A	-	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
138	97/0051	3	-	T	02	-	A	-	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
139	97/0051	3	-	U	01	-	A	-	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
139	97/0051	3	-	U	01	-	A	-	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Indeterminat e	-	1	1.4	-	-	-	-
139	97/0051	3	-	U	01	-	A	-	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	11.9	-	-	-	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Block	WHL	1	11.9	49.6	22.8	14.1	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
1	97/0055	3	01	-	-	057	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	6	76.0	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.7	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
64	97/0055	3	01	-	-	057	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	56.2	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Absent	-	1	13.6	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
65	97/0055	3	01	-	-	057	B	03	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	WHL	1	2.4	27.0	20.8	3.4	POSSIBLE NOTCHED ON ONE END.
66	97/0055	3	01	-	-	057	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
66	97/0055	3	01	-	-	057	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
66	97/0055	3	01	-	-	057	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
66	97/0055	3	01	-	-	057	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	4.3	-	-	-	-
2	97/0055	3	01	-	-	058	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
2	97/0055	3	01	-	-	058	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.0	-	-	-	-
2	97/0055	3	01	-	-	058	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
67	97/0055	3	01	-	-	058	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
67	97/0055	3	01	-	-	058	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
67	97/0055	3	01	-	-	058	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	8.6	-	-	-	-
68	97/0055	3	01	-	-	058	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
68	97/0055	3	01	-	-	058	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	15.8	-	-	-	-
69	97/0055	3	01	-	-	058	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
69	97/0055	3	01	-	-	058	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
69	97/0055	3	01	-	-	058	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
69	97/0055	3	01	-	-	058	B	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.1	-	-	-	-
70	97/0055	3	01	-	-	058	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
70	97/0055	3	01	-	-	058	C	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-
70	97/0055	3	01	-	-	058	C	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
70	97/0055	3	01	-	-	058	C	05	-	-	-	-	-	-	Unifaces	Jasper	Retouched Flakes	Absent	BRK	1	2.0	25.0	50.0	5.0	-
71	97/0055	3	01	-	-	058	C	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
72	97/0055	3	01	-	-	058	C	07	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Debitage	Metamorphic	21-30mm	Absent	-	1	1.6	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Indeterminat e	-	1	6.1	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.7	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	15.5	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	104.3	-	-	-	-
3	97/0055	3	01	-	-	059	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	3.4	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
73	97/0055	3	01	-	-	059	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.3	-	-	-	-
74	97/0055	3	01	-	-	059	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	47.5	-	-	-	-
74	97/0055	3	01	-	-	059	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
74	97/0055	3	01	-	-	059	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.8	-	-	-	-
74	97/0055	3	01	-	-	059	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
75	97/0055	3	01	-	-	059	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
75	97/0055	3	01	-	-	059	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.6	-	-	-	-
4	97/0055	3	01	-	-	060	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	4.5	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
76	97/0055	3	01	-	-	060	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
77	97/0055	3	01	-	-	060	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
77	97/0055	3	01	-	-	060	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
78	97/0055	3	01	-	-	060	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
78	97/0055	3	01	-	-	060	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
78	97/0055	3	01	-	-	060	C	04	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	4.2	-	-	-	-
78	97/0055	3	01	-	-	060	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
79	97/0055	3	01	-	-	060	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
80	97/0055	3	01	-	-	060	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
81	97/0055	3	01	-	-	060	C	07	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
5	97/0055	3	01	-	-	061	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
5	97/0055	3	01	-	-	061	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
5	97/0055	3	01	-	-	061	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
5	97/0055	3	01	-	-	061	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	39.9	-	-	-	-
5	97/0055	3	01	-	-	061	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.9	-	-	-	-
82	97/0055	3	01	-	-	061	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	255.2	-	-	-	-
83	97/0055	3	01	-	-	061	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.6	-	-	-	-
265	97/0055	3	01	-	-	061	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
265	97/0055	3	01	-	-	061	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
265	97/0055	3	01	-	-	061	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.1	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.1	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.6	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	3.9	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	101.4	-	-	-	-
6	97/0055	3	02	-	-	062	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	56.4	-	-	-	-
84	97/0055	3	02	-	-	062	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
84	97/0055	3	02	-	-	062	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	5.5	-	-	-	-
84	97/0055	3	02	-	-	062	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	110.2	-	-	-	-
85	97/0055	3	02	-	-	062	BC	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-
7	97/0055	3	02	-	-	063	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
86	97/0055	3	02	-	-	063	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
87	97/0055	3	02	-	-	063	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	2.3	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.3	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.9	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	4.8	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	12	152.0	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	2.6	-	-	-	-
8	97/0055	3	02	-	-	064	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	64.9	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	216.9	-	-	-	-
88	97/0055	3	02	-	-	064	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	26.9	-	-	-	-
89	97/0055	3	02	-	-	064	C	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.1	-	-	-	-
9	97/0055	3	02	-	-	065	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
9	97/0055	3	02	-	-	065	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
9	97/0055	3	02	-	-	065	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	0.3	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.9	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.7	-	-	-	-
91	97/0055	3	02	-	-	065	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
92	97/0055	3	02	-	-	065	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
92	97/0055	3	02	-	-	065	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	11.9	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
10	97/0055	3	02	-	-	066	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	1.4	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	46.8	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	85.4	-	-	-	-
93	97/0055	3	02	-	-	066	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.1	-	-	-	-
94	97/0055	3	02	-	-	066	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
11	97/0055	3	03	-	-	067	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.2	-	-	-	-
11	97/0055	3	03	-	-	067	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.2	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.7	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.9	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.7	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.0	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Debitage	Argillite	41-50mm	Absent	-	1	15.9	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	3.8	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	8.1	-	-	-	-
95	97/0055	3	03	-	-	067	B	02	-	-	-	-	-	-	Unifaces	Chert	Endscrapers	Cobble	-	1	1.1	16.0	14.0	6.0	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
96	97/0055	3	03	-	-	067	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
97	97/0055	3	03	-	-	067	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	2	1.4	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Absent	-	1	25.9	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	10	123.2	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	34	791.0	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	11	320.6	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	261.5	-	-	-	-
12	97/0055	3	03	-	-	068	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	87.5	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	9.3	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	33.4	-	-	-	-
99	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	507.6	-	-	-	-
98	97/0055	3	03	-	-	068	B	02	-	-	-	-	-	ART#1	Bifaces	Sedimentary	Late-Stage Bifaces	Absent	WHL	1	3.1	38.0	16.8	4.1	VERY WEATHERED.
13	97/0055	3	03	-	-	069	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.8	-	-	-	-
13	97/0055	3	03	-	-	069	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	20.5	-	-	-	-
13	97/0055	3	03	-	-	069	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	30.1	-	-	-	-
100	97/0055	3	03	-	-	069	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
100	97/0055	3	03	-	-	069	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	71.2	-	-	-	-
14	97/0055	3	03	-	-	070	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
14	97/0055	3	03	-	-	070	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
14	97/0055	3	03	-	-	070	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
14	97/0055	3	03	-	-	070	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	10.2	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.6	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	151.6	-	-	-	-
101	97/0055	3	03	-	-	070	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	16.2	-	-	-	-
102	97/0055	3	03	-	-	070	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
102	97/0055	3	03	-	-	070	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
102	97/0055	3	03	-	-	070	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	10.2	-	-	-	-
15	97/0055	3	03	-	-	071	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
15	97/0055	3	03	-	-	071	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	2.8	-	-	-	-
103	97/0055	3	03	-	-	071	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	9.3	-	-	-	-
103	97/0055	3	03	-	-	071	B	02	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Cobble	WHL	1	3.1	21.0	17.6	8.0	-
104	97/0055	3	03	-	-	071	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.5	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.2	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	4	0.6	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	4	4.5	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	4	2.3	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	3	3.7	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.6	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.9	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Absent	-	1	3.2	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
23	97/0055	3	04	-	-	072	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	20.3	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	276.8	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	3	0.5	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.2	-	-	-	-
105	97/0055	3	04	-	-	072	B	02	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.9	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.4	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	3.9	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	22.2	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	6	18.4	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	8	97.5	-	-	-	-
24	97/0055	3	04	-	-	073	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	111.4	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.7	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	6	1.0	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	2.6	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	7	0.6	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Absent	-	1	37.1	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	190.2	-	-	-	-
106	97/0055	3	04	-	-	073	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	0.8	-	-	-	-
312	97/0055	3	04	-	-	073	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
25	97/0055	3	04	-	-	074	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	1.1	-	-	-	A POSSIBLE POINT BASE.
25	97/0055	3	04	-	-	074	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
25	97/0055	3	04	-	-	074	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.3	-	-	-	-
25	97/0055	3	04	-	-	074	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
25	97/0055	3	04	-	-	074	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	2.2	-	-	-	-
107	97/0055	3	04	-	-	074	B	02	-	-	-	-	-	-	Cobble Tools	Sandstone	Other Cobble Tools	Cobble	-	1	51.4	-	-	-	-
107	97/0055	3	04	-	-	074	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	95.5	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.4	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	2	0.2	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.3	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.9	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.4	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	2	3.4	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.1	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	14.1	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	61.5	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	12.9	-	-	-	-
26	97/0055	3	04	-	-	075	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	908.6	-	-	-	-
108	97/0055	3	04	-	-	075	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
108	97/0055	3	04	-	-	075	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
108	97/0055	3	04	-	-	075	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
109	97/0055	3	04	-	-	075	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
109	97/0055	3	04	-	-	075	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.8	-	-	-	-
27	97/0055	3	04	-	-	076	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
27	97/0055	3	04	-	-	076	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
27	97/0055	3	04	-	-	076	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
27	97/0055	3	04	-	-	076	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	7.5	-	-	-	-
27	97/0055	3	04	-	-	076	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	44.0	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	31.1	60.2	32.9	19.4	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	3.4	-	19.3	9.2	GROUND BASE; SIDE-NOTCHED SERRATED POINT. KIRK ?
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.7	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	2	0.4	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	0.5	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.6	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.6	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.7	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	13.6	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.1	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	9.9	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	159.4	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	30.8	-	-	-	-
28	97/0055	3	05	-	-	077	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	19.5	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	91.0	63.7	50.9	21.3	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	177.9	70.0	47.9	34.3	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	7	1.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	1.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.0	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.9	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	4.8	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.9	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	2.2	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Rhyolite	31-40mm	Absent	-	2	6.9	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.3	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
110	97/0055	3	05	-	-	077	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.8	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Cores	Jasper	Bifacial Core	Cobble	-	1	18.0	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	1.5	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	8	1.9	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.8	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.3	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.8	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.4	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	4	3.3	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.4	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.1	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.0	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.5	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Block	-	1	14.8	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	14.0	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	30.8	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.5	-	-	-	-
111	97/0055	3	05	-	-	077	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	65.6	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Bifaces	Crystal Quartz	Projectile Points	Absent	BAS	1	14.8	-	-	-	POSSIBLE ADENA-LIKE BASE.
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.6	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Block	-	1	16.8	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.3	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
112	97/0055	3	05	-	-	077	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	14.9	-	-	-	-
113	97/0055	3	05	-	-	077	B	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-
113	97/0055	3	05	-	-	077	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	106.2	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	2.2	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
29	97/0055	3	05	-	-	078	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
114	97/0055	3	05	-	-	078	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
114	97/0055	3	05	-	-	078	B	02	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	2	0.2	-	-	-	-
115	97/0055	3	05	-	-	078	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Block	BRK	1	8.8	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	8.8	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	8.6	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
30	97/0055	3	05	-	-	079	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	136.4	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	54.8	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	3	1.7	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	8.0	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.6	-	-	-	-
116	97/0055	3	05	-	-	079	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
117	97/0055	3	05	-	-	079	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
118	97/0055	3	05	-	-	079	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
119	97/0055	3	05	-	-	079	C	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	6	1.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.6	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.9	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Cobble	-	1	0.2	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Cobble	-	1	0.2	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.3	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	4	5.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	1.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.6	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	1.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.9	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	1.9	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	2.8	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	3.5	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	14.4	-	-	-	-
31	97/0055	3	05	-	-	080	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	15.8	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	0.9	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.4	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.9	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.5	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	3.5	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.7	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.0	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	22.7	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Jasper	51-60mm	Cobble	-	1	24.8	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	13.3	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.3	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
120	97/0055	3	05	-	-	080	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	31.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	1.1	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.6	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.0	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.8	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	2.7	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.6	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.0	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
121	97/0055	3	05	-	-	080	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	5.7	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.5	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Rhyolite	51-60mm	Cobble	-	1	58.9	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
122	97/0055	3	05	-	-	080	B	04	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	61.0	-	-	-	-
123	97/0055	3	05	-	-	080	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.5	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.0	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	0.5	-	-	-	-
32	97/0055	3	05	-	-	081	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	12.5	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.0	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.1	-	-	-	-
124	97/0055	3	05	-	-	081	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	9.4	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.6	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.2	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.3	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	24.4	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
125	97/0055	3	05	-	-	081	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.4	-	-	-	-
126	97/0055	3	05	-	-	081	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	6.0	-	-	-	-
127	97/0055	3	05	-	-	081	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
127	97/0055	3	05	-	-	081	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
128	97/0055	3	05	-	-	081	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
128	97/0055	3	05	-	-	081	C	06	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
129	97/0055	3	05	-	-	081	C	07	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
129	97/0055	3	05	-	-	081	C	07	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.5	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.1	-	-	-	-
33	97/0055	3	06	-	-	082	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.3	-	-	-	-
130	97/0055	3	06	-	-	082	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.0	-	-	-	-
130	97/0055	3	06	-	-	082	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	39.8	-	-	-	-
131	97/0055	3	06	-	-	082	B	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	3	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	5	10.0	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.2	-	-	-	-
34	97/0055	3	06	-	-	083	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.3	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	0.8	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	12	1.7	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	2	0.5	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.7	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	9	1.7	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.2	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	2.3	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	5	2.9	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.6	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	7	2.6	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	3.8	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.9	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	5	5.2	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.1	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	7.7	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	4	0.3	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
132	97/0055	3	06	-	-	083	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	53.6	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	1.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	2	0.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.1	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	2	2.4	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.2	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.5	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	2	0.1	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
133	97/0055	3	06	-	-	083	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	4.6	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.8	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.5	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.7	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.2	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
134	97/0055	3	06	-	-	083	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
135	97/0055	3	06	-	-	083	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	14.8	50.8	29.9	11.4	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	1.0	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.8	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.4	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.9	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.6	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.9	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.2	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	2.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Chert	51-60mm	Absent	-	1	24.8	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
35	97/0055	3	06	-	-	084	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	426.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Absent	-	1	56.8	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	1.7	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	1.3	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.7	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	6	1.3	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.5	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.5	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.5	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.0	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.8	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	3.3	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.3	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.6	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.7	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.6	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.7	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.3	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
138	97/0055	3	06	-	-	084	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	WHL	1	20.7	51.1	30.0	15.1	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	7	1.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.4	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.0	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.6	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
139	97/0055	3	06	-	-	084	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
140	97/0055	3	06	-	-	084	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
140	97/0055	3	06	-	-	084	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
140	97/0055	3	06	-	-	084	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
140	97/0055	3	06	-	-	084	C	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	88.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Metasedimen tary	11-15mm	Absent	-	2	0.3	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.9	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.3	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	0.8	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.8	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
36	97/0055	3	06	-	-	085	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	57.8	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.2	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
141	97/0055	3	06	-	-	085	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
142	97/0055	3	06	-	-	085	B	03	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	18.5	-	-	-	A FLAKE CORE WITH A BIFACIAL SHAPE.
142	97/0055	3	06	-	-	085	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
142	97/0055	3	06	-	-	085	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.5	-	-	-	-
142	97/0055	3	06	-	-	085	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
142	97/0055	3	06	-	-	085	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
143	97/0055	3	06	-	-	085	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	10.4	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
37	97/0055	3	06	-	-	086	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	402.3	-	-	-	-
144	97/0055	3	06	-	-	086	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
144	97/0055	3	06	-	-	086	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.8	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.7	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.2	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.7	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Absent	-	1	1.0	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	5.2	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.9	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.0	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	3.6	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	4.5	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	11.4	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	6	9.2	-	-	-	-
38	97/0055	3	05	-	-	087	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	16.2	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.1	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.4	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	16.5	-	-	-	-
313	97/0055	3	05	-	-	087	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	49.0	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.1	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.2	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	9.4	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.3	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	11.1	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.1	-	-	-	-
314	97/0055	3	05	-	-	087	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	0.8	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	3	1.6	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	1.6	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.1	-	-	-	-
315	97/0055	3	05	-	-	087	B	04	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	4.0	29.6	26.7	6.1	-
316	97/0055	3	05	-	-	087	B	05	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	0.4	-	-	-	-
317	97/0055	3	05	-	-	087	C	06	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
318	97/0055	3	05	-	-	087	C	07	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
318	97/0055	3	05	-	-	087	C	07	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.1	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.6	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	2.8	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.5	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.7	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.0	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Rhyolite	41-50mm	Cobble	-	1	28.2	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
39	97/0055	3	05	-	-	088	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	8.6	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.4	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.5	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.7	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
319	97/0055	3	05	-	-	088	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	339.5	-	-	-	-
320	97/0055	3	05	-	-	088	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
320	97/0055	3	05	-	-	088	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
320	97/0055	3	05	-	-	088	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.2	-	-	-	-
320	97/0055	3	05	-	-	088	B	03	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	16.2	-	-	-	-
320	97/0055	3	05	-	-	088	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
321	97/0055	3	05	-	-	088	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
321	97/0055	3	05	-	-	088	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
322	97/0055	3	05	-	-	088	C	05	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	1.0	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	1.0	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.6	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.7	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.0	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.8	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	1.7	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.9	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	2.8	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.2	-	-	-	-
40	97/0055	3	05	-	-	089	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	63.0	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Block	-	1	13.6	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	87.0	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.1	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	1.1	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.7	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.4	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	5	3.5	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.6	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	4	1.8	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.2	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	4	2.3	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.3	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	3.9	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.5	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.7	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	4	8.9	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.8	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	2	2.7	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	2	7.9	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	2	7.3	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	13.0	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	3	0.8	-	-	-	-	
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	4	104.5	-	-	-	-	
323	97/0055	3	05	-	-	089	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	7	368.7	-	-	-	-	
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.6	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	0.5	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.8	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.2	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	5	1.8	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	2.6	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.5	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.9	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.2	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	3.5	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.3	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	5.3	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.0	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.8	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	5.4	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	10.9	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.1	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	13.0	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	10.5	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	22.1	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	1	0.8	-	-	-	-	
324	97/0055	3	05	-	-	089	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	3	152.6	-	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
325	97/0055	3	05	-	-	089	B	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.3	-	-	-	-
326	97/0055	3	05	-	-	089	C	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.1	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.4	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	1.5	-	-	-	-
41	97/0055	3	05	-	-	090	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	78.9	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	BRK	1	62.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	51.0	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.8	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.0	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	1.9	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	3.4	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	1.5	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.8	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.8	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	2.8	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	6.4	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	2.8	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.6	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
328	97/0055	3	05	-	-	090	B	02	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	96.0	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	4.7	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.7	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	5	1.0	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	2.4	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.7	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	4.1	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.3	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Absent	-	1	2.6	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
329	97/0055	3	05	-	-	090	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
330	97/0055	3	05	-	-	090	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
331	97/0055	3	05	-	-	090	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
331	97/0055	3	05	-	-	090	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.6	-	-	-	-
331	97/0055	3	05	-	-	090	C	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.8	-	-	-	-
331	97/0055	3	05	-	-	090	C	05	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
42	97/0055	3	01	-	-	091	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
42	97/0055	3	01	-	-	091	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	3.7	-	-	-	-
42	97/0055	3	01	-	-	091	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	252.6	-	-	-	-
332	97/0055	3	01	-	-	091	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	44.5	-	-	-	-
43	97/0055	3	01	-	-	092	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	49.6	-	-	-	-
43	97/0055	3	01	-	-	092	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	26.5	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
43	97/0055	3	01	-	-	092	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	40.4	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.0	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	1	0.4	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.2	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Absent	-	1	23.2	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	4	6.2	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	57.4	-	-	-	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	4.4	30.0	19.8	6.8	-
333	97/0055	3	01	-	-	092	B	02	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	72.6	-	-	-	-
334	97/0055	3	01	-	-	092	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
334	97/0055	3	01	-	-	092	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
334	97/0055	3	01	-	-	092	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
334	97/0055	3	01	-	-	092	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
334	97/0055	3	01	-	-	092	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	12.4	-	-	-	-
335	97/0055	3	01	-	-	092	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
335	97/0055	3	01	-	-	092	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
335	97/0055	3	01	-	-	092	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
335	97/0055	3	01	-	-	092	B	04	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	3.2	32.4	17.4	7.4	-
336	97/0055	3	01	-	-	092	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
44	97/0055	3	01	-	-	093	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
44	97/0055	3	01	-	-	093	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-
44	97/0055	3	01	-	-	093	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	46.3	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.3	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.4	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	5	32.9	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	19.9	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	62.9	-	-	-	-
337	97/0055	3	01	-	-	093	B	02	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Cobble	WHL	1	4.1	21.0	21.0	9.0	-
338	97/0055	3	01	-	-	093	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
338	97/0055	3	01	-	-	093	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.7	-	-	-	-
338	97/0055	3	01	-	-	093	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	2	1.4	-	-	-	-
338	97/0055	3	01	-	-	093	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	267.9	-	-	-	-
339	97/0055	3	01	-	-	093	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
340	97/0055	3	01	-	-	093	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Absent	-	1	3.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	28.7	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	252.5	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	246.1	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	521.5	-	-	-	-
45	97/0055	3	03	-	-	094	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	4	240.4	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	1.5	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	4.4	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	18.0	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	14	116.3	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	61.2	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	85.0	-	-	-	-
46	97/0055	3	03	-	-	095	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	233.5	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	2.9	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	32.1	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metarhyolite	-	-	-	1	8.8	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	42	1,258.9	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	16	1,241.1	-	-	-	-
47	97/0055	3	03	-	-	096	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	8	378.1	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.4	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.6	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.8	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	78.0	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	93.8	-	-	-	-
48	97/0055	3	03	-	-	097	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	167.1	-	-	-	-
49	97/0055	3	07	-	-	098	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
49	97/0055	3	07	-	-	098	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	3	12.1	-	-	-	-
49	97/0055	3	07	-	-	098	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	1.1	-	-	-	-
49	97/0055	3	07	-	-	098	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	267.7	-	-	-	-
49	97/0055	3	07	-	-	098	A	01	-	-	-	-	-	-	Minerals	Mica	-	-	-	3	0.8	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.8	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	59.7	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	13.4	-	-	-	-
50	97/0055	3	07	-	-	099	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	162.0	-	-	-	-
51	97/0055	3	07	-	-	100	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	31.7	-	-	-	-
52	97/0055	3	07	-	-	101	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
54	97/0055	3	08	-	-	103	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
54	97/0055	3	08	-	-	103	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
54	97/0055	3	08	-	-	103	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.4	-	-	-	-
54	97/0055	3	08	-	-	103	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	235.9	-	-	-	-
54	97/0055	3	08	-	-	103	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	19.3	-	-	-	-
147	97/0055	3	08	-	-	103	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
56	97/0055	3	08	-	-	105	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
56	97/0055	3	08	-	-	105	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
56	97/0055	3	08	-	-	105	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
56	97/0055	3	08	-	-	105	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	2.0	-	-	-	-
57	97/0055	3	08	-	-	106	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.8	-	-	-	-
57	97/0055	3	08	-	-	106	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	18.3	-	-	-	-
58	97/0055	3	08	-	-	107	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
58	97/0055	3	08	-	-	107	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	3.3	-	-	-	-
58	97/0055	3	08	-	-	107	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.0	-	-	-	-
60	97/0055	3	09	-	-	109	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
148	97/0055	3	09	-	-	110	A	01	-	-	-	-	-	-	Cores	Sedimentary	Freehand Cores	Block	-	1	369.5	-	-	-	A FLAKE CORE WITH BIFACIAL WORK ON ONE EDGE AND POSSIBLE USE WEAR ON THE OTHER EDGE.
150	97/0055	3	09	-	-	112	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	114.8	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	17.5	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	18.7	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	10.9	-	-	-	-
151	97/0055	3	10	-	-	113	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	51.8	-	-	-	-
152	97/0055	3	10	-	-	113	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
153	97/0055	3	10	-	-	113	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	0.9	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	3.0	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.1	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.0	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	40.5	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	35.1	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	42.6	-	-	-	-
154	97/0055	3	10	-	-	114	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	5	76.5	-	-	-	-
155	97/0055	3	10	-	-	114	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.9	-	-	-	-
155	97/0055	3	10	-	-	114	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	51.3	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	2.1	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	10.9	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	255.4	-	-	-	-
156	97/0055	3	10	-	-	115	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	144.2	-	-	-	-
157	97/0055	3	10	-	-	115	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
157	97/0055	3	10	-	-	115	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.7	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	20.9	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	79.3	-	-	-	-
158	97/0055	3	10	-	-	115	C	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	149.2	-	-	-	-
160	97/0055	3	10	-	-	116	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	25.7	-	-	-	-
160	97/0055	3	10	-	-	116	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	44.3	-	-	-	-
161	97/0055	3	10	-	-	116	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
161	97/0055	3	10	-	-	116	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
161	97/0055	3	10	-	-	116	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
161	97/0055	3	10	-	-	116	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	9.7	-	-	-	-
162	97/0055	3	10	-	-	116	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
162	97/0055	3	10	-	-	116	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
162	97/0055	3	10	-	-	116	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.9	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	2.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.6	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	5.9	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.0	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.9	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	7.8	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	83.9	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	579.5	-	-	-	-
163	97/0055	3	10	-	-	117	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	73.0	-	-	-	-
164	97/0055	3	10	-	-	117	B	02	-	-	-	-	-	-	Debitage	Indeterminate	11-15mm	Absent	-	1	0.1	-	-	-	-
164	97/0055	3	10	-	-	117	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
164	97/0055	3	10	-	-	117	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
164	97/0055	3	10	-	-	117	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
164	97/0055	3	10	-	-	117	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
165	97/0055	3	10	-	-	117	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
165	97/0055	3	10	-	-	117	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
166	97/0055	3	10	-	-	117	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.5	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.8	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.6	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.4	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.5	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.9	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	5	4.5	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	7.0	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.2	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.7	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.8	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	11.2	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	5.2	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	2	13.0	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Sedimentary	41-50mm	Cobble	-	1	12.9	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
267	97/0055	3	06	-	-	118	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	16.3	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.7	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.3	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.7	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.9	-	-	-	-
269	97/0055	3	06	-	-	118	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
268	97/0055	3	06	-	-	118	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
273	97/0055	3	04	-	-	119	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
273	97/0055	3	04	-	-	119	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
273	97/0055	3	04	-	-	119	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	34.5	-	-	-	-
273	97/0055	3	04	-	-	119	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	72.1	-	-	-	-
273	97/0055	3	04	-	-	119	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	75.9	-	-	-	-
271	97/0055	3	04	-	-	119	B	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	2.4	-	-	-	-
271	97/0055	3	04	-	-	119	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	1	0.8	-	-	-	-
272	97/0055	3	04	-	-	119	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-
170	97/0055	3	04	-	-	120	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	69.7	-	-	-	-
180	97/0055	3	04	-	-	122	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
196	97/0055	3	04	-	-	123	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
287	97/0055	3	04	-	-	131	C	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.5	-	-	-	-
288	97/0055	3	04	-	-	132	C	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.7	-	-	-	-

FLOT/SOIL-COL.13-04

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.1	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.7	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	8	24.8	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	6	28.4	-	-	-	-
341	97/0055	3	03	-	-	133	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	48.3	-	-	-	-
342	97/0055	3	03	-	-	134	B	02	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	1.1	-	-	-	-
342	97/0055	3	03	-	-	134	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
342	97/0055	3	03	-	-	134	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	2.8	-	-	-	-
342	97/0055	3	03	-	-	134	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	14	31.6	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	7.4	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.2	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	12	43.3	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	8.5	-	-	-	-
343	97/0055	3	03	-	-	135	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	1.6	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.8	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	9.3	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
344	97/0055	3	03	-	-	136	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	10	95.2	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Cobble	BAS	1	2.4	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	72.1	-	-	-	-
345	97/0055	3	03	-	-	137	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	39.5	-	-	-	-
365	97/0055	3	04	-	-	141	C	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
366	97/0055	3	04	-	-	141	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
366	97/0055	3	04	-	-	141	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.5	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.0	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	64.4	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	108.0	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	100.8	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	57.9	-	-	-	-
367	97/0055	3	-	-	-	142	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	331.8	-	-	-	-
368	97/0055	3	-	-	-	142	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
368	97/0055	3	-	-	-	142	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	16.9	-	-	-	-
368	97/0055	3	-	-	-	142	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	16	311.5	-	-	-	-
368	97/0055	3	-	-	-	142	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	556.3	-	-	-	-
368	97/0055	3	-	-	-	142	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	31.5	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	280.9	81.0	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	117.4	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	1.3	-	-	-	-
369	97/0055	3	-	-	-	143	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	106.4	-	-	-	-
370	97/0055	3	-	-	-	143	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
370	97/0055	3	-	-	-	143	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
370	97/0055	3	-	-	-	143	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.4	-	-	-	-
371	97/0055	3	-	-	-	143	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
371	97/0055	3	-	-	-	143	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
372	97/0055	3	-	-	-	143	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
373	97/0055	3	-	-	-	143	B	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
374	97/0055	3	-	-	-	144	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	1.1	-	-	-	-
374	97/0055	3	-	-	-	144	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.7	-	-	-	-
374	97/0055	3	-	-	-	144	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.3	-	-	-	-
374	97/0055	3	-	-	-	144	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	10.9	-	-	-	-
374	97/0055	3	-	-	-	144	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	60.6	-	-	-	-
375	97/0055	3	-	-	-	144	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	46.9	-	-	-	-
376	97/0055	3	-	-	-	144	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
377	97/0055	3	-	-	-	144	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
378	97/0055	3	-	-	-	144	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Cobble Tools	Quartzite	Pitted Cobbles	Cobble	-	1	1,036.1	133.1	86.3	55.6	POSSIBLE NUTTING STONE.
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	27.1	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	42.1	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.5	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.8	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	4.0	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	8.3	-	-	-	-
379	97/0055	3	-	-	-	145	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	9.7	-	-	-	-
380	97/0055	3	-	-	-	145	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
380	97/0055	3	-	-	-	145	B	02	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
380	97/0055	3	-	-	-	145	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.6	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.8	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	7.5	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	9.3	-	-	-	-
382	97/0055	3	01	-	-	146	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	6.2	-	-	-	-
384	97/0055	3	01	-	-	147	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
386	97/0055	3	02	-	-	148	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
386	97/0055	3	02	-	-	148	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
386	97/0055	3	02	-	-	148	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.6	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
387	97/0055	3	-	-	-	149	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	26.4	-	-	-	-
388	97/0055	3	-	-	-	149	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
388	97/0055	3	-	-	-	149	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
388	97/0055	3	-	-	-	149	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
389	97/0055	3	-	-	-	149	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
389	97/0055	3	-	-	-	149	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
389	97/0055	3	-	-	-	149	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
390	97/0055	3	-	-	-	149	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
390	97/0055	3	-	-	-	149	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
390	97/0055	3	-	-	-	149	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	96.2	-	-	-	-
391	97/0055	3	-	-	-	149	B	05	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	56.2	-	-	-	-
391	97/0055	3	-	-	-	149	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.5	-	-	-	-
391	97/0055	3	-	-	-	149	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
391	97/0055	3	-	-	-	149	B	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	212.4	-	-	-	-
392	97/0055	3	-	-	-	149	BC	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
393	97/0055	3	-	-	-	149	C	07	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
394	97/0055	3	-	-	-	149	C	08	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
395	97/0055	3	-	-	-	149	C	09	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
405	97/0055	3	-	-	-	150	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
405	97/0055	3	-	-	-	150	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
405	97/0055	3	-	-	-	150	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.4	-	-	-	-
405	97/0055	3	-	-	-	150	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	81.9	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.4	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.7	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.1	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	153.8	-	-	-	-
406	97/0055	3	-	-	-	151	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	9	610.3	-	-	-	-
407	97/0055	3	-	-	-	151	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
408	97/0055	3	-	-	-	152	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
408	97/0055	3	-	-	-	152	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	0.3	-	-	-	-
408	97/0055	3	-	-	-	152	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	81.0	-	-	-	-
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Debitage	Ironstone	11-15mm	Absent	-	1	0.5	-	-	-	-
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	13.3	-	-	-	-
409	97/0055	3	-	-	-	152	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	1,433.7	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	10.9	-	-	-	-
410	97/0055	3	-	-	-	152	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	27.9	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	66.3	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	29.2	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.0	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.9	-	-	-	POSSIBLE EDGE UTILIZATION.
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	24	27.5	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	82.2	-	-	-	-
411	97/0055	3	-	-	-	152	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	132.1	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.2	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.5	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.6	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	3.7	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	1.6	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	12.3	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	21.0	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
412	97/0055	3	-	-	-	153	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	5.3	37.1	17.6	7.7	STEMMED POINT; UNFINISHED BASE; SLIGHTLY BROKEN TIP; 2 FRAGMENTS.
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	1.8	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.8	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.4	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.2	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	6.0	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.7	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.0	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	30.7	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	18	39.6	-	-	-	-
413	97/0055	3	-	-	-	154	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	6	59.7	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.2	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.9	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	10.0	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.9	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
414	97/0055	3	-	-	-	154	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.7	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	2.1	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.4	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	12.7	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	57.6	-	-	-	-
442	97/0055	3	-	-	-	155	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	100.6	-	-	-	-
443	97/0055	3	-	-	-	155	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
443	97/0055	3	-	-	-	155	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
443	97/0055	3	-	-	-	155	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
444	97/0055	3	-	-	-	155	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	16.2	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.9	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.9	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	POT-LID.
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	2.0	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.9	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.9	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.7	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.7	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.1	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
425	97/0055	3	-	-	-	156	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
426	97/0055	3	-	-	-	156	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
426	97/0055	3	-	-	-	156	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
426	97/0055	3	-	-	-	156	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
426	97/0055	3	-	-	-	156	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.3	-	-	-	-
427	97/0055	3	-	-	-	156	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
427	97/0055	3	-	-	-	156	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.8	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.3	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Absent	-	1	12.4	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	147.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
430	97/0055	3	-	-	-	157	A	01	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	218.0	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.6	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.8	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	29.8	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Indeterminat e	-	1	0.1	-	-	-	-	
431	97/0055	3	-	-	-	157	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.5	-	-	-	-	
432	97/0055	3	-	-	-	157	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-	
432	97/0055	3	-	-	-	157	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
432	97/0055	3	-	-	-	157	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-	
432	97/0055	3	-	-	-	157	B	03	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	5.4	-	-	-	-	
433	97/0055	3	-	-	-	157	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.9	-	-	-	-	
433	97/0055	3	-	-	-	157	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	9.6	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
436	97/0055	3	-	-	-	159	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metamorphic	-	-	-	1	2.4	-	-	-	-	
437	97/0055	3	-	-	-	159	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	95.6	-	-	-	-	
437	97/0055	3	-	-	-	159	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.7	-	-	-	-	
437	97/0055	3	-	-	-	159	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	90.9	-	-	-	-	
437	97/0055	3	-	-	-	159	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	204.0	-	-	-	-	
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.0	-	-	-	-	
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.7	-	-	-	-	ROW# 11915 CROSS-MENDS WITH ROW# 11916.
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-	
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.3	-	-	-	-	ROW# 11916 CROSS-MENDS WITH ROW# 11915.
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-	
438	97/0055	3	-	-	-	160	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	7.9	-	-	-	-	
439	97/0055	3	-	-	-	160	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-	
439	97/0055	3	-	-	-	160	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
439	97/0055	3	-	-	-	160	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.2	-	-	-	-
439	97/0055	3	-	-	-	160	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	7.0	-	-	-	-
440	97/0055	3	-	-	-	160	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
440	97/0055	3	-	-	-	160	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	4.1	-	-	-	-
440	97/0055	3	-	-	-	160	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.0	-	-	-	-
440	97/0055	3	-	-	-	160	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	7.3	-	-	-	-
440	97/0055	3	-	-	-	160	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	10.1	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.5	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	17.1	-	-	-	-
441	97/0055	3	-	-	-	161	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	20.6	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.0	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.2	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	5	40.1	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.3	-	-	-	-
445	97/0055	3	-	-	-	161	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	6.4	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.3	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.6	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
446	97/0055	3	-	-	-	161	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
447	97/0055	3	-	-	-	161	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
447	97/0055	3	-	-	-	161	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
448	97/0055	3	-	-	-	161	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	2.0	-	-	-	-
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	18.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	24.8	-	-	-	-	
449	97/0055	3	-	-	-	162	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	26.5	-	-	-	-	
450	97/0055	3	-	-	-	162	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-	
451	97/0055	3	-	-	-	162	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-	
451	97/0055	3	-	-	-	162	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
451	97/0055	3	-	-	-	162	B	03	-	-	-	-	-	-	Debitage	Crystal Quartz	41-50mm	Cobble	-	1	40.2	-	-	-	-	
453	97/0055	3	-	-	-	162	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
453	97/0055	3	-	-	-	162	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.1	-	-	-	-	
453	97/0055	3	-	-	-	162	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	1.7	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-	
454	97/0055	3	-	-	-	162	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-	
452	97/0055	3	-	-	-	162	B	04	-	-	-	-	-	ART#1	Cobble Tools	Sandstone	Pitted Cobbles	Cobble	-	1	1,684.5	185.0	-	-	-	-
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Absent	-	1	2.8	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Cobble	-	1	0.9	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.2	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	19.4	-	-	-	ALL CROSS-MEND.	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	4.7	-	-	-	-	
457	97/0055	3	-	-	-	163	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	39.4	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	30.7	-	-	-	-	
458	97/0055	3	-	-	-	163	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	61.0	-	-	-	-	



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.0	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
459	97/0055	3	-	-	-	163	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
460	97/0055	3	-	-	-	163	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
460	97/0055	3	-	-	-	163	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
460	97/0055	3	-	-	-	163	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
460	97/0055	3	-	-	-	163	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
460	97/0055	3	-	-	-	163	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
461	97/0055	3	-	-	-	163	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.4	-	-	-	-
461	97/0055	3	-	-	-	163	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.0	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Cobble	-	2	2.3	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Ironstone	21-30mm	Absent	-	1	0.7	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.9	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	9	220.1	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	52.8	-	-	-	-
462	97/0055	3	-	-	-	164	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	36.4	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	54.6	54.0	40.0	20.0	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	10.4	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	121.2	-	-	-	-
463	97/0055	3	-	-	-	164	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	149.3	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Bifaces	Argillite	Other Bifaces	Absent	BRK	1	1.2	15.2	12.8	6.2	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.2	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.6	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.4	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	2	3.6	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.5	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	19.1	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Metasedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
464	97/0055	3	-	-	-	164	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	37.5	-	-	-	-
465	97/0055	3	-	-	-	164	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
465	97/0055	3	-	-	-	164	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
465	97/0055	3	-	-	-	164	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	8.4	-	-	-	-
465	97/0055	3	-	-	-	164	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	15.9	-	-	-	-
466	97/0055	3	-	-	-	164	C	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.5	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
467	97/0055	3	-	-	-	165	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	72.5	-	-	-	-
468	97/0055	3	-	-	-	165	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
468	97/0055	3	-	-	-	165	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	321.9	-	-	-	-
469	97/0055	3	-	-	-	165	B	03	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Cobble	BRK	1	8.1	37.6	18.3	11.9	-
470	97/0055	3	-	-	-	166	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	1.0	-	-	3.8	-
470	97/0055	3	-	-	-	166	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	2.0	-	-	-	-
470	97/0055	3	-	-	-	166	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
470	97/0055	3	-	-	-	166	A	01	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Absent	-	1	2.7	-	-	-	-
470	97/0055	3	-	-	-	166	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	32.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
471	97/0055	3	-	-	-	166	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
471	97/0055	3	-	-	-	166	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.5	-	-	-	-
471	97/0055	3	-	-	-	166	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-
471	97/0055	3	-	-	-	166	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	20.9	-	-	-	-
472	97/0055	3	-	-	-	166	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Cores	Sedimentary	Tested Cobbles	Cobble	-	1	66.8	-	-	-	CLAYSTONE.
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.3	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	4.6	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	6.0	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.4	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Cobble	-	1	7.8	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	6.5	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	22.1	-	-	-	-
474	97/0055	3	-	-	-	167	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	25.6	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	1.5	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.6	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Ironstone	16-20mm	Cobble	-	1	0.5	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.8	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.5	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.2	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	1.7	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	4.7	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	33.1	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Sedimentary	31-40mm	Cobble	-	1	10.6	-	-	-	-
475	97/0055	3	-	-	-	167	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	25.1	-	-	-	-
476	97/0055	3	-	-	-	167	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.7	-	-	-	-
476	97/0055	3	-	-	-	167	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
476	97/0055	3	-	-	-	167	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	6.7	-	-	-	-
477	97/0055	3	-	-	-	167	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
478	97/0055	3	-	-	-	167	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
478	97/0055	3	-	-	-	167	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.3	-	-	-	-
479	97/0055	3	-	-	-	167	B	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
480	97/0055	3	-	-	-	167	B	07	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Cobble	-	1	0.7	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.7	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	6.9	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	8	667.3	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	45.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	113.4	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	15.2	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	4.3	-	-	-	-
481	97/0055	3	-	-	-	168	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.2	-	-	-	-
512	97/0055	3	-	-	-	168	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
512	97/0055	3	-	-	-	168	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
512	97/0055	3	-	-	-	168	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
512	97/0055	3	-	-	-	168	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	78.6	-	-	-	-
513	97/0055	3	-	-	-	168	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
513	97/0055	3	-	-	-	168	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.3	-	-	-	-
513	97/0055	3	-	-	-	168	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
513	97/0055	3	-	-	-	168	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	144.4	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Bifaces	Argillite	Projectile Points	Cobble	WHL	1	4.2	41.4	16.2	6.8	STEMMED POINT; CORTEX ON BLADE AND BASE.
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.3	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.8	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	8.8	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.2	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.4	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	28.9	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	19.2	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	243.9	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	107.9	-	-	-	-
482	97/0055	3	-	-	-	169	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	13.6	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.5	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.8	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	10	82.1	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	27.2	-	-	-	-
483	97/0055	3	-	-	-	205	A	01	-	-	-	-	-	-	Unifaces	Chert	Endscrapers	Absent	WHL	1	2.1	19.2	13.7	6.5	-
484	97/0055	3	-	-	-	205	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
484	97/0055	3	-	-	-	205	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.7	-	-	-	-
485	97/0055	3	-	-	-	205	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
485	97/0055	3	-	-	-	205	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
485	97/0055	3	-	-	-	205	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.7	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	25.8	-	-	-	BROKEN.
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.6	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.2	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	9.8	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	11.7	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
486	97/0055	3	-	-	-	206	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	25.6	-	-	-	-
487	97/0055	3	-	-	-	206	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
487	97/0055	3	-	-	-	206	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
487	97/0055	3	-	-	-	206	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
487	97/0055	3	-	-	-	206	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
488	97/0055	3	-	-	-	206	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
489	97/0055	3	-	-	-	207	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
489	97/0055	3	-	-	-	207	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.9	-	-	-	-
489	97/0055	3	-	-	-	207	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	41.8	-	-	-	-
490	97/0055	3	-	-	-	207	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Bifaces	Metarhyolite	Projectile Points	Absent	WHL	1	9.0	40.0	27.7	9.7	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
491	97/0055	3	-	-	-	208	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	112.1	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	66.9	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	17.3	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.4	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.9	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	50.0	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
492	97/0055	3	-	-	-	208	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.5	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
493	97/0055	3	-	-	-	208	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
494	97/0055	3	-	-	-	208	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
494	97/0055	3	-	-	-	208	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
495	97/0055	3	-	-	-	208	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
495	97/0055	3	-	-	-	208	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	25.9	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	5.0	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	3	6.4	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
496	97/0055	3	-	-	-	209	A	01	-	-	-	-	-	-	Unifaces	Chert	Endscrapers	Absent	WHL	1	3.2	19.6	20.2	6.4	-
497	97/0055	3	-	-	-	209	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
497	97/0055	3	-	-	-	209	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.1	-	-	-	-
497	97/0055	3	-	-	-	209	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	7.5	-	-	-	-
497	97/0055	3	-	-	-	209	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	40.6	-	-	-	-
499	97/0055	3	-	-	-	209	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
500	97/0055	3	-	-	-	209	C	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
501	97/0055	3	-	-	-	209	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
501	97/0055	3	-	-	-	209	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	590.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	1.0	-	-	-	CROSSMEND.
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.5	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.3	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.9	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	15.3	-	-	-	-
502	97/0055	3	-	-	-	210	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	2.8	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	82.5	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	34.2	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
503	97/0055	3	-	-	-	210	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	40.3	-	-	-	-
504	97/0055	3	-	-	-	210	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Block	BRK	1	11.5	29.4	39.5	8.4	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	1.0	-	-	7.4	BASAL FRAGMENT, STEM.
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	15.9	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	11.0	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
505	97/0055	3	-	-	-	211	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	3.1	-	-	-	-
506	97/0055	3	-	-	-	212	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
506	97/0055	3	-	-	-	212	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
506	97/0055	3	-	-	-	212	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
506	97/0055	3	-	-	-	212	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	2.4	-	-	-	-
506	97/0055	3	-	-	-	212	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.8	-	-	-	-
507	97/0055	3	-	-	-	212	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	5.6	-	-	-	-
507	97/0055	3	-	-	-	212	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	198.3	-	-	-	-
514	97/0055	3	-	-	-	212	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
514	97/0055	3	-	-	-	212	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	8.4	-	-	-	-
514	97/0055	3	-	-	-	212	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	17.2	-	-	-	-
514	97/0055	3	-	-	-	212	B	03	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	30.8	-	-	-	-
508	97/0055	3	-	-	-	212	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	396.8	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.2	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.6	-	-	-	-
509	97/0055	3	-	-	-	213	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Cobble	-	1	5.3	-	-	-	-
510	97/0055	3	-	-	-	213	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
510	97/0055	3	-	-	-	213	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.7	-	-	-	-
511	97/0055	3	-	-	-	213	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.9	-	-	-	-
160	98/0002	3	-	-	-	315	B	02	-	-	-	-	-	-	Cores	Quartz	Bifacial Core	Cobble	-	1	190.6	-	-	-	-
160	98/0002	3	-	-	-	315	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.2	-	-	-	-
160	98/0002	3	-	-	-	315	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
160	98/0002	3	-	-	-	315	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Bifaces	Metarhyolite	Projectile Points	Absent	WHL	1	8.5	45.6	25.1	8.5	FOX CREEK PROJECTILE POINT.
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	146.6	-	-	-	-
498	98/0002	3	-	-	-	315	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	49.8	-	-	-	-
499	98/0002	3	-	-	-	315	C	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
156	98/0002	3	-	-	-	316	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
156	98/0002	3	-	-	-	316	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
156	98/0002	3	-	-	-	316	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.4	-	-	-	-
156	98/0002	3	-	-	-	316	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
161	98/0002	3	-	-	-	316	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
161	98/0002	3	-	-	-	316	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
161	98/0002	3	-	-	-	316	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
161	98/0002	3	-	-	-	316	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
819	98/0002	3	-	-	-	316	B	03	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	12.6	-	-	-	-
819	98/0002	3	-	-	-	316	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
819	98/0002	3	-	-	-	316	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	37.7	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.5	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.5	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	21.6	-	-	-	-
820	98/0002	3	-	-	-	316	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	264.5	-	-	-	-
149	98/0002	3	-	-	-	317	A	01	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Absent	WHL	1	0.4	13.7	10.6	2.6	-
154	98/0002	3	-	-	-	318	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
154	98/0002	3	-	-	-	318	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
154	98/0002	3	-	-	-	318	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-
154	98/0002	3	-	-	-	318	A	01	-	-	-	-	-	-	Unifaces	Metarhyolite	Utilized Flakes	Cobble	WHL	1	1.6	26.3	19.2	4.0	-
166	98/0002	3	-	-	-	318	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Bifaces	Rhyolite	Other Bifaces	Absent	BRK	1	0.9	20.4	13.6	3.2	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.2	-	-	-	-
758	98/0002	3	-	-	-	318	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	39.8	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.2	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.9	-	-	-	-
157	98/0002	3	-	-	-	319	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	WHL	1	6.1	38.5	19.5	12.7	-
159	98/0002	3	-	-	-	319	B	02	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	136.9	-	-	-	-
159	98/0002	3	-	-	-	319	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
148	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
148	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
148	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.1	-	-	-	-
148	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
167	98/0002	3	-	-	-	320	A	01	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	149.6	-	-	-	-
155	98/0002	3	-	-	-	320	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
155	98/0002	3	-	-	-	320	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
155	98/0002	3	-	-	-	320	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
155	98/0002	3	-	-	-	320	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	11.9	-	-	-	-
155	98/0002	3	-	-	-	320	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	141.4	-	-	-	-
168	98/0002	3	-	-	-	320	C	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	13.7	-	-	-	-
192	98/0002	3	-	-	-	320	CD	05	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
192	98/0002	3	-	-	-	320	CD	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
192	98/0002	3	-	-	-	320	CD	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
153	98/0002	3	-	-	-	321	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
165	98/0002	3	-	-	-	321	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
165	98/0002	3	-	-	-	321	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
165	98/0002	3	-	-	-	321	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.3	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	49.5	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	53.1	-	-	-	-
150	98/0002	3	-	-	-	322	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	37.5	-	-	-	-
248	98/0002	3	-	-	-	322	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.9	-	-	-	-
248	98/0002	3	-	-	-	322	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
248	98/0002	3	-	-	-	322	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	2.3	-	-	6.1	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	1.0	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.2	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.5	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	78.2	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	4.2	-	-	-	-
158	98/0002	3	-	-	-	323	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.6	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.9	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.0	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	13.5	-	-	-	-
249	98/0002	3	-	-	-	323	B	02	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	113.9	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Cores	Quartzite	Other Core Types	Cobble	-	1	408.5	-	-	-	EDGE PREPARATION.
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.0	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.2	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	3.0	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.1	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.6	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	12.4	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	9	70.6	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.9	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	249.2	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	4	234.8	-	-	-	-
162	98/0002	3	-	-	-	324	A	01	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	8.0	-	-	-	-
307	98/0002	3	-	-	-	324	B	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.3	-	-	-	POT LID.
211	98/0002	3	-	-	-	324	B	02	-	-	-	-	-	NE CORNER DISTURB.	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
211	98/0002	3	-	-	-	324	B	02	-	-	-	-	-	NE CORNER DISTURB.	Fire-cracked Rock	Sandstone	-	-	-	1	35.6	-	-	-	-
163	98/0002	3	-	-	-	325	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
163	98/0002	3	-	-	-	325	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.2	-	-	-	-
164	98/0002	3	-	-	-	325	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
164	98/0002	3	-	-	-	325	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
164	98/0002	3	-	-	-	325	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	6.4	-	-	-	-
164	98/0002	3	-	-	-	325	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
164	98/0002	3	-	-	-	325	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
170	98/0002	3	-	-	-	325	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
169	98/0002	3	-	-	-	326	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
169	98/0002	3	-	-	-	326	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
169	98/0002	3	-	-	-	326	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
169	98/0002	3	-	-	-	326	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	101.6	-	-	-	-
175	98/0002	3	-	-	-	326	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.0	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.6	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.1	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.9	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
171	98/0002	3	-	-	-	327	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	4.0	-	-	-	-
178	98/0002	3	-	-	-	327	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Present	WHL	1	4.8	41.2	23.3	6.1	STEMMED POINT; UNFINISHED BASE; CORTEX ON BASE.
178	98/0002	3	-	-	-	327	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
178	98/0002	3	-	-	-	327	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
178	98/0002	3	-	-	-	327	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
178	98/0002	3	-	-	-	327	B	02	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	6.9	40.0	19.0	10.0	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Cores	Quartz	Bipolar Cores	Cobble	-	1	12.4	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.5	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
183	98/0002	3	-	-	-	327	B	03	-	-	-	-	-	-	Unifaces	Chert	Retouched Flakes	Cobble	-	1	1.9	23.0	17.0	6.0	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	183.9	-	-	-	-
187	98/0002	3	-	-	-	327	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	81.3	-	-	-	-
189	98/0002	3	-	-	-	327	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
189	98/0002	3	-	-	-	327	B	05	-	-	-	-	-	-	Debitage	Chalcedony	11-15mm	Absent	-	1	0.3	-	-	-	-
189	98/0002	3	-	-	-	327	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
189	98/0002	3	-	-	-	327	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
189	98/0002	3	-	-	-	327	B	05	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	10.0	-	-	-	-
205	98/0002	3	-	-	-	327	-	-	-	-	-	-	-	WALL SCRAPING S	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	13	2.7	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	11	2.6	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	9	1.7	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.6	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	9	4.9	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	5	1.5	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.3	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	5	2.4	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.3	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	5	8.6	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	2.2	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	1.7	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	4	4.6	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.5	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	1	2.1	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	5.5	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.8	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	4	0.3	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.4	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	2	0.1	-	-	-	LESS THAN 0.1 g.
172	98/0002	3	-	-	-	328	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	1.0	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	8	1.7	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	10	2.8	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.4	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.6	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	5	2.4	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.3	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.1	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	3	4.8	-	-	-	-
176	98/0002	3	-	-	-	328	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	44.2	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
179	98/0002	3	-	-	-	328	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
179	98/0002	3	-	-	-	328	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	2.1	-	-	-	-
179	98/0002	3	-	-	-	328	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	4.9	-	-	-	-
179	98/0002	3	-	-	-	328	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
180	98/0002	3	-	-	-	328	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
184	98/0002	3	-	-	-	328	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
184	98/0002	3	-	-	-	328	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
177	98/0002	3	-	-	-	328	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
177	98/0002	3	-	-	-	328	C	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
177	98/0002	3	-	-	-	328	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
190	98/0002	3	-	-	-	328	C	06	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Cobble	-	1	2.0	22.0	17.0	7.0	USE WEAR ON 2 EDGES.
181	98/0002	3	-	-	-	328	D	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
185	98/0002	3	-	-	-	328	D	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
191	98/0002	3	-	-	-	328	D	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
191	98/0002	3	-	-	-	328	D	06	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	6.8	-	-	-	-
182	98/0002	3	-	-	-	330	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.2	-	-	-	-
182	98/0002	3	-	-	-	330	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
182	98/0002	3	-	-	-	330	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
182	98/0002	3	-	-	-	330	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
194	98/0002	3	-	-	-	330	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
194	98/0002	3	-	-	-	330	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
202	98/0002	3	-	-	-	330	B	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
186	98/0002	3	-	-	-	330	BC	02	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	2.7	-	-	-	POSSIBLE TOOL.
186	98/0002	3	-	-	-	330	BC	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	6.7	-	-	-	-
186	98/0002	3	-	-	-	330	BC	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	31.9	-	-	-	-
188	98/0002	3	-	-	-	330	C	03	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Cobble	BAS	1	3.7	-	19.7	6.7	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BASE.
188	98/0002	3	-	-	-	330	C	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
188	98/0002	3	-	-	-	330	C	03	-	-	-	-	-	-	Debitage	Chalcedony	16-20mm	Absent	-	1	0.4	-	-	-	-
188	98/0002	3	-	-	-	330	C	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	118.0	-	-	-	SPECIAL COLLECTION: REFIT #19 (2) PIECES.
188	98/0002	3	-	-	-	330	C	03	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	0.8	17.0	10.0	5.0	POSSIBLE.
195	98/0002	3	-	-	-	330	C	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
203	98/0002	3	-	-	-	330	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
203	98/0002	3	-	-	-	330	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
203	98/0002	3	-	-	-	330	C	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.1	-	-	-	-
203	98/0002	3	-	-	-	330	C	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Cobble Tools	Sandstone	Abraders	Cobble	-	1	119.6	55.0	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	3	1.5	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	3	2.6	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.8	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.8	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.5	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
207	98/0002	3	-	-	-	331	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	16.9	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	1.0	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.0	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	1.4	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	8.7	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	97.2	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	57.2	-	-	-	-
212	98/0002	3	-	-	-	331	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	21.1	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	5.1	37.0	23.4	6.2	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BASE.
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	0.9	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
218	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
218	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
218	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.2	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
213	98/0002	3	-	-	-	331	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	98.3	-	-	-	SPECIAL COLLECTION: REFIT #31 (4) PIECES.

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
223	98/0002	3	-	-	-	331	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
223	98/0002	3	-	-	-	331	C	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	42.4	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	8	3.5	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	4	6.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.6	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	13.8	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	12.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	6.8	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	1.6	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.3	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.8	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Fire-cracked Rock	Steatite	-	-	-	1	42.2	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	9.5	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	81.9	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	9.6	-	-	-	-
206	98/0002	3	-	-	-	332	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	24	75.0	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	170.4	71.0	-	-	POSSIBLE HAMMERSTONE.
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.0	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.6	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	10.0	-	-	-	-



## SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Page: 167

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	3	0.4	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Indeterminat e	-	1	0.1	-	-	-	-
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	11	37.5	-	-	-	PROBABLY MENDES.
221	98/0002	3	-	-	-	332	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	15.4	-	-	-	-
331	98/0002	3	-	-	-	332	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
331	98/0002	3	-	-	-	332	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
331	98/0002	3	-	-	-	332	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
335	98/0002	3	-	-	-	332	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.3	-	-	-	-
335	98/0002	3	-	-	-	332	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
337	98/0002	3	-	-	-	332	C	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
337	98/0002	3	-	-	-	332	C	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
351	98/0002	3	-	-	-	332	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.9	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.8	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.3	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.5	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.2	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.6	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	5.4	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	9.9	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.5	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	61.5	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	16.9	-	-	-	-
210	98/0002	3	-	-	-	333	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	12.7	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	1.5	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	1.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	7	1.4	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	1.3	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.0	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	6.4	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.6	-	-	-	-
214	98/0002	3	-	-	-	333	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	2.8	30.8	16.7	7.9	TEAR-DROP PROJECTILE POINT.
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	0.9	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.5	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.9	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.4	-	-	-	-
219	98/0002	3	-	-	-	333	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	6.1	-	-	-	-
225	98/0002	3	-	-	-	333	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
209	98/0002	3	-	-	-	334	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
209	98/0002	3	-	-	-	334	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.1	-	-	-	-
209	98/0002	3	-	-	-	334	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
256	98/0002	3	-	-	-	334	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
256	98/0002	3	-	-	-	334	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
256	98/0002	3	-	-	-	334	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
256	98/0002	3	-	-	-	334	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.3	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	130.1	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	5	6.2	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	5	6.3	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.8	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.3	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.0	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	5.4	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.1	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	3	13.4	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	18.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	1.1	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	2	22.4	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	15.8	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Indeterminat e	-	1	0.2	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	24.7	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	16.1	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	31.3	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	47.3	-	-	-	-
208	98/0002	3	-	-	-	335	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	19.5	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	2.1	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.2	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	12.7	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.5	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.4	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	1.1	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.3	-	-	-	-
227	98/0002	3	-	-	-	335	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	11.1	-	-	-	-
352	98/0002	3	-	-	-	335	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
352	98/0002	3	-	-	-	335	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
352	98/0002	3	-	-	-	335	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	51-60mm	Cobble	-	1	26.6	-	-	-	-
352	98/0002	3	-	-	-	335	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
358	98/0002	3	-	-	-	335	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	13.9	-	-	-	CORE FRAGMENT; POSSIBLE BIPOLAR.
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.8	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.6	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
229	98/0002	3	-	-	-	336	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.0	-	-	-	-
230	98/0002	3	-	-	-	336	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
230	98/0002	3	-	-	-	336	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
231	98/0002	3	-	-	-	336	C	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
216	98/0002	3	-	-	-	337	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
216	98/0002	3	-	-	-	337	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
216	98/0002	3	-	-	-	337	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.5	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	1.0	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	3	0.8	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	6	1.6	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.0	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Absent	-	1	0.8	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	4	7.8	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	4	7.6	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.6	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.6	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.9	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	1.3	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.5	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	18.0	-	-	-	-
222	98/0002	3	-	-	-	337	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.2	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	2.0	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.0	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	1.2	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.4	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	5.1	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	3	6.7	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	15.5	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	1.0	-	-	-	-
235	98/0002	3	-	-	-	337	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	153.0	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.5	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.8	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.2	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.4	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.9	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.0	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.6	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	3.0	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	10.4	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	1.5	-	-	-	-
246	98/0002	3	-	-	-	337	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	0.8	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.2	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.7	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.1	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	14.9	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
252	98/0002	3	-	-	-	337	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
254	98/0002	3	-	-	-	337	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
254	98/0002	3	-	-	-	337	C	06	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.6	-	-	-	-
254	98/0002	3	-	-	-	337	C	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.2	-	-	-	-
247	98/0002	3	-	-	-	337	-	-	-	-	-	-	-	WALL SCRAPING S	Debitage	Chert	21-30mm	Cobble	-	1	4.2	-	-	-	-
217	98/0002	3	-	-	-	338	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	13	2.9	-	-	-	-
217	98/0002	3	-	-	-	338	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	1.3	-	-	-	-
217	98/0002	3	-	-	-	338	B	02	-	-	-	-	-	-	Debitage	Crystal Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
217	98/0002	3	-	-	-	338	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
217	98/0002	3	-	-	-	338	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	0.9	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
220	98/0002	3	-	-	-	338	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
224	98/0002	3	-	-	-	338	BC	04	-	-	-	-	-	-	Cores	Chert	Other Core Types	Cobble	-	1	12.7	-	-	-	PREPARED.
224	98/0002	3	-	-	-	338	BC	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
224	98/0002	3	-	-	-	338	BC	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-
224	98/0002	3	-	-	-	338	BC	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
226	98/0002	3	-	-	-	338	BC	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
226	98/0002	3	-	-	-	338	BC	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
238	98/0002	3	-	-	-	339	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
239	98/0002	3	-	-	-	339	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
239	98/0002	3	-	-	-	339	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
239	98/0002	3	-	-	-	339	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
239	98/0002	3	-	-	-	339	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	27.6	-	-	-	-
239	98/0002	3	-	-	-	339	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	5.6	-	-	-	-
240	98/0002	3	-	-	-	339	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
240	98/0002	3	-	-	-	339	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
244	98/0002	3	-	-	-	339	C	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.3	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
236	98/0002	3	-	-	-	340	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
242	98/0002	3	-	-	-	340	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.1	-	-	-	-	
242	98/0002	3	-	-	-	340	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-	
237	98/0002	3	-	-	-	341	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
237	98/0002	3	-	-	-	341	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-	
243	98/0002	3	-	-	-	341	B	02	-	-	-	-	-	-	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	2,718.0	156.0	-	-	-	POSSIBLE ANVIL.
243	98/0002	3	-	-	-	341	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	19.2	-	-	-	-	
245	98/0002	3	-	-	-	341	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	8.1	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.6	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Limestone	16-20mm	Cobble	-	1	2.4	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-	
258	98/0002	3	-	-	-	344	A	01	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	11.3	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	24.1	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	51.7	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	6.9	-	-	-	-	
259	98/0002	3	-	-	-	345	A	01	-	-	-	-	-	-	Unmodified Pebbles	-	-	-	-	1	54.9	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.7	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.5	-	-	-	-	
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.0	-	-	-	-	

## SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Page: 174

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	16.7	-	-	-	-
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.7	-	-	-	-
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
284	98/0002	3	-	-	-	345	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	4.5	-	-	-	-
285	98/0002	3	-	-	-	345	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
285	98/0002	3	-	-	-	345	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.4	-	-	-	-
250	98/0002	3	-	-	-	346	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	11.4	-	-	-	-
250	98/0002	3	-	-	-	346	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	7.1	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	225.9	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	2.4	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	10.9	-	-	-	-
251	98/0002	3	-	-	-	346	B	02	-	-	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	1	17.7	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	4.1	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
253	98/0002	3	-	-	-	346	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
255	98/0002	3	-	-	-	346	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
255	98/0002	3	-	-	-	346	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
255	98/0002	3	-	-	-	346	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.4	-	-	-	-
261	98/0002	3	-	-	-	346	C	05	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	BAS	1	1.1	-	-	5.6	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.1	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.7	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
267	98/0002	3	-	-	-	347	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	23.6	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-



## SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Page: 175

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.6	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.1	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.1	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.8	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.1	-	-	-	-
278	98/0002	3	-	-	-	347	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.5	-	-	-	-
287	98/0002	3	-	-	-	347	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
287	98/0002	3	-	-	-	347	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
288	98/0002	3	-	-	-	347	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
291	98/0002	3	-	-	-	347	C	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	1.8	23.1	16.9	5.3	SMALL, TRIANGULAR PROJECTILE POINT.
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.0	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.5	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.0	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.7	-	-	-	-
286	98/0002	3	-	-	-	348	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Bifaces	Quartz	Indeterminate Biface Fragments	-	BRK	1	5.5	28.0	24.0	9.0	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	5	1.3	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.4	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	3	2.4	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.2	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.1	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Absent	-	1	7.7	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	178.3	-	-	-	SPECIAL COLLECTION: REFIT #1 (2) PIECES.
289	98/0002	3	-	-	-	348	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	41.8	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.6	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.4	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	1.4	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.3	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.8	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	2.7	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-
293	98/0002	3	-	-	-	348	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	15.1	-	-	-	-
299	98/0002	3	-	-	-	348	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
299	98/0002	3	-	-	-	348	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
299	98/0002	3	-	-	-	348	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
299	98/0002	3	-	-	-	348	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
304	98/0002	3	-	-	-	348	C	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Cores	Chert	Bifacial Core	Cobble	-	1	92.8	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.7	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.7	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	2.2	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.6	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.5	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	3.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.6	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	0.6	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	5.9	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.5	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.5	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Argillite	41-50mm	Absent	-	1	23.0	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	ONE FLAKE BROKEN INTO TWO PIECES.
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	82.1	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	20.2	-	-	-	-
292	98/0002	3	-	-	-	349	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.2	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.4	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.9	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.3	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	4.9	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	5.7	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.4	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.5	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	20.1	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	87.5	-	-	-	-
295	98/0002	3	-	-	-	349	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	8.6	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BRK	1	4.5	-	-	9.0	TRANSVERSE BREAK.

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.7	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.4	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.7	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.2	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	15.8	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
298	98/0002	3	-	-	-	349	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	99.5	-	-	-	-
302	98/0002	3	-	-	-	349	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
302	98/0002	3	-	-	-	349	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
302	98/0002	3	-	-	-	349	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
302	98/0002	3	-	-	-	349	B	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.0	-	-	-	-
302	98/0002	3	-	-	-	349	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
294	98/0002	3	-	-	-	350	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
294	98/0002	3	-	-	-	350	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
294	98/0002	3	-	-	-	350	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
294	98/0002	3	-	-	-	350	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	30.6	-	-	-	-
294	98/0002	3	-	-	-	350	A	01	-	-	-	-	-	-	Unifaces	Jasper	Retouched Flakes	Cobble	-	1	1.6	21.0	15.0	7.0	USEWEAR ON OPPOSITE SIDE.
296	98/0002	3	-	-	-	350	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
296	98/0002	3	-	-	-	350	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.1	-	-	-	-
308	98/0002	3	-	-	-	350	B	03	-	-	-	-	-	-	Cores	Jasper	Flake Core	Cobble	-	1	8.3	-	-	-	-
301	98/0002	3	-	-	-	351	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	BROKEN INTO TWO PIECES.
301	98/0002	3	-	-	-	351	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
301	98/0002	3	-	-	-	351	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
301	98/0002	3	-	-	-	351	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	69.0	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.9	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
305	98/0002	3	-	-	-	351	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	21.7	-	-	-	-
310	98/0002	3	-	-	-	351	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-

## SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Page: 179

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
310	98/0002	3	-	-	-	351	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
310	98/0002	3	-	-	-	351	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.0	-	-	-	-
310	98/0002	3	-	-	-	351	B	03	-	-	-	-	-	-	Debitage	Argillite	> 60mm	Cobble	-	1	25.3	-	-	-	BROKEN INTO 3 PIECES.
322	98/0002	3	-	-	-	351	C	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
322	98/0002	3	-	-	-	351	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
297	98/0002	3	-	-	-	352	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.8	-	-	-	-
297	98/0002	3	-	-	-	352	A	01	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	-	1	184.1	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	8.2	49.6	22.5	9.9	STEMMED POINT; CORTEX ON TIP.
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.2	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
300	98/0002	3	-	-	-	352	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.7	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.7	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.3	-	-	-	-
303	98/0002	3	-	-	-	352	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
306	98/0002	3	-	-	-	352	C	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
306	98/0002	3	-	-	-	352	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
306	98/0002	3	-	-	-	352	C	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.8	-	-	-	-
306	98/0002	3	-	-	-	352	C	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
309	98/0002	3	-	-	-	352	C	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.2	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Metasedimen tary	11-15mm	Absent	-	1	0.1	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.5	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	2	4.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	2.7	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	5.1	-	-	-	-
312	98/0002	3	-	-	-	353	A	01	-	-	-	-	-	-	Minerals	Metamorphic	-	-	-	1	1.2	-	-	-	GNEISS; POSS. TEMPER.
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Cobble	-	1	1.6	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.2	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
314	98/0002	3	-	-	-	353	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
317	98/0002	3	-	-	-	353	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	80.2	-	-	-	-
317	98/0002	3	-	-	-	353	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	80.0	-	-	-	SPECIAL COLLECTION: REFIT #34 (2) PIECES.
320	98/0002	3	-	-	-	353	C	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
320	98/0002	3	-	-	-	353	C	04	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.4	-	-	-	-
320	98/0002	3	-	-	-	353	C	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
315	98/0002	3	-	-	-	353	B	03	-	-	-	-	-	ART#1	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	6.9	47.1	20.1	9.6	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BLADE.
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Rhyolite	11-15mm	Absent	-	2	0.3	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Rhyolite	16-20mm	Absent	-	3	1.5	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
313	98/0002	3	-	-	-	353	-	-	-	-	-	-	-	BACKFILL	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.8	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.5	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	114.4	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	8.4	-	-	-	-
319	98/0002	3	-	-	-	354	A	01	-	-	-	-	-	-	Fire-cracked Rock	Igneous	-	-	-	1	15.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	5.2	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Chalcedony	21-30mm	Cobble	-	1	0.7	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.8	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	11.8	-	-	-	-
326	98/0002	3	-	-	-	354	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
330	98/0002	3	-	-	-	354	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
330	98/0002	3	-	-	-	354	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
330	98/0002	3	-	-	-	354	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	2.6	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.6	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.4	-	-	-	-
339	98/0002	3	-	-	-	354	B	04	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	0.8	-	-	-	-
350	98/0002	3	-	-	-	354	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
350	98/0002	3	-	-	-	354	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Cobble	BRK	1	16.8	34.3	28.8	15.0	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.1	-	-	-	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.1	-	-	-	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	5.2	-	-	-	-
311	98/0002	3	-	-	-	355	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	16.3	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.3	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	5.0	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
318	98/0002	3	-	-	-	355	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	10.1	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.8	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Indeterminate	-	1	0.5	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	2	3.5	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.6	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	9.3	-	-	-	-
321	98/0002	3	-	-	-	355	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
323	98/0002	3	-	-	-	355	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
323	98/0002	3	-	-	-	355	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
323	98/0002	3	-	-	-	355	B	04	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.7	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.8	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.2	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	3	0.7	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	2.9	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.6	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.4	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	8.2	-	-	-	-
327	98/0002	3	-	-	-	356	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	18.5	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.4	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.3	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
909	98/0002	3	-	-	-	356	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	1.2	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	20	5.2	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	1.0	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.9	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.0	-	-	-	-



Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	12	6.8	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.5	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.4	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	5	7.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	2	11.4	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.9	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
324	98/0002	3	-	-	-	357	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	4	0.4	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	21	4.9	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	9	1.5	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.7	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	9	4.0	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Indeterminate	-	1	0.3	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.3	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	6	11.1	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.9	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.4	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	2	11.9	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	2.8	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.4	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	10	1.1	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	22.7	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.2	-	-	-	-
328	98/0002	3	-	-	-	357	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	31.0	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.6	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	3	1.7	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
332	98/0002	3	-	-	-	357	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
333	98/0002	3	-	-	-	357	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
333	98/0002	3	-	-	-	357	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.0	-	-	-	-
333	98/0002	3	-	-	-	357	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.5	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	3	0.6	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.2	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.7	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	35.0	-	-	-	-
338	98/0002	3	-	-	-	362	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	5.6	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.1	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.3	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	1.5	-	-	-	-
966	98/0002	3	-	-	-	362	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	0.6	-	-	-	-
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-	
972	98/0002	3	-	-	-	362	B	05	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-	
975	98/0002	3	-	-	-	362	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-	
975	98/0002	3	-	-	-	362	C	06	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-	
975	98/0002	3	-	-	-	362	C	06	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-	
975	98/0002	3	-	-	-	362	C	06	-	-	-	-	-	-	Debitage	Quartzite	< 6mm	Absent	-	1	0.1	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	4.3	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Block	-	1	1.5	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.8	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-	
347	98/0002	3	-	-	-	363	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	1.0	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	3	1.0	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Absent	-	1	2.8	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
348	98/0002	3	-	-	-	363	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.3	-	-	-	-	
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Cobble Tools	Siltstone	Abraders	Cobble	-	1	34.3	75.0	-	-	-	FLAT PIECE OF SILTSTONE WITH UTILIZED EDGE.
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-	
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-	
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.9	-	-	-	-	
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	12.0	-	-	-	-	
353	98/0002	3	-	-	-	363	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	14.8	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
359	98/0002	3	-	-	-	363	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
359	98/0002	3	-	-	-	363	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	5.0	-	-	-	BIPOLAR REDUCTION OR FLAKE.
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.7	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.0	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.5	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
349	98/0002	3	-	-	-	364	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
357	98/0002	3	-	-	-	364	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.3	-	-	-	-
357	98/0002	3	-	-	-	364	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.9	-	-	-	-
357	98/0002	3	-	-	-	364	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
357	98/0002	3	-	-	-	364	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-
761	98/0002	3	-	-	-	364	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.7	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	WHL	1	3.3	32.1	18.2	6.8	SMALL, STEMMED PROJECTILE POINT.
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.7	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.7	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.3	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.0	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
363	98/0002	3	-	-	-	365	A	01	-	-	-	-	-	-	Minerals	Mica	-	-	-	1	0.1	-	-	-	-
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
365	98/0002	3	-	-	-	365	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.3	-	-	-	-
661	98/0002	3	-	-	-	365	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
661	98/0002	3	-	-	-	365	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Bifaces	Quartzite	Other Bifaces	Absent	WHL	1	12.3	39.7	25.6	18.7	POSSIBLE DRILL.
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Cobble	-	1	0.7	-	-	-	-
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.2	-	-	-	-
455	98/0002	3	-	-	-	366	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
399	98/0002	3	-	-	-	367	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
399	98/0002	3	-	-	-	367	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
399	98/0002	3	-	-	-	367	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
399	98/0002	3	-	-	-	367	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.1	-	-	-	-
451	98/0002	3	-	-	-	367	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
451	98/0002	3	-	-	-	367	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
451	98/0002	3	-	-	-	367	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
451	98/0002	3	-	-	-	367	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
451	98/0002	3	-	-	-	367	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	66.4	-	-	-	-
760	98/0002	3	-	-	-	367	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
760	98/0002	3	-	-	-	367	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.7	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
450	98/0002	3	-	-	-	368	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	63.8	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	BRK	1	10.2	39.6	27.7	9.2	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.6	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.2	-	-	-	-
456	98/0002	3	-	-	-	368	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	76.8	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.2	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	4.2	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	WATERWORN.
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	2.5	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	3.8	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	44.3	-	-	-	-
459	98/0002	3	-	-	-	369	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	30.6	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	83.6	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	1.2	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.9	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.6	-	-	-	-
460	98/0002	3	-	-	-	369	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
465	98/0002	3	-	-	-	369	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	2	0.4	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	2	0.6	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	2	0.8	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.0	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Ironstone	16-20mm	Absent	-	1	1.3	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Metamorphic	21-30mm	Absent	-	1	1.2	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.2	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.8	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.9	-	-	-	-
361	98/0002	3	-	-	-	370	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
946	98/0002	3	-	-	-	370	B	04	-	-	-	-	-	-	Unifaces	Jasper	Other Uniface Types	Cobble	-	1	2.4	28.0	12.0	10.0	POSSIBLE BURIN.
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.1	-	-	-	-
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.8	-	-	-	-	
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
949	98/0002	3	-	-	-	370	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Cobble Tools	Sandstone	Anvil Stones	Cobble	-	1	92.3	79.0	-	-	-	-
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.8	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.3	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Cobble	-	1	0.7	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
362	98/0002	3	-	-	-	371	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.7	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-	-
923	98/0002	3	-	-	-	371	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	-
927	98/0002	3	-	-	-	371	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
930	98/0002	3	-	-	-	371	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
930	98/0002	3	-	-	-	371	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
930	98/0002	3	-	-	-	371	C	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.6	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.7	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
452	98/0002	3	-	-	-	372	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	28.3	-	-	-	-
453	98/0002	3	-	-	-	372	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
453	98/0002	3	-	-	-	372	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
453	98/0002	3	-	-	-	372	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	197.3	-	-	-	-
454	98/0002	3	-	-	-	372	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	275.8	-	-	-	-
454	98/0002	3	-	-	-	372	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
454	98/0002	3	-	-	-	372	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.8	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.4	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
616	98/0002	3	-	-	-	373	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.0	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.6	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.1	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.1	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.4	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	5	1.6	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Absent	-	1	0.5	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.1	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.8	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	1.8	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.9	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	1.0	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.6	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Indeterminate	6-10mm	Cobble	-	1	0.2	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.3	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	43.4	-	-	-	-
397	98/0002	3	-	-	-	374	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	20.1	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.3	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	2.6	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.1	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.8	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.9	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	36.0	-	-	-	-
398	98/0002	3	-	-	-	374	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.8	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Bifaces	Siltstone	Projectile Points	Absent	WHL	1	4.6	40.4	21.2	7.7	STEMMED PROJECTILE POINT.
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.2	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	0.7	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.6	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.5	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.0	-	-	-	-
510	98/0002	3	-	-	-	374	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	43.3	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
686	98/0002	3	-	-	-	374	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.5	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
688	98/0002	3	-	-	-	374	B	05	-	-	-	-	-	-	Debitage	Quartzite	< 6mm	Absent	-	1	0.1	-	-	-	-
690	98/0002	3	-	-	-	374	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	29.9	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.5	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	2.3	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.7	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.0	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	5.0	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	28.5	-	-	-	-
457	98/0002	3	-	-	-	375	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metamorphic	-	-	-	1	18.6	-	-	-	-
458	98/0002	3	-	-	-	375	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-
676	98/0002	3	-	-	-	375	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
676	98/0002	3	-	-	-	375	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.0	-	-	-	-
677	98/0002	3	-	-	-	375	B	04	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Cobble	-	1	1.4	-	-	-	-
466	98/0002	3	-	-	-	379	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
466	98/0002	3	-	-	-	379	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	25.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
466	98/0002	3	-	-	-	379	B	02	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	10.4	-	-	-	-
679	98/0002	3	-	-	-	379	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	7.7	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	2.6	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.3	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
846	98/0002	3	-	-	-	380	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
463	98/0002	3	-	-	-	380	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
463	98/0002	3	-	-	-	380	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
468	98/0002	3	-	-	-	380	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
468	98/0002	3	-	-	-	380	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
468	98/0002	3	-	-	-	380	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
474	98/0002	3	-	-	-	380	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
474	98/0002	3	-	-	-	380	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.4	-	-	-	-
474	98/0002	3	-	-	-	380	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Absent	-	1	5.0	25.9	21.6	9.1	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.0	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.7	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	10.4	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.9	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	18.9	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Debitage	Siltstone	41-50mm	Cobble	-	1	11.3	-	-	-	-
475	98/0002	3	-	-	-	380	B	05	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	2.5	26.4	16.2	6.3	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Limestone	11-15mm	Absent	-	1	0.2	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Block	-	1	6.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
467	98/0002	3	-	-	-	381	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
759	98/0002	3	-	-	-	381	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
759	98/0002	3	-	-	-	381	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.4	-	-	-	-
759	98/0002	3	-	-	-	381	B	03	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	47.5	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.7	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.4	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	0.7	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	2.0	-	-	-	-
464	98/0002	3	-	-	-	382	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	24.7	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.2	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.8	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.2	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Metasedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.9	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	0.9	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	0.9	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.6	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.9	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.9	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	1.1	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	2.1	-	-	-	-
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	9.8	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.8	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	572.6	-	-	-	-	
469	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	232.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Bifaces	Metarhyolite	Early-Stage Bifaces	Cobble	BRK	1	17.9	33.6	27.0	17.9	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	445.3	80.0	-	-	-	-
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	14.7	34.0	-	16.0	POSS. EXHAUSTED CORE.	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.6	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	5	2.1	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.3	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.3	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	360.4	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	41.6	-	-	-	-	
476	98/0002	3	-	-	-	382	B	03	-	-	-	-	-	-	Fire-cracked Rock	Metamorphic	-	-	-	1	9.2	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.1	-	-	-	-	

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Metasedimentary	11-15mm	Cobble	-	1	0.3	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	4	4.7	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	3.1	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	15.9	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Debitage	Sandstone	6-10mm	Absent	-	1	0.1	-	-	-	-
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	32.2	-	-	-	SPECIAL COLLECTION: REFIT #33 (3) PIECES.
479	98/0002	3	-	-	-	382	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	32.9	-	-	-	-
480	98/0002	3	-	-	-	382	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
480	98/0002	3	-	-	-	382	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
480	98/0002	3	-	-	-	382	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
480	98/0002	3	-	-	-	382	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
480	98/0002	3	-	-	-	382	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.5	-	-	-	-
482	98/0002	3	-	-	-	382	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
482	98/0002	3	-	-	-	382	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
482	98/0002	3	-	-	-	382	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
482	98/0002	3	-	-	-	382	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
482	98/0002	3	-	-	-	382	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	1.9	-	-	-	-
470	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	ART#1	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	7.3	42.4	23.0	8.9	STEMMED PROJECTILE POINT; CORTEX ON BASE.
470	98/0002	3	-	-	-	382	B	02	-	-	-	-	-	ART#1	Bifaces	Chert	Projectile Points	Absent	WHL	1	8.5	50.4	20.6	7.6	STEMMED PROJECTILE POINT; UNFINISHED BASE.
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.0	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.2	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	3.1	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
472	98/0002	3	-	-	-	383	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metasedimentary	-	-	-	1	219.3	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.9	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.1	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.4	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	22.7	-	-	-	-
473	98/0002	3	-	-	-	383	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	5.4	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.5	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.7	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.5	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.8	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	54.5	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	14.5	-	-	-	-
483	98/0002	3	-	-	-	383	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	38.4	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	6	3.0	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
487	98/0002	3	-	-	-	383	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
492	98/0002	3	-	-	-	383	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
492	98/0002	3	-	-	-	383	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.9	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	2.0	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	2	0.9	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.0	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.4	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	103.4	-	-	-	-
490	98/0002	3	-	-	-	385	B	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	10.3	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.9	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Metasedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.4	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	1.0	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Block	-	1	0.6	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.3	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.3	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.6	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	0.8	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Debitage	Sedimentary	31-40mm	Absent	-	1	5.7	-	-	-	-
494	98/0002	3	-	-	-	385	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	21.2	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	0.4	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	2	0.6	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	20.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.2	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	5	0.5	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.3	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Cobble	-	1	0.1	-	-	-	-
752	98/0002	3	-	-	-	385	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	91.4	-	-	-	SPECIAL COLLECTION: REFIT #14 (1) PIECE.
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
754	98/0002	3	-	-	-	385	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
764	98/0002	3	-	-	-	385	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
764	98/0002	3	-	-	-	385	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
764	98/0002	3	-	-	-	385	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
764	98/0002	3	-	-	-	385	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
766	98/0002	3	-	-	-	385	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
766	98/0002	3	-	-	-	385	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.0	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.8	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	0.8	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.5	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	2	1.8	-	-	-	-
493	98/0002	3	-	-	-	386	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	58.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.3	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
845	98/0002	3	-	-	-	386	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	176.1	-	-	-	-
847	98/0002	3	-	-	-	386	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
847	98/0002	3	-	-	-	386	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	1.1	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.1	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.5	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.8	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.9	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.3	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	5	4.7	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	7.5	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.1	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Absent	-	1	1.6	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	5.8	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	19.6	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	5.7	-	-	-	-
491	98/0002	3	-	-	-	387	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	2.7	-	-	-	-
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
488	98/0002	3	-	-	-	388	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.9	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	1.3	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.6	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.5	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.1	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.0	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Absent	-	1	2.3	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Sedimentary	31-40mm	Absent	-	1	3.1	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Absent	-	1	76.8	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	22.9	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	9.1	-	-	-	-
489	98/0002	3	-	-	-	388	B	02	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Block	-	1	3.9	38.0	19.0	8.0	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Freehand Cores	Cobble	-	1	59.6	51.0	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.2	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.7	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.0	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	4.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	14	0.6	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Block	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	9	0.4	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.3	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
509	98/0002	3	-	-	-	388	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	2	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.3	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
669	98/0002	3	-	-	-	388	B	04	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
672	98/0002	3	-	-	-	388	B	05	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.4	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Block	-	1	1.8	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.4	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	41-50mm	Absent	-	1	9.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	34.6	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	18.4	-	-	-	-
497	98/0002	3	-	-	-	389	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	38.3	-	-	-	SPECIAL COLLECTION: REFIT #21 (1) PIECE.
928	98/0002	3	-	-	-	389	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
928	98/0002	3	-	-	-	389	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
928	98/0002	3	-	-	-	389	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
928	98/0002	3	-	-	-	389	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
928	98/0002	3	-	-	-	389	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
503	98/0002	3	-	-	-	390	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	BRK	1	6.0	31.6	20.6	10.6	-
503	98/0002	3	-	-	-	390	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.5	-	-	-	-
503	98/0002	3	-	-	-	390	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	2	1.4	-	-	-	-
503	98/0002	3	-	-	-	390	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	97.7	-	-	-	-
838	98/0002	3	-	-	-	390	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
838	98/0002	3	-	-	-	390	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
838	98/0002	3	-	-	-	390	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	26.0	42.3	34.0	18.0	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	4.6	38.1	18.5	7.6	SMALL, STEMMED PROJECTILE POINT WITH CORTEX ON BASE.
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.8	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	3	0.7	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.2	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.7	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.6	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
506	98/0002	3	-	-	-	391	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	220.1	76.0	-	-	-
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.2	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	1.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.9	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	2.8	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	46.6	-	-	-	-	
507	98/0002	3	-	-	-	391	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	237.8	-	-	-	-	SPECIAL COLLECTION: REFIT #2 (2) PIECES.
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.1	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Cobble	-	1	0.2	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Sedimentary	31-40mm	Absent	-	1	4.0	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	9	0.4	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.1	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
508	98/0002	3	-	-	-	391	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.3	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
668	98/0002	3	-	-	-	391	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
671	98/0002	3	-	-	-	391	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
673	98/0002	3	-	-	-	391	B	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.7	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.9	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	10.1	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
511	98/0002	3	-	-	-	393	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	12.7	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	115.8	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	70.2	-	-	-	-
514	98/0002	3	-	-	-	393	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	150.2	-	-	-	-
517	98/0002	3	-	-	-	393	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	CROSSMEND.
519	98/0002	3	-	-	-	393	C	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
538	98/0002	3	-	-	-	393	D	13	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	8.3	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Absent	-	1	13.6	42.0	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.5	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Ironstone	11-15mm	Absent	-	1	0.4	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.3	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	6.5	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.3	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	3.0	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
513	98/0002	3	-	-	-	394	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	14.2	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	1.5	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	13.4	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
512	98/0002	3	-	-	-	394	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.6	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Cobble	-	1	0.3	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.5	-	-	-	-
963	98/0002	3	-	-	-	394	B	04	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
964	98/0002	3	-	-	-	394	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
964	98/0002	3	-	-	-	394	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
964	98/0002	3	-	-	-	394	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
964	98/0002	3	-	-	-	394	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
964	98/0002	3	-	-	-	394	B	05	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
969	98/0002	3	-	-	-	394	C	06	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Cobble	-	1	0.1	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	2.3	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	2	1.0	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.9	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.1	-	-	-	-
522	98/0002	3	-	-	-	395	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	1.0	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.2	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Block	-	1	0.5	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.4	-	-	-	-
523	98/0002	3	-	-	-	395	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.5	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.5	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.0	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	5.9	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.9	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	3.0	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.4	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	10	1.1	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	44.8	-	-	-	-
774	98/0002	3	-	-	-	395	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	19.8	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.1	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.8	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
778	98/0002	3	-	-	-	395	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
783	98/0002	3	-	-	-	395	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
783	98/0002	3	-	-	-	395	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
783	98/0002	3	-	-	-	395	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.6	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.8	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Indeterminat e	-	1	0.3	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.5	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Metasedimen tary	21-30mm	Absent	-	1	2.8	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	6.7	-	-	-	-
524	98/0002	3	-	-	-	396	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	18.7	-	-	-	-
525	98/0002	3	-	-	-	396	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
525	98/0002	3	-	-	-	396	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
525	98/0002	3	-	-	-	396	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	6.5	-	-	-	-
525	98/0002	3	-	-	-	396	B	02	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	17.0	55.0	30.0	11.0	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.3	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
980	98/0002	3	-	-	-	396	B	04	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.4	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.4	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.0	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.3	-	-	-	-	
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	37.2	-	-	-	-	SPECIAL COLLECTION: REFIT #21 (1) PIECE.
528	98/0002	3	-	-	-	397	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	22.8	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	4.0	19.0	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	10.1	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-	-
816	98/0002	3	-	-	-	397	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	-
817	98/0002	3	-	-	-	397	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.7	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	1.3	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	0.7	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.8	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.2	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
526	98/0002	3	-	-	-	398	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.0	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.2	-	-	-	-
535	98/0002	3	-	-	-	399	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	11.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	20.2	42.0	28.0	17.0	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	7	1.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	0.7	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	5	0.8	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	4	2.3	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.8	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.3	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.5	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.2	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.9	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	10	0.7	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.3	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	17	0.9	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	15	0.9	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	5	0.4	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	3	0.2	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	2	108.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	13.2	-	-	-	-
540	98/0002	3	-	-	-	399	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	8.3	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	84.2	67.0	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.2	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	19.5	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	6	0.6	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	10	0.6	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	10	0.5	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.5	-	-	-	-
695	98/0002	3	-	-	-	399	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	3	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.4	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.9	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.3	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.4	-	-	-	-
699	98/0002	3	-	-	-	399	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
753	98/0002	3	-	-	-	399	B	05	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
763	98/0002	3	-	-	-	399	B	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	2.0	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.3	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.9	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	2.3	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
536	98/0002	3	-	-	-	400	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	37.3	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.5	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.5	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.1	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.7	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.9	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.4	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	15	0.8	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	165.5	-	-	-	SPECIAL COLLECTION: REFIT #16 (1) PIECE.
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	8.4	-	-	-	-
541	98/0002	3	-	-	-	400	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	8.5	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.6	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.4	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	0.8	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	1.5	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.5	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	16.9	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	9	0.6	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
620	98/0002	3	-	-	-	400	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Cobble Tools	Quartz	Hammerstones	Cobble	-	1	78.1	62.0	-	-	POSS. TESTED COBBLE.
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.8	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.7	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	7	0.4	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
623	98/0002	3	-	-	-	400	B	04	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
631	98/0002	3	-	-	-	400	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
631	98/0002	3	-	-	-	400	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.7	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	2	1.3	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.3	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.9	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.7	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.9	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	1.4	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	6.9	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	23.2	-	-	-	-
534	98/0002	3	-	-	-	401	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	19.3	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.5	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.7	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.1	-	-	-	-
537	98/0002	3	-	-	-	401	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	45.9	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.5	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	7	0.8	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
539	98/0002	3	-	-	-	401	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	39.3	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	5.1	34.6	19.1	7.5	TEAR-DROP PROJECTILE POINT.
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.5	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.3	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
546	98/0002	3	-	-	-	402	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.2	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	5.6	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	11.4	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	133.4	-	-	-	-
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	18.9	-	-	-	SPECIAL COLLECTION: REFIT #24 (3) PIECES.
547	98/0002	3	-	-	-	402	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	11.0	-	-	-	SPECIAL COLLECTION: REFIT #35 (4) PIECES.
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	2.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	2	0.2	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.5	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.3	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.4	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	21.8	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	13.6	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.4	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	7	0.7	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
794	98/0002	3	-	-	-	402	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	28.8	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	1.0	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.5	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.1	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
797	98/0002	3	-	-	-	402	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
799	98/0002	3	-	-	-	402	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
799	98/0002	3	-	-	-	402	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
799	98/0002	3	-	-	-	402	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.0	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.4	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.9	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	65.5	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	4.3	-	-	-	-
542	98/0002	3	-	-	-	403	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	13.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.5	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.8	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	1.5	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	5	0.2	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	THIS ROW# WAS 210 BETWEEN ROWNUM 2106 AND 2107.
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	8	477.8	-	-	-	SPECIAL COLLECTION: REFIT #14 (1) PIECE.
692	98/0002	3	-	-	-	403	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	151.9	-	-	-	SPECIAL COLLECTION: REFIT #22 (1) PIECE.
694	98/0002	3	-	-	-	403	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
694	98/0002	3	-	-	-	403	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
694	98/0002	3	-	-	-	403	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
694	98/0002	3	-	-	-	403	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Block	-	1	2.3	-	-	-	-
694	98/0002	3	-	-	-	403	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	48.7	-	-	-	-
697	98/0002	3	-	-	-	403	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
697	98/0002	3	-	-	-	403	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
697	98/0002	3	-	-	-	403	B	05	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
697	98/0002	3	-	-	-	403	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.5	-	-	-	-
697	98/0002	3	-	-	-	403	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
750	98/0002	3	-	-	-	403	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
750	98/0002	3	-	-	-	403	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
750	98/0002	3	-	-	-	403	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
750	98/0002	3	-	-	-	403	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Bifaces	Chert	Projectile Points	Absent	WHL	1	7.5	40.9	20.1	9.7	STEMMED PROJECTILE POINT; UNFINISHED BASE.
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Block	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	11-15mm	Absent	-	6	2.4	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Metamorphic	11-15mm	Absent	-	1	0.5	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Chert	21-30mm	Cobble	-	1	0.5	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Argillite	21-30mm	Absent	-	1	1.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	31-40mm	Cobble	-	1	3.3	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Debitage	Metamorphic	6-10mm	Absent	-	1	0.1	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Quartz	-	-	-	1	19.2	-	-	-	-
543	98/0002	3	-	-	-	403	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Sandstone	-	-	-	1	11.0	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	0.8	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.2	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.2	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.1	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.9	-	-	-	-
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
544	98/0002	3	-	-	-	404	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	44.3	53.0	39.0	27.0	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	TIP	1	2.8	-	-	-	7.7	-
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.9	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.7	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.4	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.4	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.3	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	24.6	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.3	-	-	-	-	
545	98/0002	3	-	-	-	404	B	02	-	-	-	-	-	-	Unifaces	Chert	Retouched Flakes	Cobble	-	1	1.8	27.0	13.0	5.0	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.5	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.5	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	7.3	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.3	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	4	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
684	98/0002	3	-	-	-	404	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	30.2	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
687	98/0002	3	-	-	-	404	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
689	98/0002	3	-	-	-	404	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.8	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	3	1.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.6	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	5.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
601	98/0002	3	-	-	-	405	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	179.2	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Bifaces	Chert	Late-Stage Bifaces	Cobble	WHL	1	6.2	43.4	16.2	9.2	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	MED	1	2.7	-	18.0	8.5	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	4	0.7	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.5	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.9	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	13.5	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	9.5	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	9	0.6	-	-	-	-
602	98/0002	3	-	-	-	405	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.9	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.6	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	10	0.5	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	8	0.4	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	16	23.4	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	26.9	-	-	-	-
635	98/0002	3	-	-	-	405	B	03	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Block	-	1	2.7	19.0	19.0	7.0	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
638	98/0002	3	-	-	-	405	B	04	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
641	98/0002	3	-	-	-	405	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
641	98/0002	3	-	-	-	405	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.8	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.3	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.0	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	92.3	-	-	-	-
548	98/0002	3	-	-	-	406	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	10.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	1.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
549	98/0002	3	-	-	-	406	B	02	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	2.5	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	1.4	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.3	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	37.7	-	-	-	-
600	98/0002	3	-	-	-	406	B	03	-	-	-	-	-	-	Unifaces	Quartz	Utilized Flakes	Cobble	-	1	20.5	50.0	29.0	17.0	EDGE GRINDING.
657	98/0002	3	-	-	-	406	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.2	-	-	-	-
657	98/0002	3	-	-	-	406	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
657	98/0002	3	-	-	-	406	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
660	98/0002	3	-	-	-	406	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
660	98/0002	3	-	-	-	406	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
667	98/0002	3	-	-	-	406	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
667	98/0002	3	-	-	-	406	C	06	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
667	98/0002	3	-	-	-	406	C	06	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.4	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	0.9	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.9	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.8	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.2	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.6	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	3	3.2	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.6	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	4.4	-	-	-	-
603	98/0002	3	-	-	-	407	A	01	-	-	-	-	-	-	Fire-cracked Rock	Metasedimentary	-	-	-	2	8.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Cobble	WHL	1	6.5	41.3	19.2	8.6	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BASE.
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	8	1.9	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.0	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.6	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.9	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.7	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	8	0.5	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	7	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	175.5	-	-	-	-
604	98/0002	3	-	-	-	407	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	5.5	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Cobble	WHL	1	5.9	46.7	18.9	10.4	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BLADE.
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.7	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.2	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
432	98/0002	3	-	-	-	407	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	1.2	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.9	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	0.9	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.8	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
627	98/0002	3	-	-	-	407	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
633	98/0002	3	-	-	-	407	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.0	-	-	-	-
633	98/0002	3	-	-	-	407	B	05	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.9	-	-	-	-
634	98/0002	3	-	-	-	407	C	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
634	98/0002	3	-	-	-	407	C	06	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
634	98/0002	3	-	-	-	407	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.7	-	-	-	-
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.2	-	-	-	-
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.4	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Block	-	1	0.4	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.5	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.5	-	-	-	-	
606	98/0002	3	-	-	-	408	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	89.6	59.0	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.3	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.6	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.8	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.3	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	27.4	-	-	-	-	SPECIAL COLLECTION: REFIT #36 (2) PIECES; REFIT #37 (2) PIECES.
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	6	19.6	-	-	-	-	SPECIAL COLLECTION: REFIT #38 (4) PIECES.
607	98/0002	3	-	-	-	408	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	3.7	-	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.0	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	11.7	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	51.8	-	-	-	-
815	98/0002	3	-	-	-	408	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	8	23.3	-	-	-	-
826	98/0002	3	-	-	-	408	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
826	98/0002	3	-	-	-	408	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
826	98/0002	3	-	-	-	408	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.5	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.6	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Metamorphic	16-20mm	Absent	-	1	1.0	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.3	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.6	-	-	-	-
605	98/0002	3	-	-	-	409	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	6.7	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.4	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
608	98/0002	3	-	-	-	409	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	38.5	-	-	-	-
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	1,600.0	239.0	95.0	62.0	BIFACIAL REDUCTION ON

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	ONE EDGE; BATTERING ON BOTH POLES.
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.1	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.0	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.5	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	3.9	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Block	-	1	4.9	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.4	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	104.0	-	-	-	-	
685	98/0002	3	-	-	-	409	B	03	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	-	1	1.3	26.0	15.0	5.0	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Indeterminate	11-15mm	Cobble	-	1	0.1	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
691	98/0002	3	-	-	-	409	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.9	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.7	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.3	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	1.8	-	-	-	-	
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	6.2	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	77.5	-	-	-	-
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	21.8	-	-	-	-
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.4	-	-	-	-
610	98/0002	3	-	-	-	410	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	19.3	-	-	-	SPECIAL COLLECTION: REFIT #25 (2) PIECES.
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.2	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.7	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.6	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-
609	98/0002	3	-	-	-	411	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	16	4.3	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.6	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	3.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	0.8	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	4	6.8	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	3	3.6	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	3.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Indeterminate	-	1	4.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	18	1.4	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	125.8	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	2.7	-	-	-	-
613	98/0002	3	-	-	-	411	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	2.8	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	6	1.7	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.4	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.6	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.4	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.5	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.8	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.0	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.7	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.9	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	1.5	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	34.3	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	9	0.5	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	18	1.3	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
615	98/0002	3	-	-	-	411	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	64.5	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	7	2.0	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	0.9	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-	
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	10	0.7	-	-	-	-	
619	98/0002	3	-	-	-	411	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
621	98/0002	3	-	-	-	411	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.2	-	-	-	-	
621	98/0002	3	-	-	-	411	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
622	98/0002	3	-	-	-	411	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
622	98/0002	3	-	-	-	411	C	06	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-	
622	98/0002	3	-	-	-	411	C	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-	
622	98/0002	3	-	-	-	411	C	06	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-	
622	98/0002	3	-	-	-	411	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	5	0.9	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.6	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Debitage	Chert	< 6mm	Cobble	-	1	0.1	-	-	-	-	
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	362.8	-	-	-	-	SPECIAL COLLECTION: REFIT #5 (1) PIECE.
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	14.9	-	-	-	-	-
611	98/0002	3	-	-	-	412	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	5.3	-	-	-	-	-
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Metasedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.2	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.3	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-	
696	98/0002	3	-	-	-	412	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	474.7	-	-	-	-	-
698	98/0002	3	-	-	-	412	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
698	98/0002	3	-	-	-	412	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
698	98/0002	3	-	-	-	412	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
698	98/0002	3	-	-	-	412	B	04	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
751	98/0002	3	-	-	-	412	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
751	98/0002	3	-	-	-	412	B	05	-	-	-	-	-	-	Fire-cracked Rock	Metasedimentary	-	-	-	1	0.4	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Cores	Quartz	Freehand Cores	Cobble	-	1	165.3	71.0	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	11-15mm	Absent	-	2	0.7	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Metarhyolite	16-20mm	Absent	-	3	1.1	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
612	98/0002	3	-	-	-	412	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
906	98/0002	3	-	-	-	412	-	-	-	-	-	-	-	WALL COLLAPSE	Fire-cracked Rock	Quartzite	-	-	-	1	7.9	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.6	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.3	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.3	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.6	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	1.2	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	306.7	-	-	-	-
625	98/0002	3	-	-	-	413	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	18.7	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
626	98/0002	3	-	-	-	413	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.2	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Indeterminate	-	1	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
632	98/0002	3	-	-	-	413	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.5	-	-	-	-
636	98/0002	3	-	-	-	413	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	9.6	-	-	-	-
639	98/0002	3	-	-	-	413	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
639	98/0002	3	-	-	-	413	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
639	98/0002	3	-	-	-	413	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.0	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.9	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.7	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.3	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	5	7.0	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.6	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.3	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.4	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.4	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.3	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	34.6	-	-	-	-
644	98/0002	3	-	-	-	415	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	9.0	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.7	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
647	98/0002	3	-	-	-	415	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.8	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.9	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
656	98/0002	3	-	-	-	415	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	60.0	-	-	-	-
658	98/0002	3	-	-	-	415	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
658	98/0002	3	-	-	-	415	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
662	98/0002	3	-	-	-	415	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
662	98/0002	3	-	-	-	415	B	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	4.3	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.8	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	2	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.6	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Indeterminate	16-20mm	Absent	-	1	0.3	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	1.1	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	15.8	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	18.2	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.4	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	10.1	-	-	-	-
617	98/0002	3	-	-	-	416	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	7.8	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.1	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	3	0.6	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.2	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	290.8	-	-	-	-
618	98/0002	3	-	-	-	416	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	13.8	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	0.9	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.7	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	7	1.5	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Metasedimen tary	11-15mm	Absent	-	1	0.3	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.5	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.9	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.5	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Argillite	31-40mm	Absent	-	1	4.0	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	10	0.4	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	2	0.2	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	3	0.4	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	19	99.5	-	-	-	-
762	98/0002	3	-	-	-	416	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	113.7	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.9	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.5	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.3	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	2	0.1	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	1.5	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	3.6	-	-	-	-
765	98/0002	3	-	-	-	416	B	04	-	-	-	-	-	-	Unmodified Cobbles	Indeterminate	-	-	-	1	234.2	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	2	0.6	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.2	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.9	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.5	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.9	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.7	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	3.4	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
637	98/0002	3	-	-	-	417	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	16.8	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Bifaces	Jasper	Late-Stage Bifaces	Absent	BRK	1	1.7	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.4	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	7	2.0	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.0	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	7	0.3	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
640	98/0002	3	-	-	-	417	B	02	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Cobble	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.5	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	10	2.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.2	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	5	2.5	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.0	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	6.3	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	9	0.4	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.3	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	19	1.9	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	4	0.6	-	-	-	-
642	98/0002	3	-	-	-	417	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	103.9	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.0	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.3	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.1	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
646	98/0002	3	-	-	-	417	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
655	98/0002	3	-	-	-	417	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
655	98/0002	3	-	-	-	417	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
655	98/0002	3	-	-	-	417	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.6	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	5.0	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.5	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.0	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.7	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	1.9	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.0	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	36.9	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	5.9	-	-	-	-
643	98/0002	3	-	-	-	418	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	13.9	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.8	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	8.1	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
645	98/0002	3	-	-	-	418	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	19.7	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.7	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.4	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.0	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	6.4	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	2.1	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.9	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	10.0	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.1	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.0	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	16.3	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	8	0.7	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	4	0.4	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	3	24.9	-	-	-	-	SPECIAL COLLECTION: REFIT #39 (3) PIECES.
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	352.6	-	-	-	-	-
648	98/0002	3	-	-	-	418	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	225.1	-	-	-	-	-
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	2.2	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	8.3	-	-	-	-	
654	98/0002	3	-	-	-	418	B	04	-	-	-	-	-	-	Unmodified Cobbles	Metasedimentary	-	-	-	1	312.0	-	-	-	-	-
659	98/0002	3	-	-	-	418	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
659	98/0002	3	-	-	-	418	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Bifaces	Chert	Late-Stage Bifaces	Absent	WHL	1	12.0	48.1	24.1	12.9	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	4.7	37.2	16.8	9.6	-	STEMMED PROJECTILE POINT. LAMOKA ?
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	5	1.6	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.3	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-	
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	2.5	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	6.0	-	-	-	-
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	56.8	-	-	-	-
666	98/0002	3	-	-	-	419	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	14.6	-	-	-	-
670	98/0002	3	-	-	-	419	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
670	98/0002	3	-	-	-	419	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	44.6	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.2	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	221.8	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	212.1	-	-	-	-
674	98/0002	3	-	-	-	419	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	30.5	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	17.2	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	WATERWORN.
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	WATERWORN.
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
768	98/0002	3	-	-	-	420	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
788	98/0002	3	-	-	-	420	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
788	98/0002	3	-	-	-	420	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
788	98/0002	3	-	-	-	420	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
788	98/0002	3	-	-	-	420	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
808	98/0002	3	-	-	-	420	B	07	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.6	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	1.7	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.3	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.3	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.2	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	0.9	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.2	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.7	-	-	-	-
775	98/0002	3	-	-	-	421	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	44.5	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
776	98/0002	3	-	-	-	421	B	02	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	49.6	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	4.6	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
779	98/0002	3	-	-	-	421	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	23.3	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Bifaces	Chert	Projectile Points	Absent	WHL	1	7.3	50.6	19.3	8.1	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
781	98/0002	3	-	-	-	421	B	04	-	-	-	-	-	ART#1	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	12.8	30.0	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.9	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	3	0.4	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.3	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.8	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.3	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	2.0	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.5	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	3	2.4	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	12.2	-	-	-	-
777	98/0002	3	-	-	-	422	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	2	8.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	2	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	8	4.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.5	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.4	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	21	1.7	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	13.0	-	-	-	-
780	98/0002	3	-	-	-	422	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	1.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	7	1.0	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	1.0	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.4	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	22	5.2	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.8	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.7	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.2	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	2.8	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.9	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.7	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	9	0.6	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.6	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	7	0.6	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.2	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	39	3.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Fire-cracked Rock	Metasedimentary	-	-	-	1	12.6	-	-	-	-
782	98/0002	3	-	-	-	422	B	03	-	-	-	-	-	-	Unmodified Pebbles	Quartz	-	-	-	1	65.3	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	9	2.1	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.4	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.2	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.2	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	4	0.2	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	8	0.7	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
791	98/0002	3	-	-	-	422	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
792	98/0002	3	-	-	-	422	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
792	98/0002	3	-	-	-	422	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
792	98/0002	3	-	-	-	422	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.2	-	-	-	-
792	98/0002	3	-	-	-	422	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
795	98/0002	3	-	-	-	422	C	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
795	98/0002	3	-	-	-	422	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
795	98/0002	3	-	-	-	422	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
795	98/0002	3	-	-	-	422	C	06	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	7.8	51.0	22.0	7.0	STEMMED PROJECTILE POINT.
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	4	2.4	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.6	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	1.6	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.1	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.6	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
787	98/0002	3	-	-	-	423	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.9	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	3	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	9	0.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	64.5	-	-	-	-
793	98/0002	3	-	-	-	423	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	10.8	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
796	98/0002	3	-	-	-	423	B	03	-	-	-	-	-	-	Unifaces	Jasper	Sidescrapers	Absent	-	1	3.3	29.0	20.0	8.0	-
798	98/0002	3	-	-	-	423	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
798	98/0002	3	-	-	-	423	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
798	98/0002	3	-	-	-	423	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
800	98/0002	3	-	-	-	423	B	05	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.1	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.5	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.7	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.9	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	3	1.7	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	3.0	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.1	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.9	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Sedimentary	31-40mm	Cobble	-	1	3.6	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	3.5	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.3	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	9.4	-	-	-	-
801	98/0002	3	-	-	-	424	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.4	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.9	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	13	3.0	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.7	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.2	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	7.1	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	3.9	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	1.6	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.2	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.3	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	9	1.0	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.1	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	52.7	-	-	-	-
802	98/0002	3	-	-	-	424	B	02	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	132.6	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Bifaces	Metarhyolite	Drills	Absent	BRK	1	1.0	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	0.7	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Indeterminate	-	1	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	11	3.5	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	5	1.4	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.6	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	2.2	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	1.4	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	1.7	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	20	2.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	4	0.3	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	8.2	-	-	-	-
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	6.1	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
803	98/0002	3	-	-	-	424	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	3.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	9	2.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	1.9	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.4	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.5	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
804	98/0002	3	-	-	-	424	B	04	-	-	-	-	-	-	Minerals	Mica	-	-	-	1	0.3	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
813	98/0002	3	-	-	-	424	B	05	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	0.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.8	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.3	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	20.2	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	210.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
805	98/0002	3	-	-	-	425	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	169.8	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	57.5	51.0	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.9	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	1.9	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	22.8	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	142.8	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.8	-	-	-	-
806	98/0002	3	-	-	-	425	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	6.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	1	0.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	11.2	-	-	-	-
811	98/0002	3	-	-	-	425	B	03	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	-	1	1.4	26.0	14.0	4.0	-
814	98/0002	3	-	-	-	425	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	5.3	32.0	20.0	9.0	STEMMED; UNFINISHED BASE.
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.6	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.4	-	-	-	-
818	98/0002	3	-	-	-	426	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.0	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	3.8	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	3.9	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
824	98/0002	3	-	-	-	426	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.9	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.2	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Absent	-	1	20.6	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	57.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
828	98/0002	3	-	-	-	426	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	37.5	-	-	-	-
839	98/0002	3	-	-	-	426	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
839	98/0002	3	-	-	-	426	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
839	98/0002	3	-	-	-	426	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	56.7	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.8	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.9	-	-	-	-
822	98/0002	3	-	-	-	427	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	0.6	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	BRK	1	85.6	69.0	-	25.0	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.9	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
823	98/0002	3	-	-	-	427	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
829	98/0002	3	-	-	-	427	B	03	-	-	-	-	-	-	Debitage	Quartzite	< 6mm	Absent	-	1	0.1	-	-	-	-
830	98/0002	3	-	-	-	427	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
830	98/0002	3	-	-	-	427	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
830	98/0002	3	-	-	-	427	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
830	98/0002	3	-	-	-	427	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
830	98/0002	3	-	-	-	427	B	04	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
831	98/0002	3	-	-	-	427	B	05	-	-	-	-	-	-	Bifaces	Quartz	Projectile Points	Absent	WHL	1	6.9	36.3	22.9	9.0	SMALL, STEMMED PROJECTILE POINT; UNFINISHED BASE; CORTEX ON BASE.
831	98/0002	3	-	-	-	427	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
831	98/0002	3	-	-	-	427	B	05	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	8.5	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Bifaces	Argillite	Projectile Points	Absent	WHL	1	12.6	60.0	25.0	8.0	FOX CREEK PROJECTILE POINT.
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Cobble Tools	Quartzite	Hammerstones	Cobble	-	1	21.4	43.0	-	-	FRAGMENT.
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.7	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	2	0.4	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.3	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	48.8	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	93.0	-	-	-	-
905	98/0002	3	-	-	-	428	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	4.9	-	-	-	-
908	98/0002	3	-	-	-	428	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
908	98/0002	3	-	-	-	428	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
908	98/0002	3	-	-	-	428	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
908	98/0002	3	-	-	-	428	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	4	0.6	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	3	0.6	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.6	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.9	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	4	2.5	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	5.0	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.9	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.6	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Igneous	21-30mm	Absent	-	1	1.3	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.7	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.4	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Igneous	6-10mm	Absent	-	1	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
916	98/0002	3	-	-	-	428	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	82.7	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
917	98/0002	3	-	-	-	428	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
922	98/0002	3	-	-	-	428	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
922	98/0002	3	-	-	-	428	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	9.0	32.6	23.6	15.0	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	7.6	-	23.0	7.8	STEMMED PROJECTILE POINT; CORTEX ON BASE.
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.8	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.8	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.2	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.7	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.3	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.0	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	2.4	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	2.1	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.7	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.9	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	15.9	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
912	98/0002	3	-	-	-	429	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	0.4	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.7	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
947	98/0002	3	-	-	-	429	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
952	98/0002	3	-	-	-	429	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
965	98/0002	3	-	-	-	429	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	3.8	30.5	18.3	7.3	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BASE.
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.1	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.3	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.6	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.0	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
913	98/0002	3	-	-	-	430	A	01	-	-	-	-	-	-	Debitage	Indeterminate	6-10mm	Absent	-	1	0.1	-	-	-	-
924	98/0002	3	-	-	-	430	B	02	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BRK	1	1.7	27.0	-	3.8	CORNER-NOTCHED; SERRATED BLADE; BASE MISSING.
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Bifaces	Jasper	Other Bifaces	Cobble	BRK	1	6.1	29.0	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	1.9	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	13.1	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Debitage	Indeterminate	6-10mm	Cobble	-	1	0.1	-	-	-	-
925	98/0002	3	-	-	-	430	B	03	-	-	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	162.4	-	-	-	-
939	98/0002	3	-	-	-	430	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
939	98/0002	3	-	-	-	430	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
939	98/0002	3	-	-	-	430	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.3	-	-	-	-
939	98/0002	3	-	-	-	430	B	04	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
914	98/0002	3	-	-	-	431	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
914	98/0002	3	-	-	-	431	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
914	98/0002	3	-	-	-	431	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
914	98/0002	3	-	-	-	431	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
914	98/0002	3	-	-	-	431	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Debitage	Jasper	-	Cobble	-	1	0.2	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.4	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Debitage	Jasper	51-60mm	Cobble	-	1	19.0	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
915	98/0002	3	-	-	-	431	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	83.8	-	-	-	-
921	98/0002	3	-	-	-	431	B	03	-	-	-	-	-	-	Bifaces	Jasper	Other Bifaces	Cobble	BRK	1	11.3	32.0	-	-	CRUSHING APPARENT.
920	98/0002	3	-	-	-	431	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
920	98/0002	3	-	-	-	431	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
920	98/0002	3	-	-	-	431	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.3	-	-	-	-
920	98/0002	3	-	-	-	431	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
920	98/0002	3	-	-	-	431	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	43.0	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.3	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.7	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.1	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	13.7	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Debitage	Quartzite	> 60mm	Cobble	-	1	44.9	-	-	-	-
932	98/0002	3	-	-	-	432	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	33.8	-	-	-	-
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Ironstone	16-20mm	Absent	-	2	2.1	-	-	-	-
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-
933	98/0002	3	-	-	-	432	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.4	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
934	98/0002	3	-	-	-	432	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	86.1	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.9	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	14.5	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	10.2	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
954	98/0002	3	-	-	-	433	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	36.2	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.7	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.2	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.7	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.7	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.0	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	7.9	-	-	-	-
929	98/0002	3	-	-	-	434	A	01	-	-	-	-	-	-	Debitage	Sandstone	41-50mm	Cobble	-	1	9.9	-	-	-	-
944	98/0002	3	-	-	-	434	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
944	98/0002	3	-	-	-	434	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
944	98/0002	3	-	-	-	434	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	36.1	61.0	38.0	19.0	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	56.0	56.0	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.7	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Cobble	-	1	0.4	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.6	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	11.0	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	154.7	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	147.3	-	-	-	-
960	98/0002	3	-	-	-	434	B	03	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	393.5	-	-	-	-
962	98/0002	3	-	-	-	434	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
962	98/0002	3	-	-	-	434	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
962	98/0002	3	-	-	-	434	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
962	98/0002	3	-	-	-	434	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.0	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	6.3	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Cobble	-	1	1.6	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	7.4	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
941	98/0002	3	-	-	-	435	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	3	0.5	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.8	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	17.8	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	7	0.3	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.1	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
945	98/0002	3	-	-	-	435	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	75.7	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.3	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.8	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	1.0	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.4	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Debitage	Sandstone	6-10mm	Absent	-	2	0.1	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	100.1	-	-	-	-
961	98/0002	3	-	-	-	435	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	137.4	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	1.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
967	98/0002	3	-	-	-	435	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	10.8	-	-	-	-
978	98/0002	3	-	-	-	435	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.1	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.6	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.8	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.5	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
968	98/0002	3	-	-	-	436	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	22.0	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.2	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	0.9	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.6	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Debitage	Igneous	6-10mm	Absent	-	1	0.1	-	-	-	-
931	98/0002	3	-	-	-	437	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	109.4	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	26.6	46.9	33.6	20.7	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	5.3	26.0	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
942	98/0002	3	-	-	-	437	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	14.0	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.2	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	5	183.0	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	377.9	-	-	-	-	
948	98/0002	3	-	-	-	437	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	142.4	-	-	-	-	
959	98/0002	3	-	-	-	437	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
959	98/0002	3	-	-	-	437	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.7	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.7	-	-	-	-	
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	49.3	-	-	-	-	SPECIAL COLLECTION: REFIT #5 (1) PIECE.
976	98/0002	3	-	-	-	438	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	43.3	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Bifaces	Jasper	Late-Stage Bifaces	Absent	BRK	1	1.9	-	-	-	-	TIP.
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Cores	Quartz	Bipolar Cores	Cobble	-	1	19.6	33.0	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	15.0	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-	-
990	98/0002	3	-	-	-	438	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	13.1	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	-
991	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-	-
991	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	0.8	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	-
991	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	-
991	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	2	0.1	-	-	-	-	-
950	98/0002	3	-	-	-	438	B	04	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	17.9	38.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.5	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.2	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	0.7	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.4	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.0	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Absent	-	1	3.3	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	20.5	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	8.5	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	36.0	-	-	-	-
977	98/0002	3	-	-	-	439	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	66.7	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.8	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.2	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.4	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.2	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	110.5	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	70.7	-	-	-	-
999	98/0002	3	-	-	-	439	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	14.0	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	47.7	51.0	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.6	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	1	0.4	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	4.0	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Debitage	Sandstone	6-10mm	Absent	-	1	0.1	-	-	-	-
1003	98/0002	3	-	-	-	439	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	8.8	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.6	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1012	98/0002	3	-	-	-	439	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	31.4	-	-	-	-
1014	98/0002	3	-	-	-	439	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1014	98/0002	3	-	-	-	439	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	0.7	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.5	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.3	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.3	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.4	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	28.5	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	64.8	-	-	-	-
1035	98/0002	3	-	-	-	440	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	48.8	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	4	5.4	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	2	1.1	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	11.3	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.4	-	-	-	-
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	POT-LID.
1036	98/0002	3	-	-	-	440	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
1041	98/0002	3	-	-	-	440	B	06	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1042	98/0002	3	-	-	-	440	B	07	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1042	98/0002	3	-	-	-	440	B	07	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Cobble	-	1	0.2	-	-	-	-
1042	98/0002	3	-	-	-	440	B	07	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
1042	98/0002	3	-	-	-	440	B	07	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
1043	98/0002	3	-	-	-	440	B	08	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.7	-	-	-	-
1043	98/0002	3	-	-	-	440	B	08	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.7	-	-	-	-
1043	98/0002	3	-	-	-	440	B	08	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Absent	WHL	1	1.9	17.2	16.2	5.3	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.1	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.5	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.9	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.9	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	3	1.5	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.6	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	38.1	-	-	-	-
985	98/0002	3	-	-	-	441	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	29.6	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	2	0.1	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	33.1	-	-	-	-
988	98/0002	3	-	-	-	441	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	11.6	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	11.4	42.2	24.4	12.3	COULD BE A PREFORM FOR THE "PUNCHEON RUN STEMMED" PROJECTILE POINT.
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Cobble Tools	Quartzite	Anvil Stones	Cobble	-	1	1,502.0	166.0	-	-	2 SMALL FLAKES REMOVED.
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.5	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.5	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	7	0.4	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	3	0.3	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Siltstone	6-10mm	Absent	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	8	270.2	-	-	-	-
994	98/0002	3	-	-	-	441	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	13	540.5	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.5	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	4	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.5	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.4	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.3	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.4	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	4.9	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.2	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.6	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	3	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	21.4	-	-	-	-
996	98/0002	3	-	-	-	441	B	04	-	-	-	-	-	-	Minerals	Mica	-	-	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	3.6	35.0	16.4	7.8	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BASE.
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.2	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.2	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	2	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1000	98/0002	3	-	-	-	441	B	05	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.2	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.6	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	9.8	-	-	-	-
1006	98/0002	3	-	-	-	441	C	06	-	-	-	-	-	-	Minerals	Mica	-	-	-	3	0.1	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.6	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	6	1.9	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	4	1.5	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.1	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.8	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	2.1	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	2.5	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.4	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Cobble	-	1	1.1	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
992	98/0002	3	-	-	-	442	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
993	98/0002	3	-	-	-	442	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.5	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.3	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.2	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	3.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	2	1.0	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.9	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	2.3	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	16	0.7	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.3	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Cobble	-	1	0.1	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	25.6	-	-	-	-
997	98/0002	3	-	-	-	442	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	1.4	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	BRK	1	3.0	-	-	7.9	STEMMED PROJECTILE POINT. CORTEX ON BASE.
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.8	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.5	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	1.0	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.2	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	3	3.4	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	1.7	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	2.0	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.7	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	7	0.4	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1004	98/0002	3	-	-	-	442	B	04	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1007	98/0002	3	-	-	-	442	B	05	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1018	98/0002	3	-	-	-	442	C	07	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1018	98/0002	3	-	-	-	442	C	07	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1018	98/0002	3	-	-	-	442	C	07	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1018	98/0002	3	-	-	-	442	C	07	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	8.9	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.6	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	11.2	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	13.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	32.2	-	-	-	-
995	98/0002	3	-	-	-	443	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	51.7	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.2	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
998	98/0002	3	-	-	-	443	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	23.0	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	146.8	64.0	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Indeterminate	-	1	0.4	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	1.0	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	2	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.5	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	9.5	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	14	429.1	-	-	-	-	SPECIAL COLLECTION: REFIT #18 (2) PIECES.
1001	98/0002	3	-	-	-	443	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	34.8	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.1	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.9	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	-
1005	98/0002	3	-	-	-	443	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	-
1008	98/0002	3	-	-	-	443	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	4.1	-	-	-	-	-
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	2	0.7	-	-	-	-	CROSS-MEND.
1002	98/0002	3	-	-	-	444	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	> 60mm	Cobble	-	1	76.1	-	-	-	-	-
1015	98/0002	3	-	-	-	444	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	-
1015	98/0002	3	-	-	-	444	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-	-
1015	98/0002	3	-	-	-	444	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	10.0	-	-	-	-	-
1024	98/0002	3	-	-	-	444	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
1024	98/0002	3	-	-	-	444	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-	-
1024	98/0002	3	-	-	-	444	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	CROSS-MEND.
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.5	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.7	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.9	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
1009	98/0002	3	-	-	-	445	A	01	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	21.6	-	-	-	-
1010	98/0002	3	-	-	-	445	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	109.2	-	-	-	-
1372	98/0002	3	-	-	-	445	B	03	-	-	-	-	-	-	Debitage	Metamorphic	16-20mm	Cobble	-	1	0.4	-	-	-	-
1372	98/0002	3	-	-	-	445	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	16.1	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	38.4	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	73.4	-	-	-	-
1028	98/0002	3	-	-	-	446	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	18.4	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.1	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	6	0.7	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	8	1.8	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.0	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.6	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.8	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	11	0.7	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	4	0.1	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	4	0.1	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Cobble	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	3	11.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	0.5	-	-	-	-
1021	98/0002	3	06	-	-	447	B	03	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	3	0.1	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1025	98/0002	3	06	-	-	447	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Cobble Tools	Quartz	Metates	Cobble	-	1	15,600.0	350.0	185.0	145.0	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	18	3.9	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Cobble	-	5	1.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	11-15mm	Block	-	2	0.6	-	-	-	POSSIBLE BLOCK CORTEX.
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Absent	-	11	1.4	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Cobble	-	6	1.0	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Absent	-	3	0.6	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	11-15mm	Absent	-	4	0.7	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	16-20mm	Indeterminate	-	2	1.9	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	16-20mm	Absent	-	4	1.6	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	21-30mm	Absent	-	2	3.0	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	21-30mm	Cobble	-	2	2.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	41-50mm	Cobble	-	1	4.8	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	41-50mm	Cobble	-	1	20.3	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	6-10mm	Absent	-	29	1.8	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	6-10mm	Absent	-	33	1.9	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	6-10mm	Cobble	-	6	0.5	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Chert	< 6mm	Absent	-	8	0.2	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Jasper	< 6mm	Absent	-	6	0.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	> 60mm	Cobble	-	1	32.2	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Debitage	Quartzite	> 60mm	Cobble	-	2	77.3	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Quartz	-	-	-	1	4.3	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Siltstone	-	-	-	3	44.9	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Quartzite	-	-	-	2	74.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Sandstone	-	-	-	3	18.0	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Chert	-	-	-	1	0.9	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Fire-cracked Rock	Sedimentary	-	-	-	2	35.1	-	-	-	-
1017	98/0002	3	06	-	-	447	B	02	-	-	-	-	-	ART#1	Unmodified Cobbles	-	-	-	-	1	127.3	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.2	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	3	2.4	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.5	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.4	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	4.0	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.4	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	189.0	-	-	-	-
1016	98/0002	3	-	-	-	448	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	50.3	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.4	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	77.7	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	7.9	-	-	-	-
1019	98/0002	3	-	-	-	448	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	7.9	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	81.3	53.0	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	31.7	55.0	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.0	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.9	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Debitage	Siltstone	6-10mm	Absent	-	1	0.2	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	13	391.2	-	-	-	-
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	193.3	-	-	-	SPECIAL COLLECTION: REFIT #13 (1) PIECE.
1020	98/0002	3	-	-	-	448	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	174.3	-	-	-	SPECIAL COLLECTION: REFIT #29 (2) PIECES.
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1022	98/0002	3	-	-	-	448	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.2	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.4	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	3.9	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	15.5	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1026	98/0002	3	-	-	-	449	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	45.1	-	-	-	SPECIAL COLLECTION: REFIT #16 (1) PIECE.
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BRK	1	4.7	27.7	20.4	8.0	STEMMED PROJECTILE POINT; CORTEX ON BASE.
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	5.9	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	116.7	-	-	-	-
1027	98/0002	3	-	-	-	449	B	02	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	8.5	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.3	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.2	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.0	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.3	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	41-50mm	Cobble	-	1	6.9	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.3	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	70.1	-	-	-	SPECIAL COLLECTION: REFIT #13 (1) PIECE.
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	519.6	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	38.2	-	-	-	-
1034	98/0002	3	-	-	-	449	B	03	-	-	-	-	-	-	Unmodified Cobbles	Chert	-	-	-	1	56.2	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Bifaces	Quartz	Late-Stage Bifaces	Cobble	BRK	1	8.9	-	21.0	12.0	TIP FRACTURED; BASAL CORTEX.
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1039	98/0002	3	-	-	-	449	B	04	-	-	-	-	-	-	Debitage	Siltstone	6-10mm	Absent	-	1	0.1	-	-	-	-
1045	98/0002	3	-	-	-	449	B	05	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.5	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Cores	Chert	Bipolar Cores	Cobble	-	1	5.1	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.1	-	-	-	-
1023	98/0002	3	-	-	-	450	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	BRK	1	12.8	26.6	30.7	11.8	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Bifaces	Jasper	Late-Stage Bifaces	Absent	BRK	1	3.7	17.7	22.1	9.7	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	BAS	1	5.1	-	-	6.0	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	2.0	-	-	9.3	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.7	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	4.5	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	5.2	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	4.0	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	1.0	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Chert	41-50mm	Absent	-	1	8.5	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	317.9	-	-	-	SPECIAL COLLECTION: REFIT #4 (2) PIECES.
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	23.0	-	-	-	SPECIAL COLLECTION: REFIT #29 (1) PIECE.
1150	98/0002	3	-	-	-	451	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	7.7	-	-	-	-
1049	98/0002	3	-	-	-	451	B	02	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	27.9	-	-	-	-
1049	98/0002	3	-	-	-	451	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	40.9	-	-	-	SPECIAL COLLECTION:

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	160.5	80.0	-	-	-	REFIT #16 (1) PIECE.
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.1	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	3.2	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	6.7	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	140.9	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.8	-	-	-	-	
1151	98/0002	3	-	-	-	451	B	03	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	1.5	-	-	-	-	
1153	98/0002	3	-	-	-	451	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-	
1153	98/0002	3	-	-	-	451	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
1153	98/0002	3	-	-	-	451	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-	
1153	98/0002	3	-	-	-	451	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-	
1153	98/0002	3	-	-	-	451	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
1154	98/0002	3	-	-	-	451	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
1154	98/0002	3	-	-	-	451	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
1154	98/0002	3	-	-	-	451	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	56.2	-	-	-	-	POSSIBLY PREPARED CORE.
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.6	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	6.3	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	22.3	-	-	-	-	
1046	98/0002	3	-	-	-	452	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	7.7	-	-	-	-	
1155	98/0002	3	-	-	-	452	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-	
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Fire-cracked Rock	Jasper	-	-	-	1	14.2	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	233.3	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	21.1	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	12.2	-	-	-	-
1156	98/0002	3	-	-	-	453	A	01	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Absent	BRK	1	0.6	22.5	14.9	2.3	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	8.8	29.0	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.5	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.7	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
1157	98/0002	3	-	-	-	454	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1158	98/0002	3	-	-	-	454	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
1158	98/0002	3	-	-	-	454	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	0.7	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	2	0.3	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.5	-	-	-	MENDS TO CORE ACCSN# 98/0002(CAT.1157).
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	10.0	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	2	0.1	-	-	-	-
1159	98/0002	3	-	-	-	454	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.8	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	3	0.5	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	3	0.4	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	9.1	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.3	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1161	98/0002	3	-	-	-	454	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1163	98/0002	3	-	-	-	454	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1163	98/0002	3	-	-	-	454	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1163	98/0002	3	-	-	-	454	B	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
1163	98/0002	3	-	-	-	454	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.9	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.8	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.9	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	0.8	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.2	-	-	-	-
1160	98/0002	3	-	-	-	455	A	01	-	-	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	52.0	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Cobble	-	1	0.4	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.2	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1162	98/0002	3	-	-	-	455	B	02	-	-	-	-	-	-	Debitage	Sedimentary	< 6mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.2	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.9	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.4	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.3	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	8.0	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.9	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	9	0.5	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.5	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	110.9	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	9.6	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	8.5	-	-	-	-
1168	98/0002	3	-	-	-	455	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sedimentary	-	-	-	2	22.2	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	27.5	43.9	39.0	13.2	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.7	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.4	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Absent	-	1	2.4	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.1	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1172	98/0002	3	-	-	-	455	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1173	98/0002	3	-	-	-	455	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1173	98/0002	3	-	-	-	455	B	05	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.2	-	-	-	-
1173	98/0002	3	-	-	-	455	B	05	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	6.0	-	-	-	-
1173	98/0002	3	-	-	-	455	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1173	98/0002	3	-	-	-	455	B	05	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Bifaces	Chert	Late-Stage Bifaces	Absent	BRK	1	2.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	1.2	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.1	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Cobble	-	1	0.6	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.5	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.4	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.4	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	2.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	1.0	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.4	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.6	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	5.0	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Sandstone	6-10mm	Absent	-	1	0.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	107.3	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	31.3	-	-	-	-
1167	98/0002	3	-	-	-	456	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	19.6	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.5	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.3	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.3	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.2	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.8	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	199.6	-	-	-	-
1170	98/0002	3	-	-	-	456	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.3	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	68.6	57.4	52.1	17.1	BLANK.
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	15.9	50.4	26.9	11.8	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Bifaces	Quartz	Other Bifaces	Absent	BRK	1	10.5	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.6	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.2	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	2.7	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	6.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	10.1	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	2	38.8	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	50.2	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.2	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1171	98/0002	3	-	-	-	456	B	03	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	289.5	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.5	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.2	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.6	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	4.9	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	10.0	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.6	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1178	98/0002	3	-	-	-	456	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
1180	98/0002	3	-	-	-	456	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1180	98/0002	3	-	-	-	456	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1180	98/0002	3	-	-	-	456	B	05	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1180	98/0002	3	-	-	-	456	B	05	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.5	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Bifaces	Quartz	Other Bifaces	Absent	BRK	1	2.6	13.9	22.3	9.1	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.4	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	128.0	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	3.4	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	22.8	-	-	-	-
1169	98/0002	3	-	-	-	457	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	6.4	-	-	-	-
1177	98/0002	3	-	-	-	457	B	04	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.9	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-	
1179	98/0002	3	-	-	-	458	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	3.5	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	370.0	85.0	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.4	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	3.6	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	5.8	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-	
1184	98/0002	3	-	-	-	458	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	107.3	-	-	-	-	
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	229.7	82.0	-	-	-	LIGHT BATTERING AT POLES.
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	461.3	93.0	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.0	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Cobble	-	1	0.6	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.3	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.9	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.3	-	-	-	-	-
1185	98/0002	3	-	-	-	458	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	4.6	-	-	-	-	SPECIAL COLLECTION: REFIT #30 (2) PIECES.
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-	-
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	-
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.0	-	-	-	-	-
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.3	-	-	-	-	-
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-	-
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1190	98/0002	3	-	-	-	458	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.6	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Cobble	WHL	1	6.3	45.4	25.1	9.6	STEMMED PROJECTILE POINT; CORTEX ON BASE.
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Cobble	WHL	1	8.2	45.6	23.5	7.9	STEMMED PROJECTILE POINT; CORTEX ON BASE.
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Cobble	-	1	1.1	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.0	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.9	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.2	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1186	98/0002	3	-	-	-	459	A	01	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	2	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	10.7	34.0	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	12.8	44.0	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.9	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.0	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.5	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Cobble	-	1	4.6	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.2	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
1191	98/0002	3	-	-	-	459	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	34.6	-	-	-	SPECIAL COLLECTION: REFIT #22 (1) PIECE.
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.3	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.5	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Igneous	16-20mm	Absent	-	1	0.8	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.9	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.2	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.0	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.4	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Igneous	21-30mm	Absent	-	1	3.0	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.3	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.4	-	-	-	-
1193	98/0002	3	-	-	-	459	B	03	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	28.6	49.0	36.0	16.0	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.9	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.2	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	0.8	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Cobble	-	1	3.2	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	7.9	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	2	0.2	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.1	-	-	-	-
1197	98/0002	3	-	-	-	459	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	86.7	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.2	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
1250	98/0002	3	-	-	-	459	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1253	98/0002	3	-	-	-	459	C	06	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Bifaces	Argillite	Projectile Points	Absent	WHL	1	6.1	42.9	22.2	6.6	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	12.6	25.0	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	44.9	44.2	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	147.8	67.2	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.7	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.0	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	10.8	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	18.6	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1187	98/0002	3	-	-	-	460	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.1	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.4	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	2	0.8	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.8	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.6	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.2	-	-	-	-
1195	98/0002	3	-	-	-	461	A	01	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.7	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	0.6	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.3	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Sandstone	16-20mm	Absent	-	1	0.4	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	9.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	8	0.3	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.2	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Debitage	Sedimentary	< 6mm	Absent	-	1	0.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	45.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.1	-	-	-	-
1196	98/0002	3	-	-	-	461	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	50.5	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.3	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.9	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.5	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	1	0.3	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.7	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.5	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	13.7	-	-	-	ONE IS BIPOLAR BLOCK SHATTER.
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	3	0.3	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.4	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Cobble	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Debitage	Metamorphic	< 6mm	Absent	-	1	0.1	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	36.2	-	-	-	-
1198	98/0002	3	-	-	-	461	B	03	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	3.0	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.6	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.3	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-
1251	98/0002	3	-	-	-	461	B	04	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	12.0	-	-	-	-
1254	98/0002	3	-	-	-	461	B	05	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
1254	98/0002	3	-	-	-	461	B	05	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1254	98/0002	3	-	-	-	461	B	05	-	-	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
1254	98/0002	3	-	-	-	461	B	05	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	5.0	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.6	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	3.1	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.2	-	-	-	-
1255	98/0002	3	-	-	-	462	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	47.7	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.2	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	1.3	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1256	98/0002	3	-	-	-	463	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	27.4	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	11.8	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.6	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.2	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Block	-	1	2.1	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	6.5	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	3.6	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.4	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Debitage	Quartz	> 60mm	Absent	-	1	71.5	-	-	-	BIG BLOCK SHATTER.
1262	98/0002	3	-	-	-	464	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	7.2	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.8	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.1	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	0.8	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.3	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.7	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.6	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Rhyolite	21-30mm	Absent	-	1	1.4	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	6.4	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	15.5	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1260	98/0002	3	-	-	-	465	A	01	-	-	-	-	-	-	Debitage	Rhyolite	< 6mm	Absent	-	1	0.1	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Absent	BRK	1	4.8	-	-	-	POSSIBLE BASE.
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Cores	Quartzite	Flake Core	Cobble	-	1	18.6	49.0	-	-	POSSIBLE BURINATION ON TIP; SAME PARENT COBBLE AS SCRAPER IN ACCSN# 98/0002, CAT#.1263.
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.7	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Igneous	11-15mm	Absent	-	1	0.2	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.2	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	5.4	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Siltstone	31-40mm	Absent	-	1	1.6	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	13	0.7	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Block	-	1	0.1	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1263	98/0002	3	-	-	-	465	B	02	-	-	-	-	-	-	Unifaces	Quartzite	Sidescrapers	Cobble	-	1	29.7	50.0	43.0	14.0	SAME PARENT COBBLE AS CORE IN ACCSN# 98/0002, CAT#.1263.
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.2	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.8	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.0	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.8	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.4	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.8	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	8	0.4	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
1268	98/0002	3	-	-	-	465	B	03	-	-	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
1288	98/0002	3	-	-	-	465	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1288	98/0002	3	-	-	-	465	B	05	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1288	98/0002	3	-	-	-	465	B	05	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.5	-	-	-	-
1288	98/0002	3	-	-	-	465	B	05	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
1288	98/0002	3	-	-	-	465	B	05	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	53.7	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	123.6	61.6	55.0	27.8	POSSIBLE.
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.3	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.5	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	1.3	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.1	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.2	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	125.6	-	-	-	-
1264	98/0002	3	-	-	-	466	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	27.1	-	-	-	-
1266	98/0002	3	-	-	-	466	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1266	98/0002	3	-	-	-	466	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1270	98/0002	3	-	-	-	466	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1270	98/0002	3	-	-	-	466	B	03	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.3	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	32.2	-	-	-	-
1272	98/0002	3	-	-	-	467	A	01	-	-	-	-	-	-	Unifaces	Quartz	Endscrapers	Cobble	WHL	1	126.6	65.4	56.6	40.4	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.8	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.8	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1271	98/0002	3	-	-	-	468	A	01	-	-	-	-	-	-	Unifaces	Chert	Retouched Flakes	Absent	WHL	1	1.3	25.1	18.8	2.6	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.6	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.8	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Sandstone	11-15mm	Cobble	-	1	3.2	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	1.0	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.0	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.9	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.6	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.4	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Cobble	-	1	7.4	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	8.6	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	19.5	-	-	-	-
1274	98/0002	3	-	-	-	469	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	85.8	-	-	-	-
1276	98/0002	3	-	-	-	469	B	02	-	-	-	-	-	-	Cobble Tools	Quartzite	Other Cobble Tools	Cobble	-	1	330.9	-	-	-	-
1276	98/0002	3	-	-	-	469	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1276	98/0002	3	-	-	-	469	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.9	-	-	-	-
1276	98/0002	3	-	-	-	469	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.3	-	-	-	-
1276	98/0002	3	-	-	-	469	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.3	-	-	-	-
1279	98/0002	3	-	-	-	469	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1279	98/0002	3	-	-	-	469	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1279	98/0002	3	-	-	-	469	B	03	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1279	98/0002	3	-	-	-	469	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Absent	-	1	54.9	48.5	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	6	1.0	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.6	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	4.9	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.8	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1283	98/0002	3	-	-	-	470	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	18.1	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.9	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	5.9	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Siltstone	21-30mm	Cobble	-	2	12.7	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.1	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	16.3	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	13.3	-	-	-	-
1281	98/0002	3	-	-	-	471	A	01	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Absent	BRK	1	0.9	9.6	15.3	6.5	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Bifaces	Quartz	Middle-Stage Bifaces	Absent	WHL	1	13.6	43.0	25.0	12.3	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.0	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1347	98/0002	3	-	-	-	472	A	01	-	-	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	5.1	34.8	16.9	9.0	-
1352	98/0002	3	-	-	-	472	B	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	6.5	42.3	25.7	9.1	SIDE-NOTCHED PROJECTILE POINT.
1297	98/0002	3	-	-	-	473	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	18.2	-	-	-	-
1297	98/0002	3	-	-	-	473	A	01	-	-	-	-	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	31.2	-	-	-	-
1297	98/0002	3	-	-	-	473	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	6.6	-	-	-	-
1296	98/0002	3	-	-	-	474	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	1.5	-	-	-	-
1296	98/0002	3	-	-	-	474	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.6	-	-	-	-
1296	98/0002	3	-	-	-	474	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
1296	98/0002	3	-	-	-	474	A	01	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.8	-	-	-	-
1296	98/0002	3	-	-	-	474	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.4	-	-	-	-
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.6	-	-	-	-
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	25.7	-	-	-	-
1219	98/0002	3	-	-	-	474	B	02	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1375	98/0002	3	-	-	-	474	B	04	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1355	98/0002	3	-	-	-	475	A	01	-	-	-	-	-	-	Bifaces	Rhyolite	Middle-Stage Bifaces	Absent	BRK	1	33.7	51.9	41.5	14.7	-
1355	98/0002	3	-	-	-	475	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1355	98/0002	3	-	-	-	475	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1355	98/0002	3	-	-	-	475	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
1361	98/0002	3	-	-	-	475	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
1361	98/0002	3	-	-	-	475	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Absent	-	1	13.1	-	-	-	-
1365	98/0002	3	-	-	-	475	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1365	98/0002	3	-	-	-	475	B	03	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1348	98/0002	3	-	-	-	476	A	01	-	-	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	44.6	-	-	-	-
1348	98/0002	3	-	-	-	476	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1348	98/0002	3	-	-	-	476	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-
1348	98/0002	3	-	-	-	476	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1348	98/0002	3	-	-	-	476	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	87.3	-	-	-	-
1349	98/0002	3	-	-	-	476	B	02	-	-	-	-	-	-	Cores	Quartz	Bifacial Core	Absent	-	1	50.8	-	-	-	-
1350	98/0002	3	-	-	-	477	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1350	98/0002	3	-	-	-	477	A	-	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1350	98/0002	3	-	-	-	477	A	-	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	6.8	-	-	-	-
1350	98/0002	3	-	-	-	477	A	-	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	1.5	-	-	-	-
1356	98/0002	3	-	-	-	477	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.9	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.8	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	2	3.6	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.7	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1353	98/0002	3	-	-	-	478	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	34.2	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Metarhyolite	16-20mm	Cobble	-	1	0.8	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Metamorphic	6-10mm	Cobble	-	1	0.1	-	-	-	-
1354	98/0002	3	-	-	-	478	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1360	98/0002	3	-	-	-	478	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1360	98/0002	3	-	-	-	478	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1360	98/0002	3	-	-	-	478	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1364	98/0002	3	-	-	-	478	C	04	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
1364	98/0002	3	-	-	-	478	C	04	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1357	98/0002	3	-	-	-	479	A	01	-	-	-	-	-	-	Bifaces	Quartz	Other Bifaces	Cobble	BRK	1	14.5	31.1	31.8	11.3	-
1357	98/0002	3	-	-	-	479	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.5	-	-	-	-
1357	98/0002	3	-	-	-	479	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	POT-LID.
1357	98/0002	3	-	-	-	479	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.4	-	-	-	-
1357	98/0002	3	-	-	-	479	A	01	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
1358	98/0002	3	-	-	-	479	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1358	98/0002	3	-	-	-	479	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	POT-LID.
1359	98/0002	3	-	-	-	479	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.6	-	-	-	-
1359	98/0002	3	-	-	-	479	B	03	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1359	98/0002	3	-	-	-	479	B	03	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	33.9	49.9	42.1	15.4	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.6	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.4	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	70.7	-	-	-	-
1363	98/0002	3	-	-	-	480	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	37.0	-	-	-	-
1366	98/0002	3	-	-	-	480	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1366	98/0002	3	-	-	-	480	B	02	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Bifaces	Quartz	Late-Stage Bifaces	Cobble	BRK	1	3.6	18.5	22.7	8.0	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	46.5	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.4	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	2	5.2	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.8	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	70.0	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	5.0	-	-	-	-
1362	98/0002	3	-	-	-	481	A	01	-	-	-	-	-	-	Fire-cracked Rock	Ironstone	-	-	-	1	22.4	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	2	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.1	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.3	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	18.0	-	-	-	-
1298	98/0002	3	-	-	-	482	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	10.7	-	-	-	-
1367	98/0002	3	-	-	-	482	B	02	-	-	-	-	-	-	Bifaces	Quartz	Other Bifaces	Cobble	BRK	1	7.4	27.8	26.2	11.0	-
1367	98/0002	3	-	-	-	482	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.3	-	-	-	-
1367	98/0002	3	-	-	-	482	B	02	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
1367	98/0002	3	-	-	-	482	B	02	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	32.1	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Slate	11-15mm	Absent	-	1	0.1	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1368	98/0002	3	-	-	-	483	A	01	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	6.7	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	37.1	-	-	-	-
1295	98/0002	3	-	-	-	484	A	01	-	-	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	18.3	-	-	-	-
1299	98/0002	3	-	-	-	484	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1299	98/0002	3	-	-	-	484	B	02	-	-	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1299	98/0002	3	-	-	-	484	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	15.6	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Bifaces	Metarhyolite	Projectile Points	Absent	WHL	1	4.4	29.8	23.2	6.7	PENTAGONAL BLADE - JACK'S REEF PENTAGONAL ?
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	8	1.4	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.5	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.2	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	17.1	-	-	-	-
1373	98/0002	3	-	-	-	486	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	11.3	-	-	-	-
1382	98/0002	3	-	-	-	486	B	03	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	7	1.6	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.0	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
1383	98/0002	3	-	-	-	487	A	01	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	13.3	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	1.1	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.8	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.8	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
1385	98/0002	3	-	-	-	487	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1374	98/0002	3	-	-	-	488	A	01	-	-	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.3	-	-	-	-
1374	98/0002	3	-	-	-	488	A	01	-	-	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1374	98/0002	3	-	-	-	488	A	01	-	-	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
1374	98/0002	3	-	-	-	488	A	01	-	-	-	-	-	-	Debitage	Sandstone	21-30mm	Cobble	-	1	2.7	-	-	-	-
1374	98/0002	3	-	-	-	488	A	01	-	-	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	6.2	-	-	-	-
1376	98/0002	3	-	-	-	488	B	02	-	-	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.3	-	-	-	-
1376	98/0002	3	-	-	-	488	B	02	-	-	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	33.7	-	-	-	-
1381	98/0002	3	-	-	-	488	B	03	-	-	-	-	-	-	Bifaces	Chert	Projectile Points	Absent	WHL	1	3.5	28.9	19.2	6.7	SMALL, STEMMED PROJECTILE POINT; BROKEN BASE.
1387	98/0002	3	-	-	-	489	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.6	-	-	-	-
1387	98/0002	3	-	-	-	489	B	02	-	-	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
1387	98/0002	3	-	-	-	489	B	02	-	-	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-
1387	98/0002	3	-	-	-	489	B	02	-	-	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1387	98/0002	3	-	-	-	489	B	02	-	-	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	29.4	-	-	-	-
169	97/0055	3	04	-	-	120	-	-	-	01A	A	01	-	FLOT/SOIL/ C14-COL. 01-01	Fire-cracked Rock	Chert	-	-	-	1	1.7	-	-	-	-
195	97/0055	3	04	-	-	122	-	-	-	01B	B	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
270	97/0055	3	04	-	-	119	-	-	-	02	A	01	N	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
396	97/0055	3	06	-	-	-	-	-	-	03A	A	01	S	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
396	97/0055	3	06	-	-	-	-	-	-	03A	A	01	S	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
397	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	5.8	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	237.0	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	11-15mm	Absent	-	10	1.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	11-15mm	Absent	-	9	1.4	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	11-15mm	Cobble	-	5	0.9	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	11-15mm	Cobble	-	4	0.7	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.6	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	31-40mm	Cobble	-	1	30.4	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Quartzite	31-40mm	Absent	-	1	3.0	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	6-10mm	Absent	-	11	0.8	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.3	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Fire-cracked Rock	Quartz	-	-	-	5	902.8	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Fire-cracked Rock	Quartzite	-	-	-	8	1,042.0	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Fire-cracked Rock	Sandstone	-	-	-	7	422.1	-	-	-	-
398	97/0055	3	06	-	-	-	-	-	-	03B	A	01	S	-	Unmodified Cobbles	Chert	-	-	-	1	77.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	47.5	64.0	39.9	22.0	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Bifaces	Quartzite	Late-Stage Bifaces	Absent	BRK	1	14.0	48.3	25.8	16.3	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Chert	Bifacial Core	Cobble	-	1	42.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Chert	Other Core Types	Cobble	-	1	39.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	165.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	183.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Gun Hill Quartzite	Tested Cobbles	Cobble	-	1	150.5	-	-	-	BIPOLAR REDUCTION.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	182.6	-	-	-	BIPOLAR REDUCTION.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	131.6	-	-	-	BIPOLAR REDUCTION.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	22.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	0.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	13	0.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	6	4.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	15	4.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	3	0.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	11-15mm	Cobble	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	11-15mm	Cobble	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Ironstone	11-15mm	Absent	-	2	0.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	9	2.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	5	2.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	3	0.4	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	6	1.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	1.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	8	5.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	4	2.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	16-20mm	Cobble	-	1	1.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	0.9	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.9	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	2.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	2	1.4	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	4	1.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	8	5.4	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.9	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	3.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.9	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	3	6.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	3.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	1.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	4.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	1.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	4	8.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	7.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	4	39.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	1	4.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Absent	-	2	4.9	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	5	28.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	4.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	4.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	31-40mm	Cobble	-	1	6.5	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	4	20.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	4	21.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	2	6.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	7.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	7.7	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	3	90.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	9.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	5.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	12.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	11.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	41-50mm	Absent	-	1	12.7	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	41-50mm	Cobble	-	1	24.2	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	2	28.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	2	17.5	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	51.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	30.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	25.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	50.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sedimentary	51-60mm	Cobble	-	1	23.6	-	-	-	CLAYSTONE.
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	15.6	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	15.0	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Sandstone	6-10mm	Absent	-	2	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.4	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Siltstone	> 60mm	Cobble	-	1	50.8	-	-	-	-
266	97/0055	3	06	-	-	118	B	02	-	04	-	-	-	-	Debitage	Chert	> 60mm	Cobble	-	4	198.0	-	-	-	2 CROSS-MEND.
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	97.8	81.6	50.3	24.6	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Cobble	WHL	1	24.8	51.9	33.4	12.6	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Cores	Quartzite	Bipolar Cores	Cobble	-	1	614.0	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	7	1.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	10	3.0	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	3	0.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	1.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Ironstone	11-15mm	Absent	-	1	0.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	4	3.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Absent	-	2	2.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	7	16.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	5	4.9	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	4.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	7.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	5.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	7.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	1.2	-	-	-	MUDSTONE.
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	2.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	0.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Absent	-	2	5.9	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	2	7.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.3	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	3.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	11.8	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	8.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.9	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Siltstone	31-40mm	Absent	-	1	5.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	3.9	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	41-50mm	Absent	-	1	3.6	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	30.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Sedimentary	41-50mm	Absent	-	1	6.1	-	-	-	MUDSTONE.
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	9.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartz	51-60mm	Cobble	-	1	98.5	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	51-60mm	Cobble	-	1	60.7	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	4	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	3	0.4	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	MUDSTONE.
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	OOLITS.
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Quartzite	< 6mm	Absent	-	1	0.1	-	-	-	-
535	97/0055	3	06	-	-	490	B	02	-	04	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	2	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	1.6	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.5	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	11-15mm	Absent	-	3	0.9	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.6	-	-	-	WATER-WORN.
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	1.0	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.5	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.0	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.3	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	21-30mm	Cobble	-	1	2.0	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.3	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.6	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	5.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	4.3	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Gun Hill Quartzite	31-40mm	Absent	-	1	3.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	9.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Sandstone	31-40mm	Absent	-	1	4.4	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	10.2	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	18.7	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
536	97/0055	3	06	-	-	491	B	02	-	04	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	35.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	4	0.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	3	0.4	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	2	0.7	-	-	-	CLAYSTONE.
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.7	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Crystal Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-



Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	0.7	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	3	2.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.4	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	0.8	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	2	1.1	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.7	-	-	-	CLAYSTONE.
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	2	2.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.6	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.5	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	0.9	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Sedimentary	31-40mm	Cobble	-	1	9.4	-	-	-	CLAYSTONE.
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	2	10.6	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	26.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	19.7	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.3	-	-	-	WATER-WORN.
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Crystal Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	2	0.2	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.3	-	-	-	-
537	97/0055	3	06	-	-	492	B	02	-	04	-	-	-	-	Debitage	Sandstone	6-10mm	Cobble	-	2	0.2	-	-	-	-
399	97/0055	3	05	-	-	-	-	-	-	06	A	01	S	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
399	97/0055	3	05	-	-	-	-	-	-	06	A	01	S	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
400	97/0055	3	05	-	-	-	-	-	-	06	A	02	S	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
400	97/0055	3	05	-	-	-	-	-	-	06	A	02	S	-	Debitage	Quartz	11-15mm	Absent	-	1	0.8	-	-	-	-
400	97/0055	3	05	-	-	-	-	-	-	06	A	02	S	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
400	97/0055	3	05	-	-	-	-	-	-	06	A	02	S	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
400	97/0055	3	05	-	-	-	-	-	-	06	A	02	S	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
401	97/0055	3	05	-	-	-	-	-	-	06	A	03	S	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.5	-	-	-	-
383	97/0055	3	01	-	-	147	-	-	-	07	-	All	-	-	Fire-cracked Rock	Quartz	-	-	-	8	281.6	-	-	-	-
383	97/0055	3	01	-	-	147	-	-	-	07	-	All	-	-	Fire-cracked Rock	Quartzite	-	-	-	10	669.6	-	-	-	-
383	97/0055	3	01	-	-	147	-	-	-	07	-	All	-	-	Fire-cracked Rock	Sandstone	-	-	-	9	428.8	-	-	-	-
383	97/0055	3	01	-	-	147	-	-	-	07	-	All	-	-	Fire-cracked Rock	Sedimentary	-	-	-	1	22.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
381	97/0055	3	01	-	-	146	-	-	-	08	-	All	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	207.8	-	-	-	-
381	97/0055	3	01	-	-	146	-	-	-	08	-	All	-	-	Fire-cracked Rock	Quartz	-	-	-	5	277.9	-	-	-	-
381	97/0055	3	01	-	-	146	-	-	-	08	-	All	-	-	Fire-cracked Rock	Quartzite	-	-	-	39	3,523.9	-	-	-	-
381	97/0055	3	01	-	-	146	-	-	-	08	-	All	-	-	Fire-cracked Rock	Sandstone	-	-	-	32	2,139.5	-	-	-	-
381	97/0055	3	01	-	-	146	-	-	-	08	-	All	-	-	Fire-cracked Rock	Sedimentary	-	-	-	16	1,608.1	-	-	-	-
385	97/0055	3	02	-	-	148	-	-	-	09	-	All	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
385	97/0055	3	02	-	-	148	-	-	-	09	-	All	-	-	Debitage	Chert	> 60mm	Cobble	-	1	134.2	-	-	-	-
385	97/0055	3	02	-	-	148	-	-	-	09	-	All	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	756.9	-	-	-	-
402	97/0055	3	03	-	-	-	-	-	-	13	A	01	S	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
515	97/0055	3	03	-	-	133	-	-	-	16A	-	01	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	47.9	-	-	-	-
515	97/0055	3	03	-	-	133	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	63.3	-	-	-	-
515	97/0055	3	03	-	-	133	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	286.1	-	-	-	-
515	97/0055	3	03	-	-	133	-	-	-	16A	-	01	-	-	Unmodified Cobbles	-	-	-	-	2	207.4	-	-	-	-
515	97/0055	3	03	-	-	133	-	-	-	16A	-	01	-	-	Unmodified Pebbles	-	-	-	-	4	304.0	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	4	432.8	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	36.9	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	54.6	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Gun Hill Quartzite	16-20mm	Cobble	-	1	1.4	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.6	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.9	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	20.5	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Debitage	Quartzite	51-60mm	Cobble	-	1	30.3	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	89	13,195.0	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Quartz	-	-	-	15	1,334.0	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	16	2,324.0	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Gun Hill Quartzite	-	-	-	1	87.5	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	210.4	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Chert	-	-	-	2	116.1	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Jasper	-	-	-	2	106.2	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Groundstone Tools	Steatite	Indeterminate Groundstone Frgs	Absent	-	1	42.4	-	-	-	BROKEN INTO TWO PIECES; DRILL-HOLE.
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Unmodified Cobbles	-	-	-	-	13	2,984.0	-	-	-	-
516	97/0055	3	03	-	-	134	-	-	-	16A	-	01	-	-	Unmodified Pebbles	-	-	-	-	8	603.3	-	-	-	-
517	97/0055	3	03	-	-	135	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	10	584.0	-	-	-	-
517	97/0055	3	03	-	-	135	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Quartz	-	-	-	2	373.8	-	-	-	-
517	97/0055	3	03	-	-	135	-	-	-	16A	-	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	19	2,568.0	-	-	-	-
517	97/0055	3	03	-	-	135	-	-	-	16A	-	01	-	-	-	-	-	-	-	2	576.5	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
															Unmodified Cobbles											
517	97/0055	3	03	-	-	135	-	-	-	16A	-	01	-	-	Unmodified Pebbles	-	-	-	-	1	118.0	-	-	-	-	
518	97/0055	3	03	-	-	136	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	10	1,584.0	-	-	-	-	
518	97/0055	3	03	-	-	136	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	12	2,184.0	-	-	-	-	
518	97/0055	3	03	-	-	136	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Siltstone	-	-	-	2	1,184.0	-	-	-	-	
518	97/0055	3	03	-	-	136	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Chert	-	-	-	3	153.0	-	-	-	-	
518	97/0055	3	03	-	-	136	-	-	-	16B	-	01	-	-	Unmodified Cobbles	-	-	-	-	1	414.3	-	-	-	-	
519	97/0055	3	03	-	-	137	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	12	2,184.0	-	-	-	-	
519	97/0055	3	03	-	-	137	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	4	428.3	-	-	-	-	
519	97/0055	3	03	-	-	137	-	-	-	16B	-	01	-	-	Fire-cracked Rock	Chert	-	-	-	6	477.2	-	-	-	2 PIECES MEND. ONE OF THEM SHOWS ONE FLAKE IS NEGATIVE.	
90	97/0055	3	02	-	-	064	D	04	-	22	A	-	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	0.3	-	-	-	-	
90	97/0055	3	02	-	-	064	D	04	-	22	A	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	4	40.0	-	-	-	-	
280	97/0055	3	04	-	-	130	-	-	-	24	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
280	97/0055	3	04	-	-	130	-	-	-	24	A	01	-	-	Debitage	Quartzite	16-20mm	Absent	-	2	1.0	-	-	-	-	
291	97/0055	3	04	-	-	130	-	-	-	24	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-	
291	97/0055	3	04	-	-	130	-	-	-	24	A	04	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
284	97/0055	3	04	-	-	131	-	-	-	24	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
284	97/0055	3	04	-	-	131	-	-	-	24	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
284	97/0055	3	04	-	-	131	-	-	-	24	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-	
284	97/0055	3	04	-	-	131	-	-	-	24	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-	
284	97/0055	3	04	-	-	131	-	-	-	24	A	01	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
285	97/0055	3	04	-	-	131	-	-	-	24	A	03	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
286	97/0055	3	04	-	-	131	-	-	-	24	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-	
286	97/0055	3	04	-	-	131	-	-	-	24	A	04	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	
361	97/0055	3	04	-	-	141	-	-	-	24	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
361	97/0055	3	04	-	-	141	-	-	-	24	A	01	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-	
362	97/0055	3	04	-	-	141	-	-	-	24	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
362	97/0055	3	04	-	-	141	-	-	-	24	A	02	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	51.2	-	-	-	-	
363	97/0055	3	04	-	-	141	-	-	-	24	A	03	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
363	97/0055	3	04	-	-	141	-	-	-	24	A	03	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	16.2	-	-	-	-	
364	97/0055	3	04	-	-	141	-	-	-	24	A	04	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	128.3	-	-	-	-	
364	97/0055	3	04	-	-	141	-	-	-	24	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-	
198	97/0055	3	04	-	-	125	-	-	-	25	A	02	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.5	-	-	-	-	
198	97/0055	3	04	-	-	125	-	-	-	25	A	02	-	-	Fire-cracked Rock	Quartz	-	-	-	1	0.8	-	-	-	-	
199	97/0055	3	04	-	-	125	-	-	-	25	B	03	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	16.8	-	-	-	-	
197	97/0055	3	04	-	-	125	-	-	-	25	A	01	-	-	FLOT/SOIL- COL.06-01	Debitage	Quartzite	21-30mm	Cobble	-	1	1.9	-	-	-	-
197	97/0055	3	04	-	-	125	-	-	-	25	A	01	-	-	FLOT/SOIL- COL.06-01	Debitage	Quartz	31-40mm	Cobble	-	1	19.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
197	97/0055	3	04	-	-	125	-	-	-	25	A	01	-	FLOT/SOIL-COL.06-01	Fire-cracked Rock	Quartzite	-	-	1	7.5	-	-	-	-	
206	97/0055	3	04	-	-	126	-	-	-	25	A	01	-	FLOT/SOIL-COL.07-01	Fire-cracked Rock	Quartz	-	-	1	23.9	-	-	-	-	
207	97/0055	3	04	-	-	126	-	-	-	25	A	02	-	FLOT/SOIL-COL.07-02	Fire-cracked Rock	Quartz	-	-	1	2.6	-	-	-	-	
208	97/0055	3	04	-	-	126	-	-	-	25	B	03	-	FLOT/SOIL-COL.07-03	Debitage	Quartz	21-30mm	Absent	-	1	1.1	-	-	-	-
209	97/0055	3	04	-	-	126	-	-	-	25	B	04	-	FLOT/SOIL-COL.07-04	Cores	Jasper	Tested Cobbles	Cobble	-	1	16.8	-	-	-	-
347	97/0055	3	04	-	-	138	-	-	-	25	A	02	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
348	97/0055	3	04	-	-	138	-	-	-	25	A	03	-	-	Fire-cracked Rock	Quartzite	-	-	1	23.5	-	-	-	-	
349	97/0055	3	04	-	-	139	-	-	-	25	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
349	97/0055	3	04	-	-	139	-	-	-	25	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
349	97/0055	3	04	-	-	139	-	-	-	25	A	01	-	-	Fire-cracked Rock	Quartzite	-	-	2	20.1	-	-	-	-	
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.7	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Chert	16-20mm	Cobble	-	2	1.0	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	10.5	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
350	97/0055	3	04	-	-	139	-	-	-	25	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	2	16.8	-	-	-	-	
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.5	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.2	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.8	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Quartzite	21-30mm	Absent	-	2	2.1	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Fire-cracked Rock	Quartz	-	-	2	1.3	-	-	-	-	
351	97/0055	3	04	-	-	139	-	-	-	25	A	03	-	-	Fire-cracked Rock	Quartzite	-	-	2	42.2	-	-	-	-	
352	97/0055	3	04	-	-	139	-	-	-	25	A	04	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
352	97/0055	3	04	-	-	139	-	-	-	25	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-
352	97/0055	3	04	-	-	139	-	-	-	25	A	04	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.5	-	-	-	-
352	97/0055	3	04	-	-	139	-	-	-	25	A	04	-	-	Fire-cracked Rock	Quartzite	-	-	1	9.0	-	-	-	-	
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.3	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Quartzite	21-30mm	Cobble	-	2	4.6	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
353	97/0055	3	04	-	-	139	-	-	-	25	A	05	-	-	Fire-cracked Rock	Quartzite	-	-	1	9.7	-	-	-	-	
354	97/0055	3	04	-	-	139	-	-	-	25	A	06	-	-	Fire-cracked Rock	Quartzite	-	-	2	44.8	-	-	-	-	
355	97/0055	3	04	-	-	140	-	-	-	25	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
355	97/0055	3	04	-	-	140	-	-	-	25	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
355	97/0055	3	04	-	-	140	-	-	-	25	A	01	-	-	Debitage	Chert	21-30mm	Absent	-	1	2.9	-	-	-	-
355	97/0055	3	04	-	-	140	-	-	-	25	A	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.6	-	-	-	-
355	97/0055	3	04	-	-	140	-	-	-	25	A	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	5	14.5	-	-	-	-
356	97/0055	3	04	-	-	140	-	-	-	25	A	02	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
356	97/0055	3	04	-	-	140	-	-	-	25	A	02	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-
356	97/0055	3	04	-	-	140	-	-	-	25	A	02	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-
356	97/0055	3	04	-	-	140	-	-	-	25	A	02	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
356	97/0055	3	04	-	-	140	-	-	-	25	A	02	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	33.1	-	-	-	-
357	97/0055	3	04	-	-	140	-	-	-	25	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
357	97/0055	3	04	-	-	140	-	-	-	25	A	03	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
357	97/0055	3	04	-	-	140	-	-	-	25	A	03	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.5	-	-	-	-
357	97/0055	3	04	-	-	140	-	-	-	25	A	03	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.1	-	-	-	-
357	97/0055	3	04	-	-	140	-	-	-	25	A	03	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	13.0	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.4	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.9	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.0	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
358	97/0055	3	04	-	-	140	-	-	-	25	A	04	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	24.4	-	-	-	-
359	97/0055	3	04	-	-	140	-	-	-	25	A	05	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
359	97/0055	3	04	-	-	140	-	-	-	25	A	05	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
359	97/0055	3	04	-	-	140	-	-	-	25	A	05	-	-	Fire-cracked Rock	Chert	-	-	-	1	2.0	-	-	-	-
359	97/0055	3	04	-	-	140	-	-	-	25	A	05	-	-	Fire-cracked Rock	Quartz	-	-	-	1	5.5	-	-	-	-
359	97/0055	3	04	-	-	140	-	-	-	25	A	05	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.3	-	-	-	-
360	97/0055	3	04	-	-	140	-	-	-	25	A	06	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.6	-	-	-	-
277	97/0055	3	04	-	-	129	-	-	-	26	A	01	-	-	Debitage	Rhyolite	6-10mm	Absent	-	1	0.2	-	-	-	-
278	97/0055	3	04	-	-	129	-	-	-	26	A	02	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
281	97/0055	3	04	-	-	130	-	-	-	26	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
281	97/0055	3	04	-	-	130	-	-	-	26	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
282	97/0055	3	04	-	-	130	-	-	-	26	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
404	97/0055	3	10	-	-	-	-	-	-	27	A	01	W	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.0	-	-	-	-
456	97/0055	3	-	-	-	163	-	-	-	29	-	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
416	97/0055	3	-	-	-	156	-	-	-	30	A	03	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
416	97/0055	3	-	-	-	156	-	-	-	30	A	03	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
416	97/0055	3	-	-	-	156	-	-	-	30	A	03	-	-	Debitage	Chert	21-30mm	Absent	-	2	2.0	-	-	-	-
416	97/0055	3	-	-	-	156	-	-	-	30	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
417	97/0055	3	-	-	-	156	-	-	-	30	A	04	-	-	Debitage	Chert	16-20mm	Block	-	1	0.6	-	-	-	POT-LID.
417	97/0055	3	-	-	-	156	-	-	-	30	A	04	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
419	97/0055	3	-	-	-	156	-	-	-	30	A	05	-	-	Bifaces	Argillite	Projectile Points	Absent	BRK	1	1.9	-	29.1	6.5	PROBABLY TRIANGULAR

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
418	97/0055	3	-	-	-	156	-	-	-	30	A	05	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	PROJECTILE POINT.
418	97/0055	3	-	-	-	156	-	-	-	30	A	05	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	-
420	97/0055	3	-	-	-	156	-	-	-	30	A	06	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
420	97/0055	3	-	-	-	156	-	-	-	30	A	06	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-	-
421	97/0055	3	-	-	-	156	-	-	-	30	A	07	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.4	-	-	-	-	-
421	97/0055	3	-	-	-	156	-	-	-	30	A	07	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	-
422	97/0055	3	-	-	-	156	-	-	-	30	A	08	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-	-
423	97/0055	3	-	-	-	156	-	-	-	30	A	09	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.0	-	-	-	-	-
500	98/0002	3	-	-	-	315	-	-	-	30	A	01	-	-	Debitage	Metarhyolite	21-30mm	Absent	-	1	0.8	-	-	-	-	-
755	98/0002	3	-	-	-	318	-	-	-	30	A	01	-	-	Debitage	Metarhyolite	16-20mm	Cobble	-	1	1.1	-	-	-	-	-
755	98/0002	3	-	-	-	318	-	-	-	30	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
755	98/0002	3	-	-	-	318	-	-	-	30	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	21.4	45.0	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
756	98/0002	3	-	-	-	318	-	-	-	30	A	02	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-	-
757	98/0002	3	-	-	-	318	-	-	-	30	A	03	-	-	Bifaces	Metarhyolite	Late-Stage Bifaces	Absent	WHL	1	6.4	43.0	18.9	7.5	-	-
757	98/0002	3	-	-	-	318	-	-	-	30	A	03	-	-	Cores	Chert	Freehand Cores	Cobble	-	1	71.5	-	-	-	-	-
757	98/0002	3	-	-	-	318	-	-	-	30	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
757	98/0002	3	-	-	-	318	-	-	-	30	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	-
757	98/0002	3	-	-	-	318	-	-	-	30	A	03	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.3	-	-	-	-	-
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	-
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	1	0.2	-	-	-	-	-
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	5.4	-	-	-	-	-
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	2.7	-	-	-	-	CROSSMEND WITH ROW# 9065.
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	20.7	-	-	-	-	CROSSMEND WITH ROW# 9066.
769	98/0002	3	-	-	-	318	-	-	-	30	A	04	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	70.1	-	-	-	-	-
770	98/0002	3	-	-	-	318	-	-	-	30	A	05	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.5	-	-	-	-	-
770	98/0002	3	-	-	-	318	-	-	-	30	A	05	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.4	-	-	-	-	-
770	98/0002	3	-	-	-	318	-	-	-	30	A	05	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.1	-	-	-	-	-
770	98/0002	3	-	-	-	318	-	-	-	30	A	05	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-	-
771	98/0002	3	-	-	-	318	-	-	-	30	A	06	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	-
771	98/0002	3	-	-	-	318	-	-	-	30	A	06	-	-	Debitage	Quartz	41-50mm	Absent	-	1	21.0	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
771	98/0002	3	-	-	-	318	-	-	-	30	A	06	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
771	98/0002	3	-	-	-	318	-	-	-	30	A	06	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.5	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-	
772	98/0002	3	-	-	-	318	-	-	-	30	A	07	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
773	98/0002	3	-	-	-	318	-	-	-	30	A	08	-	-	Cobble Tools	Sandstone	Anvil Stones	Cobble	-	1	606.0	102.0	-	-	-	ALSO POSSIBLE HAMMERSTONE.
773	98/0002	3	-	-	-	318	-	-	-	30	A	08	-	-	Cores	Jasper	Other Core Types	Cobble	-	1	11.7	-	-	-	-	POSSIBLE BIPOLAR CORE FRAGMENT.
773	98/0002	3	-	-	-	318	-	-	-	30	A	08	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
773	98/0002	3	-	-	-	318	-	-	-	30	A	08	-	-	Debitage	Chert	31-40mm	Block	-	1	3.4	-	-	-	-	
773	98/0002	3	-	-	-	318	-	-	-	30	A	08	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
784	98/0002	3	-	-	-	318	-	-	-	30	A	09	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	12.5	-	-	-	-	
784	98/0002	3	-	-	-	318	-	-	-	30	A	09	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
784	98/0002	3	-	-	-	318	-	-	-	30	A	09	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-	
784	98/0002	3	-	-	-	318	-	-	-	30	A	09	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.0	-	-	-	-	
784	98/0002	3	-	-	-	318	-	-	-	30	A	09	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
785	98/0002	3	-	-	-	318	-	-	-	30	A	10	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	2.3	-	-	-	-	
786	98/0002	3	-	-	-	318	-	-	-	30	A	11	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
174	98/0002	3	-	-	-	320	-	-	-	30	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
174	98/0002	3	-	-	-	320	-	-	-	30	A	02	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.9	-	-	-	-	
174	98/0002	3	-	-	-	320	-	-	-	30	A	02	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Debitage	Chert	16-20mm	Cobble	-	3	1.1	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	20.7	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	134.6	-	-	-	-	
193	98/0002	3	-	-	-	320	-	-	-	30	A	03	-	-	Unifaces	Chert	Endscrapers	Cobble	WHL	1	5.8	29.9	26.7	7.3	-	
196	98/0002	3	-	-	-	320	-	-	-	30	A	04	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
196	98/0002	3	-	-	-	320	-	-	-	30	A	04	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	13.5	-	-	-	-	
197	98/0002	3	-	-	-	320	-	-	-	30	A	05	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.7	-	-	-	-	
198	98/0002	3	-	-	-	320	-	-	-	30	A	06	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.4	-	-	-	-	
198	98/0002	3	-	-	-	320	-	-	-	30	A	06	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	
198	98/0002	3	-	-	-	320	-	-	-	30	A	06	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.2	-	-	-	-	
198	98/0002	3	-	-	-	320	-	-	-	30	A	06	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
198	98/0002	3	-	-	-	320	-	-	-	30	A	06	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
199	98/0002	3	-	-	-	320	-	-	-	30	A	07	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.8	-	-	-	-	
199	98/0002	3	-	-	-	320	-	-	-	30	A	07	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.7	-	-	-	-	
199	98/0002	3	-	-	-	320	-	-	-	30	A	07	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	7.6	-	-	-	-	
199	98/0002	3	-	-	-	320	-	-	-	30	A	07	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
199	98/0002	3	-	-	-	320	-	-	-	30	A	07	-	-	Fire-cracked Rock	Quartz	-	-	-	1	11.5	-	-	-	-	
200	98/0002	3	-	-	-	320	-	-	-	30	A	08	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	
200	98/0002	3	-	-	-	320	-	-	-	30	A	08	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	
200	98/0002	3	-	-	-	320	-	-	-	30	A	08	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.6	-	-	-	-	
200	98/0002	3	-	-	-	320	-	-	-	30	A	08	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	498.3	-	-	-	-	
201	98/0002	3	-	-	-	320	-	-	-	30	A	09	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	1.0	-	-	-	-	
201	98/0002	3	-	-	-	320	-	-	-	30	A	09	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-	
201	98/0002	3	-	-	-	320	-	-	-	30	A	09	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-	
201	98/0002	3	-	-	-	320	-	-	-	30	A	09	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	0.5	17.0	12.0	4.0	-	
228	98/0002	3	-	-	-	320	-	-	-	30	A	10	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.8	-	-	-	-	
650	98/0002	3	-	-	-	321	-	-	-	30	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
650	98/0002	3	-	-	-	321	-	-	-	30	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-	
650	98/0002	3	-	-	-	321	-	-	-	30	A	01	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.3	-	-	-	-	
650	98/0002	3	-	-	-	321	-	-	-	30	A	01	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.6	-	-	-	-	
651	98/0002	3	-	-	-	321	-	-	-	30	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
651	98/0002	3	-	-	-	321	-	-	-	30	A	02	-	-	Debitage	Chert	16-20mm	Cobble	-	2	0.7	-	-	-	-	
652	98/0002	3	-	-	-	321	-	-	-	30	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
652	98/0002	3	-	-	-	321	-	-	-	30	A	03	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-	
663	98/0002	3	-	-	-	321	-	-	-	30	A	05	-	-	Bifaces	Argillite	Projectile Points	Absent	BAS	1	1.1	-	28.8	4.1	-	
663	98/0002	3	-	-	-	321	-	-	-	30	A	05	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
663	98/0002	3	-	-	-	321	-	-	-	30	A	05	-	-	Debitage	Chert	31-40mm	Cobble	-	1	2.8	-	-	-	-	
664	98/0002	3	-	-	-	321	-	-	-	30	A	06	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	283.6	96.0	-	-	-	POSSIBLE.
665	98/0002	3	-	-	-	321	-	-	-	30	A	07	-	-	Bifaces	Chert	Other Bifaces	Absent	BRK	1	1.7	28.7	15.9	4.2	-	
665	98/0002	3	-	-	-	321	-	-	-	30	A	07	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-	
681	98/0002	3	-	-	-	321	-	-	-	30	A	09	-	-	Debitage	Quartzite	16-20mm	Cobble	-	1	1.3	-	-	-	-	
681	98/0002	3	-	-	-	321	-	-	-	30	A	09	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
683	98/0002	3	-	-	-	321	-	-	-	30	A	12	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-	
232	98/0002	3	-	-	-	336	-	-	-	30	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-	
233	98/0002	3	-	-	-	336	-	-	-	30	A	02	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
234	98/0002	3	-	-	-	336	-	-	-	30	CD	05	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-	
629	98/0002	3	-	-	-	373	-	-	-	30	A	02	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.1	-	-	-	-	
1011	98/0002	3	-	-	-	445	-	-	-	30	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	78.9	-	-	-	-	
257	98/0002	3	-	-	-	324	-	-	-	32	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.4	-	-	-	-	
257	98/0002	3	-	-	-	324	-	-	-	32	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.6	-	-	-	-	
257	98/0002	3	-	-	-	324	-	-	-	32	A	01	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-	
257	98/0002	3	-	-	-	324	-	-	-	32	A	01	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-	



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
283	98/0002	3	-	-	-	324	-	-	-	32	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
290	98/0002	3	-	-	-	324	-	-	-	32	A	03	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.8	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	4.4	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	56.7	-	-	-	-
215	98/0002	3	-	-	-	324	B	02	-	32	-	-	-	-	Fire-cracked Rock	Chert	-	-	-	1	3.0	-	-	-	-
266	98/0002	3	-	-	-	332	-	-	-	32	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
325	98/0002	3	-	-	-	332	-	-	-	32	A	02	-	-	Unmodified Cobbles	-	-	-	-	1	475.2	-	-	-	-
241	98/0002	3	-	-	-	337	-	-	-	33	A	02	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	3.4	34.4	16.5	7.7	SMALL, STEMMED POINT; UNFINISHED BASE; CORTEX ON BASE.
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	0.6	-	-	-	-
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.9	-	-	-	-
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	14.6	-	-	-	-
329	98/0002	3	-	-	-	354	-	-	-	33	A	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	6.3	-	-	-	-
336	98/0002	3	-	-	-	354	-	-	-	33	A	02	S	-	Debitage	Quartz	16-20mm	Absent	-	1	0.5	-	-	-	-
336	98/0002	3	-	-	-	354	-	-	-	33	A	02	S	-	Debitage	Chert	21-30mm	Cobble	-	1	3.1	-	-	-	-
336	98/0002	3	-	-	-	354	-	-	-	33	A	02	S	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.4	-	-	-	-
336	98/0002	3	-	-	-	354	-	-	-	33	A	02	S	-	Fire-cracked Rock	Quartz	-	-	-	2	0.8	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	BRK	1	36.9	44.7	36.8	19.3	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Cores	Quartz	Other Core Types	Cobble	-	1	139.5	-	-	-	PREPARED.
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Cores	Chert	Tested Cobbles	Cobble	-	1	162.5	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	213.8	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Crystal Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.7	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	5.8	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	12.0	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	11.4	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Quartz	51-60mm	Cobble	-	2	53.5	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	30.1	-	-	-	-
260	98/0002	3	-	-	-	345	-	-	-	35	B	02	-	-	Fire-cracked Rock	Jasper	-	-	-	1	29.2	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.6	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	2	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	1.8	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.4	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	2	1.9	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	15.1	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.6	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	49.9	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	45.8	-	-	-	-
334	98/0002	3	-	-	-	356	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	25.3	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	BAS	1	3.8	-	21.1	7.7	STEMMED PROJECTILE POINT; UNFINISHED BASE; CORTEX ON BASE.
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	BRK	1	5.3	-	21.3	7.7	SMALL, STEMMED PROJECTILE POINT; UNFINISHED BASE; CORTEX ON BASE.
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Cobble Tools	Sedimentary	Metates	Cobble	-	1	31,800.0	450.0	305.0	110.0	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	0.9	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.7	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Block	-	1	0.3	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.6	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	1.5	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	8	0.5	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.4	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	10	0.4	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	10	0.8	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	2	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-	
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	49.2	-	-	-	-	
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	261.4	-	-	-	-	
849	98/0002	3	-	-	-	356	B	03	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	54.8	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.7	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.4	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	1	0.2	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Sedimentary	16-20mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Indeterminat e	-	2	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Debitage	Jasper	< 6mm	Cobble	-	1	0.1	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	20.3	-	-	-	-	
907	98/0002	3	-	-	-	356	B	04	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	6.9	-	-	-	-	SPECIAL COLLECTION: REFIT #26 (1) PIECE.
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Bifaces	Chert	Early-Stage Bifaces	Cobble	WHL	1	14.9	45.3	21.9	15.6	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	1.1	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Rhyolite	11-15mm	Absent	-	2	0.2	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.6	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.5	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	3	2.1	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Rhyolite	16-20mm	Absent	-	1	0.5	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.1	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	0.9	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-	
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.6	-	-	-	-
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	3	4.6	-	-	-	-
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Chert	41-50mm	Cobble	-	1	26.8	-	-	-	-
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	3	0.5	-	-	-	-
346	98/0002	3	-	-	-	362	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	35.2	-	-	-	SPECIAL COLLECTION: REFIT #32 (2) PIECES.
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	3.5	31.6	18.7	6.5	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BLADE.
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	5.9	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	5	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	6	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.4	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	3	0.3	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Indeterminate	6-10mm	Absent	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	2	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Debitage	Quartz	< 6mm	Cobble	-	1	0.1	-	-	-	-
953	98/0002	3	-	-	-	362	B	03	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	70.2	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Cobble Tools	Sandstone	Manos	Cobble	-	1	324.7	85.0	-	-	FEA.36; FOUND IN ASSOC. WITH METATE.
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	2	0.3	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.3	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.6	-	-	-	-
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Sandstone	16-20mm	Absent	-	1	1.0	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.7	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.7	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.7	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	2	5.3	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.0	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.5	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	10.1	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartzite	41-50mm	Cobble	-	1	14.3	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Indeterminate	51-60mm	Cobble	-	1	27.0	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Jasper	51-60mm	Cobble	-	1	24.1	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.3	-	-	-	-	
360	98/0002	3	-	-	-	370	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	69.7	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Quartz	-	Absent	-	1	0.5	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.4	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.8	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	12.4	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	6	0.4	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	4	0.3	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-	
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	6.5	-	-	-	-	SPECIAL COLLECTION: REFIT #26 (1) PIECE.
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	13.6	-	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
940	98/0002	3	-	-	-	370	B	03	-	36	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	112.6	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	5	0.8	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	6	1.4	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	11	2.0	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.5	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	2	0.6	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.2	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.2	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	3	1.7	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.5	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	2	1.8	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.7	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	4.6	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.6	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.0	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	7.9	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	12.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	8	0.4	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	3	0.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	9	151.4	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	4.0	-	-	-	-
364	98/0002	3	-	-	-	371	B	02	-	36	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	3.3	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	6	1.7	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	3	0.8	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	2.2	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	4	2.5	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.3	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	2	1.9	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	2	3.0	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	4.6	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	3	0.3	-	-	-	-
918	98/0002	3	-	-	-	371	B	03	-	36	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	428.6	-	-	-	-
484	98/0002	3	-	-	-	380	-	-	-	37	A	05	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
484	98/0002	3	-	-	-	380	-	-	-	37	A	05	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
484	98/0002	3	-	-	-	380	-	-	-	37	A	05	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
484	98/0002	3	-	-	-	380	-	-	-	37	A	05	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	4.7	-	-	-	-
485	98/0002	3	-	-	-	380	-	-	-	37	A	06	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
485	98/0002	3	-	-	-	380	-	-	-	37	A	06	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
486	98/0002	3	-	-	-	380	-	-	-	37	A	07	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
486	98/0002	3	-	-	-	380	-	-	-	37	A	07	-	-	Unifaces	Chert	Utilized Flakes	Cobble	BRK	1	2.5	20.7	21.7	6.4	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.8	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.3	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	1.0	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	5	0.8	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.3	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.8	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	2.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.5	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	31-40mm	Absent	-	1	4.8	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Chert	6-10mm	Cobble	-	4	0.3	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.6	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.4	-	-	-	-
1037	98/0002	3	-	-	-	440	B	03	-	37	A	01	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	31.5	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.2	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.3	-	-	-	-
1040	98/0002	3	-	-	-	440	B	05	-	37	A	03	-	-	Debitage	Chert	21-30mm	Cobble	-	2	5.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.8	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	2	1.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Metarhyolite	11-15mm	Cobble	-	1	0.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	4	1.6	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Metarhyolite	16-20mm	Cobble	-	1	1.3	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Siltstone	16-20mm	Absent	-	1	0.8	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Limestone	16-20mm	Cobble	-	1	0.4	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.3	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1047	98/0002	3	-	-	-	452	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	4.7	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Chert	21-30mm	Cobble	-	1	4.0	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.3	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.1	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.4	-	-	-	-
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	POT-LID.
1048	98/0002	3	-	-	-	452	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-



SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1152	98/0002	3	-	-	-	452	-	-	-	37	A	03	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1152	98/0002	3	-	-	-	452	-	-	-	37	A	03	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-
1152	98/0002	3	-	-	-	452	-	-	-	37	A	03	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1152	98/0002	3	-	-	-	452	-	-	-	37	A	03	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	15.9	-	-	-	-
1174	98/0002	3	-	-	-	457	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.7	-	-	-	-
1174	98/0002	3	-	-	-	457	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1174	98/0002	3	-	-	-	457	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1174	98/0002	3	-	-	-	457	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1174	98/0002	3	-	-	-	457	-	-	-	37	A	01	-	-	Debitage	Metasedimentary	6-10mm	Absent	-	1	0.2	-	-	-	-
1175	98/0002	3	-	-	-	457	-	-	-	37	A	02	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.4	-	-	-	-
1175	98/0002	3	-	-	-	457	-	-	-	37	A	02	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1175	98/0002	3	-	-	-	457	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1176	98/0002	3	-	-	-	457	-	-	-	37	A	03	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.1	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.4	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	4	0.9	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	3	1.4	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Debitage	Metamorphic	6-10mm	Cobble	-	1	0.1	-	-	-	-
1192	98/0002	3	-	-	-	460	-	-	-	37	A	01	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	7.9	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.4	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Metamorphic	11-15mm	Absent	-	1	0.2	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.4	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Quartzite	31-40mm	Cobble	-	1	14.4	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Sandstone	31-40mm	Cobble	-	1	14.9	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Cobble	-	3	0.3	-	-	-	-
1194	98/0002	3	-	-	-	460	-	-	-	37	A	02	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
1199	98/0002	3	-	-	-	460	-	-	-	37	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
1199	98/0002	3	-	-	-	460	-	-	-	37	A	03	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1199	98/0002	3	-	-	-	460	-	-	-	37	A	03	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
1199	98/0002	3	-	-	-	460	-	-	-	37	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.8	-	-	-	-
1257	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
1290	98/0002	3	-	-	-	462	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1258	98/0002	3	-	-	-	462	-	-	-	37	A	02	-	-	Bifaces	Quartz	Early-Stage Bifaces	Absent	WHL	1	69.5	57.2	42.8	30.1	-
1258	98/0002	3	-	-	-	462	-	-	-	37	A	02	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1258	98/0002	3	-	-	-	462	-	-	-	37	A	02	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
1258	98/0002	3	-	-	-	462	-	-	-	37	A	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Argillite	11-15mm	Absent	-	1	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.3	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	16-20mm	Cobble	-	1	3.4	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Jasper	31-40mm	Block	-	1	9.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Jasper	31-40mm	Absent	-	2	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.3	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.3	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1259	98/0002	3	-	-	-	463	-	-	-	37	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	222.5	-	-	-	-
1261	98/0002	3	-	-	-	463	-	-	-	37	A	02	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1261	98/0002	3	-	-	-	463	-	-	-	37	A	02	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
1265	98/0002	3	-	-	-	463	-	-	-	37	A	03	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1265	98/0002	3	-	-	-	463	-	-	-	37	A	03	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.6	-	-	-	-
1265	98/0002	3	-	-	-	463	-	-	-	37	A	03	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1269	98/0002	3	-	-	-	463	-	-	-	37	B	04	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.3	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	3.0	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.6	-	-	-	-
1267	98/0002	3	-	-	-	464	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
1294	98/0002	3	-	-	-	464	-	-	-	37	A	02	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.8	-	-	-	-
1277	98/0002	3	-	-	-	467	-	-	-	37	A	01	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	5.7	28.1	-	-	-
1277	98/0002	3	-	-	-	467	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
1277	98/0002	3	-	-	-	467	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1277	98/0002	3	-	-	-	467	-	-	-	37	A	01	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.3	-	-	-	-
1277	98/0002	3	-	-	-	467	-	-	-	37	A	01	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-
1273	98/0002	3	-	-	-	468	-	-	-	37	A	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	8.5	-	-	-	-
1273	98/0002	3	-	-	-	468	-	-	-	37	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	2	8.5	-	-	-	-
1275	98/0002	3	-	-	-	468	-	-	-	37	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1275	98/0002	3	-	-	-	468	-	-	-	37	A	02	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.8	-	-	-	-
1275	98/0002	3	-	-	-	468	-	-	-	37	A	02	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.6	-	-	-	-
1278	98/0002	3	-	-	-	468	-	-	-	37	A	03	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
1278	98/0002	3	-	-	-	468	-	-	-	37	A	03	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.4	-	-	-	-
1278	98/0002	3	-	-	-	468	-	-	-	37	A	03	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.4	-	-	-	-
1278	98/0002	3	-	-	-	468	-	-	-	37	A	03	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.5	-	-	-	-
1282	98/0002	3	-	-	-	469	-	-	-	37	A	01	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
1285	98/0002	3	-	-	-	470	-	-	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
1285	98/0002	3	-	-	-	470	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1285	98/0002	3	-	-	-	470	-	-	-	37	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1289	98/0002	3	-	-	-	470	-	-	-	37	A	02	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.1	-	-	-	-
1289	98/0002	3	-	-	-	470	-	-	-	37	A	02	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.8	-	-	-	-
1289	98/0002	3	-	-	-	470	-	-	-	37	A	02	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.0	-	-	-	-
1280	98/0002	3	-	-	-	471	-	-	-	37	A	01	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	2.8	23.9	-	-	-
1280	98/0002	3	-	-	-	471	-	-	-	37	A	01	-	-	Debitage	Limestone	31-40mm	Cobble	-	1	3.1	-	-	-	-
1280	98/0002	3	-	-	-	471	-	-	-	37	A	01	-	-	Debitage	Chert	31-40mm	Cobble	-	1	10.5	-	-	-	-
1284	98/0002	3	-	-	-	471	-	-	-	37	A	02	-	-	Debitage	Sandstone	11-15mm	Absent	-	1	0.4	-	-	-	-
1284	98/0002	3	-	-	-	471	-	-	-	37	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
1351	98/0002	3	-	-	-	472	-	-	-	37	A	01	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	19.7	-	-	-	-
1377	98/0002	3	-	-	-	473	-	-	-	37	A	01	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	2.0	-	-	-	-
1377	98/0002	3	-	-	-	473	-	-	-	37	A	01	-	-	Unifaces	Chert	Endscrapers	Absent	-	1	1.9	19.0	16.0	7.0	FASHIONED FROM BIFACIAL FRAGMENT.
1378	98/0002	3	-	-	-	473	-	-	-	37	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1378	98/0002	3	-	-	-	473	-	-	-	37	A	02	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.5	-	-	-	-
1378	98/0002	3	-	-	-	473	-	-	-	37	A	02	-	-	Debitage	Metarhyolite	21-30mm	Cobble	-	1	2.0	-	-	-	-
1378	98/0002	3	-	-	-	473	-	-	-	37	A	02	-	-	Debitage	Metamorphic	21-30mm	Absent	-	1	0.5	-	-	-	-
1378	98/0002	3	-	-	-	473	-	-	-	37	A	02	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	1.6	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
1379	98/0002	3	-	-	-	473	-	-	-	37	A	03	-	-	Unifaces	Chert	Endscrapers	Cobble	WHL	1	4.5	29.2	18.6	7.2	-
1370	98/0002	3	-	-	-	474	-	-	-	37	A	02	-	-	Debitage	Metamorphic	21-30mm	Cobble	-	1	2.9	-	-	-	-
1371	98/0002	3	-	-	-	474	-	-	-	37	B	02	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.3	-	-	-	-
1371	98/0002	3	-	-	-	474	-	-	-	37	B	02	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.7	-	-	-	-
1371	98/0002	3	-	-	-	474	-	-	-	37	B	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1384	98/0002	3	-	-	-	487	-	-	-	37	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	2	1.7	-	-	-	-
1384	98/0002	3	-	-	-	487	-	-	-	37	A	01	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	14.2	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.4	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.7	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.1	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Chert	21-30mm	Cobble	-	1	3.2	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.9	-	-	-	-
1389	98/0002	3	-	-	-	487	-	-	-	37	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	75.6	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	3.0	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Chert	31-40mm	Block	-	1	10.0	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Quartz	31-40mm	Absent	-	1	2.1	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1390	98/0002	3	-	-	-	487	-	-	-	37	A	03	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
1394	98/0002	3	-	-	-	487	-	-	-	37	A	04	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.4	-	-	-	-
1394	98/0002	3	-	-	-	487	-	-	-	37	A	04	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
1393	98/0002	3	-	-	-	487	-	-	-	37	A	05	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	0.5	-	-	-	-
501	98/0002	3	-	-	-	315	-	-	-	38	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
501	98/0002	3	-	-	-	315	-	-	-	38	A	01	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
501	98/0002	3	-	-	-	315	-	-	-	38	A	01	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	104.6	-	-	-	-
821	98/0002	3	-	-	-	316	-	-	-	38	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
821	98/0002	3	-	-	-	316	-	-	-	38	A	01	-	-	Debitage	Limestone	6-10mm	Indeterminat e	-	1	0.1	-	-	-	-
516	98/0002	3	-	-	-	393	-	-	-	38	A	01	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
516	98/0002	3	-	-	-	393	-	-	-	38	A	01	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.0	-	-	-	-
518	98/0002	3	-	-	-	393	-	-	-	38	A	02	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
520	98/0002	3	-	-	-	393	-	-	-	38	A	03	-	-	Bifaces	Jasper	Projectile Points	Absent	WHL	1	2.0	26.1	16.7	6.0	SMALL, SIDE-NOTCHED PROJECTILE POINT - JACK'S REEF ?
520	98/0002	3	-	-	-	393	-	-	-	38	A	03	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	159.7	-	-	-	-
520	98/0002	3	-	-	-	393	-	-	-	38	A	03	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.4	-	-	-	-
520	98/0002	3	-	-	-	393	-	-	-	38	A	03	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.3	-	-	-	-
520	98/0002	3	-	-	-	393	-	-	-	38	A	03	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.7	-	-	-	-
521	98/0002	3	-	-	-	393	-	-	-	38	A	04	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
521	98/0002	3	-	-	-	393	-	-	-	38	A	04	-	-	Debitage	Quartz	21-30mm	Absent	-	2	3.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
521	98/0002	3	-	-	-	393	-	-	-	38	A	04	-	-	Debitage	Quartz	41-50mm	Absent	-	1	5.7	-	-	-	-
521	98/0002	3	-	-	-	393	-	-	-	38	A	04	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
521	98/0002	3	-	-	-	393	-	-	-	38	A	04	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
530	98/0002	3	-	-	-	393	-	-	-	38	A	05	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.9	-	-	-	-
530	98/0002	3	-	-	-	393	-	-	-	38	A	05	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
530	98/0002	3	-	-	-	393	-	-	-	38	A	05	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	392.2	-	-	-	-
531	98/0002	3	-	-	-	393	-	-	-	38	A	06	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.3	-	-	-	-
531	98/0002	3	-	-	-	393	-	-	-	38	A	06	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
531	98/0002	3	-	-	-	393	-	-	-	38	A	06	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
531	98/0002	3	-	-	-	393	-	-	-	38	A	06	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
532	98/0002	3	-	-	-	393	-	-	-	38	A	07	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	WHL	1	18.7	44.3	33.6	18.5	-
532	98/0002	3	-	-	-	393	-	-	-	38	A	07	-	-	Cobble Tools	Sandstone	Hammerstones	Cobble	-	1	63.7	62.0	-	-	-
532	98/0002	3	-	-	-	393	-	-	-	38	A	07	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.3	-	-	-	-
532	98/0002	3	-	-	-	393	-	-	-	38	A	07	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
532	98/0002	3	-	-	-	393	-	-	-	38	A	07	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	4.1	-	-	-	-
533	98/0002	3	-	-	-	393	-	-	-	38	A	08	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	14.6	-	-	-	-
789	98/0002	3	-	-	-	420	-	-	-	38	A	01	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.8	-	-	-	-
789	98/0002	3	-	-	-	420	-	-	-	38	A	01	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
789	98/0002	3	-	-	-	420	-	-	-	38	A	01	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.6	-	-	-	-
789	98/0002	3	-	-	-	420	-	-	-	38	A	01	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
790	98/0002	3	-	-	-	420	-	-	-	38	A	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
790	98/0002	3	-	-	-	420	-	-	-	38	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	34.1	-	-	-	-
832	98/0002	3	-	-	-	420	-	-	-	38	A	03	-	-	Cores	Jasper	Bipolar Cores	Cobble	-	1	11.1	-	-	-	-
832	98/0002	3	-	-	-	420	-	-	-	38	A	03	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.3	-	-	-	-
832	98/0002	3	-	-	-	420	-	-	-	38	A	03	-	-	Debitage	Quartzite	21-30mm	Absent	-	1	0.8	-	-	-	-
809	98/0002	3	-	-	-	420	-	-	-	38	A	04	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
807	98/0002	3	-	-	-	420	-	-	-	38	A	05	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
833	98/0002	3	-	-	-	420	-	-	-	38	A	07	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
833	98/0002	3	-	-	-	420	-	-	-	38	A	07	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
833	98/0002	3	-	-	-	420	-	-	-	38	A	07	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
833	98/0002	3	-	-	-	420	-	-	-	38	A	07	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
834	98/0002	3	-	-	-	420	-	-	-	38	A	08	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	1.4	-	-	-	-
835	98/0002	3	-	-	-	420	-	-	-	38	A	09	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
836	98/0002	3	-	-	-	420	-	-	-	38	A	10	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
935	98/0002	3	-	-	-	432	-	-	-	38	A	01	-	-	Debitage	Rhyolite	11-15mm	Absent	-	1	0.1	-	-	-	-
935	98/0002	3	-	-	-	432	-	-	-	38	A	01	-	-	Debitage	Chert	21-30mm	Absent	-	2	1.6	-	-	-	-
935	98/0002	3	-	-	-	432	-	-	-	38	A	01	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	2.1	-	-	-	-
935	98/0002	3	-	-	-	432	-	-	-	38	A	01	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
936	98/0002	3	-	-	-	432	-	-	-	38	A	02	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.2	-	-	-	-
936	98/0002	3	-	-	-	432	-	-	-	38	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	52.2	-	-	-	-
937	98/0002	3	-	-	-	432	-	-	-	38	A	03	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
937	98/0002	3	-	-	-	432	-	-	-	38	A	03	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
937	98/0002	3	-	-	-	432	-	-	-	38	A	03	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.2	-	-	-	-
937	98/0002	3	-	-	-	432	-	-	-	38	A	03	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
937	98/0002	3	-	-	-	432	-	-	-	38	A	03	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
981	98/0002	3	-	-	-	432	-	-	-	38	A	04	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
981	98/0002	3	-	-	-	432	-	-	-	38	A	04	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
982	98/0002	3	-	-	-	432	-	-	-	38	A	05	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
982	98/0002	3	-	-	-	432	-	-	-	38	A	05	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
982	98/0002	3	-	-	-	432	-	-	-	38	A	05	-	-	Fire-cracked Rock	Jasper	-	-	-	1	4.5	-	-	-	WATERWORN.
983	98/0002	3	-	-	-	432	-	-	-	38	A	06	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
983	98/0002	3	-	-	-	432	-	-	-	38	A	06	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.2	-	-	-	-
984	98/0002	3	-	-	-	432	-	-	-	38	A	07	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.3	-	-	-	-
984	98/0002	3	-	-	-	432	-	-	-	38	A	07	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1033	98/0002	3	-	-	-	444	-	-	-	38	A	02	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1030	98/0002	3	-	-	-	446	-	-	-	38	A	05	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
1031	98/0002	3	-	-	-	446	-	-	-	38	A	07	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
1031	98/0002	3	-	-	-	446	-	-	-	38	A	07	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
1165	98/0002	3	-	-	-	453	-	-	-	38	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
1165	98/0002	3	-	-	-	453	-	-	-	38	A	01	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
1165	98/0002	3	-	-	-	453	-	-	-	38	A	01	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.2	-	-	-	-
1165	98/0002	3	-	-	-	453	-	-	-	38	A	01	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1165	98/0002	3	-	-	-	453	-	-	-	38	A	01	-	-	Fire-cracked Rock	Siltstone	-	-	-	1	13.9	-	-	-	-
1166	98/0002	3	-	-	-	453	-	-	-	38	A	02	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	LESS THAN 0.1 g.
1166	98/0002	3	-	-	-	453	-	-	-	38	A	02	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	69.9	-	-	-	-
1164	98/0002	3	-	-	-	453	-	-	-	38	A	03	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
1164	98/0002	3	-	-	-	453	-	-	-	38	A	03	-	-	Debitage	Indeterminate	11-15mm	Absent	-	1	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Cores	Jasper	Freehand Cores	Cobble	-	1	13.9	38.0	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.6	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.4	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	2.0	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	2	2.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	2.6	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Sedimentary	21-30mm	Cobble	-	1	5.0	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	4	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	2	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	155.9	-	-	-	-
614	98/0002	3	-	-	-	410	B	02	-	94	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	76.6	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.2	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Metarhyolite	11-15mm	Absent	-	11	0.2	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Sedimentary	11-15mm	Cobble	-	1	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.4	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.4	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Sandstone	31-40mm	Absent	-	1	5.7	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.2	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.3	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.2	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.3	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	454.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	4	511.1	-	-	-	-
840	98/0002	3	-	-	-	410	B	03	-	94	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	953.8	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.2	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Debitage	Sedimentary	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
844	98/0002	3	-	-	-	410	B	04	-	94	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	12.8	-	-	-	-
903	98/0002	3	-	-	-	410	B	05	-	94	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
903	98/0002	3	-	-	-	410	B	05	-	94	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	4	0.2	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Block	-	1	0.4	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Block	-	2	0.8	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.6	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.3	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	16-20mm	Block	-	3	2.4	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	2	2.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.4	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	2	8.9	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.6	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	3	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Chert	6-10mm	Block	-	1	0.2	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.4	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.5	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	210.9	-	-	-	-
495	98/0002	3	-	-	-	386	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	70.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.2	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	2	0.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	2	0.4	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.4	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Sedimentary	16-20mm	Cobble	-	1	0.4	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Indeterminate	16-20mm	Absent	-	1	0.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	2.0	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	2.5	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	41-50mm	Cobble	-	1	23.5	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	7	0.4	-	-	-	-



Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	5	0.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	3	0.2	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	2	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	5	0.4	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	3	0.3	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	2	0.2	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Debitage	Quartz	< 6mm	Absent	-	1	0.1	-	-	-	-
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	9	736.7	-	-	-	SPECIAL COLLECTION: REFIT #20 (2) PIECES.
841	98/0002	3	-	-	-	386	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	2	107.3	-	-	-	-
902	98/0002	3	-	-	-	386	B	05	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
902	98/0002	3	-	-	-	386	B	05	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
902	98/0002	3	-	-	-	386	B	05	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
902	98/0002	3	-	-	-	386	B	05	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
902	98/0002	3	-	-	-	386	B	05	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	3	0.5	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	5	0.7	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Sedimentary	11-15mm	Absent	-	5	0.7	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Sandstone	16-20mm	Absent	-	1	1.2	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	4.9	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Debitage	Sandstone	21-30mm	Absent	-	1	2.6	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	96.1	-	-	-	-
496	98/0002	3	-	-	-	387	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	32.9	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	2.5	-	16.1	7.7	SMALL, STEMMED PROJECTILE POINT.
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Bifaces	Jasper	Projectile Points	Cobble	WHL	1	2.9	28.0	19.5	5.9	SMALL, STEMMED PROJECTILE POINT; CORTEX ON BLADE.
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Cobble Tools	Quartzite	Pestles	Cobble	-	1	221.0	79.0	-	-	GRINDING ON BOTH POLES; ALSO SHOWS HAMMERING; INITIALLY TESTED COBBLE.
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	135.6	63.0	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	3	0.4	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Argillite	11-15mm	Absent	-	3	0.5	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	16-20mm	Absent	-	1	0.4	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.5	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	2	0.6	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	21-30mm	Absent	-	1	0.4	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	21-30mm	Cobble	-	1	1.7	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	0.9	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Metasedimentary	21-30mm	Absent	-	1	1.0	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Metasedimentary	31-40mm	Cobble	-	1	7.8	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	8	0.4	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	3	0.2	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	2	0.2	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Sedimentary	6-10mm	Absent	-	1	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Debitage	Argillite	< 6mm	Absent	-	1	0.1	-	-	-	-	
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	12	381.2	-	-	-	-	SPECIAL COLLECTION: REFIT #23 (2) PIECES; REFIT #28 (2) PIECES.
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	6	190.8	-	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	171.9	-	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	2	147.4	-	-	-	-	-
911	98/0002	3	-	-	-	387	B	03	-	96	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	69.4	-	-	-	-	-
919	98/0002	3	-	-	-	387	B	04	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-	
919	98/0002	3	-	-	-	387	B	04	-	96	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-	
919	98/0002	3	-	-	-	387	B	04	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	5	0.3	-	-	-	-	
919	98/0002	3	-	-	-	387	B	04	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.2	-	-	-	-	
919	98/0002	3	-	-	-	387	B	04	-	96	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-	
926	98/0002	3	-	-	-	387	B	05	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-	
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-	
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	2	0.3	-	-	-	-	
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.2	-	-	-	-	
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	1.3	-	-	-	-	

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.4	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	1.4	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Jasper	21-30mm	Block	-	1	2.4	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	2.4	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Debitage	Argillite	21-30mm	Absent	-	1	1.0	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	676.6	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	67.7	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	11	67.9	-	-	-	-
504	98/0002	3	-	-	-	389	B	02	-	96	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	3	20.7	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.6	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Jasper	16-20mm	Cobble	-	1	0.3	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.2	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	3.0	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Jasper	41-50mm	Cobble	-	1	7.9	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	1	269.9	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	14.1	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Unmodified Cobbles	Sedimentary	-	-	-	1	87.0	-	-	-	-
904	98/0002	3	-	-	-	389	B	03	-	96	-	-	-	-	Unmodified Pebbles	Quartz	-	-	-	1	9.3	-	-	-	-
938	98/0002	3	-	-	-	389	B	05	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Cores	Quartz	Tested Cobbles	Cobble	-	1	116.3	62.0	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	4	0.6	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.4	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	16-20mm	Absent	-	1	0.5	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.4	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	1.1	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	0.7	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	31-40mm	Absent	-	1	3.6	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	6	0.3	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	4	0.4	-	-	-	-
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	12	1,538.4	-	-	-	SPECIAL COLLECTION: REFIT #12 (1) PIECE; REFIT #27 (2) PIECES.
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	12	1,336.2	-	-	-	SPECIAL COLLECTION: REFIT #17 (1) PIECE.
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	351.7	-	-	-	SPECIAL COLLECTION: REFIT #10 (2) PIECES.
825	98/0002	3	-	-	-	390	B	03	-	96	-	-	-	-	Unmodified Cobbles	Indeterminate	-	-	-	5	530.7	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.6	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.6	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Chert	21-30mm	Cobble	-	1	0.6	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	3	0.2	-	-	-	-
827	98/0002	3	-	-	-	390	B	04	-	96	-	-	-	-	Unmodified Pebbles	Quartz	-	-	-	1	47.3	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	11-15mm	Cobble	-	1	0.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Quartz	11-15mm	Absent	-	1	0.2	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	16-20mm	Absent	-	1	0.3	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Quartz	16-20mm	Cobble	-	1	0.8	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	21-30mm	Absent	-	1	0.8	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Jasper	21-30mm	Block	-	1	1.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Quartzite	21-30mm	Cobble	-	1	3.9	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Quartzite	21-30mm	Absent	-	1	1.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Quartz	31-40mm	Cobble	-	1	15.8	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Fire-cracked Rock	Quartzite	-	-	-	1	34.4	-	-	-	-
505	98/0002	3	-	-	-	390	B	02	-	96	-	-	-	ART#1	Fire-cracked Rock	Quartz	-	-	-	1	3.8	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	MED	1	1.1	-	14.5	6.5	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.3	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	5	1.3	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	3	1.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	6	4.5	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	2.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	2	5.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	31-40mm	Absent	-	1	2.6	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	5.2	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	3	0.2	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	4	0.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	2	0.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	14	1.3	-	-	-	-
943	98/0002	3	-	-	-	394	B	03	-	96	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	WHL	1	27.1	55.0	29.6	15.0	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.2	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.2	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	9.6	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Debitage	Jasper	< 6mm	Absent	-	1	0.1	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	3	159.8	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	215.2	-	-	-	-
974	98/0002	3	-	-	-	396	B	03	-	96	-	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	91.6	-	-	-	-
987	98/0002	3	-	-	-	396	B	05	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
987	98/0002	3	-	-	-	396	B	05	-	96	-	-	-	-	Minerals	-	Other Minerals	-	-	1	0.1	-	-	-	POSSIBLE OCHRE.
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Bifaces	Quartz	Early-Stage Bifaces	Cobble	BRK	1	8.2	19.6	28.7	19.9	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Absent	-	1	0.5	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.3	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	0.4	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Metarhyolite	16-20mm	Absent	-	1	0.3	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	1	1.9	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Sedimentary	21-30mm	Absent	-	1	0.8	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	2	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Argillite	6-10mm	Absent	-	1	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Quartzite	6-10mm	Cobble	-	1	0.1	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Debitage	Metarhyolite	< 6mm	Absent	-	1	0.1	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	115.2	-	-	-	-
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	32.3	-	-	-	SPECIAL COLLECTION: REFIT #10 (1) PIECE.
529	98/0002	3	-	-	-	397	B	02	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	3	22.1	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Cores	Quartzite	Tested Cobbles	Cobble	-	1	280.2	84.0	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.1	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartz	21-30mm	Cobble	-	2	10.8	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartz	31-40mm	Cobble	-	1	16.4	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	16	2,094.1	-	-	-	SPECIAL COLLECTION: REFIT #9 (2) PIECES; REFIT #11 (2) PIECES; REFIT #12 (1) PIECE; REFIT #21 (1) PIECE; REFIT #27 (1) PIECE.
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	18	1,678.1	-	-	-	SPECIAL COLLECTION: REFIT #7 (2) PIECES; REFIT#17 (1) PIECE.
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	10	380.7	-	-	-	SPECIAL COLLECTION: REFIT #8 (4) PIECES; REFIT #10 (3) PIECES; REFIT #15 (2) PIECES.
812	98/0002	3	-	-	-	397	B	03	-	96	-	-	-	-	Fire-cracked Rock	Indeterminate	-	-	-	3	354.1	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	1	0.1	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.5	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Debitage	Quartzite	11-15mm	Cobble	-	1	0.5	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Debitage	Quartzite	16-20mm	Absent	-	1	0.5	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
527	98/0002	3	-	-	-	398	B	02	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	112.3	-	-	-	SPECIAL COLLECTION: REFIT #21 (1) PIECE.
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Quartzite	11-15mm	Absent	-	1	0.5	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Quartz	11-15mm	Cobble	-	1	0.1	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Argillite	16-20mm	Absent	-	1	0.3	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Jasper	31-40mm	Cobble	-	1	9.7	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Flv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Metarhyolite	6-10mm	Absent	-	1	0.1	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.2	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.2	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.2	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	6	609.7	-	-	-	SPECIAL COLLECTION: REFIT #6 (2) PIECES.
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	2	416.3	-	-	-	-
900	98/0002	3	-	-	-	398	B	03	-	96	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	322.5	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Absent	BRK	1	1.6	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Cobble Tools	Siltstone	Anvil Stones	Cobble	-	1	103.6	72.0	-	-	TRANSVERSE FRACTURE; FLAKE SCARS IN EXTANT CORNERS.
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	1	0.2	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	1	0.1	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.2	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	1	0.2	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.0	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Siltstone	16-20mm	Cobble	-	1	0.5	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Quartzite	21-30mm	Cobble	-	1	1.0	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Siltstone	51-60mm	Absent	-	1	9.2	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	1	0.1	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	1	0.1	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Debitage	Quartzite	6-10mm	Absent	-	1	0.1	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	5	38.5	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	1	22.0	-	-	-	-
973	98/0002	3	-	-	-	436	B	02	-	97	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	2	93.7	-	-	-	SPECIAL COLLECTION: REFIT #13 (1) PIECE.
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Cores	Quartzite	Freehand Cores	Cobble	-	1	281.5	78.0	-	-	PREPARED PLATFORM.
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	3	0.5	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	11-15mm	Absent	-	2	0.5	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Jasper	11-15mm	Absent	-	2	0.3	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Jasper	11-15mm	Cobble	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Siltstone	11-15mm	Absent	-	2	0.5	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	16-20mm	Cobble	-	1	1.2	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Quartz	16-20mm	Absent	-	1	0.6	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Quartz	16-20mm	Cobble	-	1	1.2	-	-	-	-

SR1, Puncheon Run Connector, Kent County, Delaware - Prehistoric Lithic Inventory

Site: 7K-C-51-3

Cat	Accsn	Loc	Blk	Trs	Stp	Unit	Str	Lev	Hq	Fea	Fstr	Fiv	Fq	Other	Class	Material	Type	Cortex	Cond	Count	Weight (g)	Length	Width	Thickns	Note
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	21-30mm	Absent	-	1	1.3	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Quartz	21-30mm	Absent	-	1	1.0	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Siltstone	21-30mm	Absent	-	1	1.6	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	31-40mm	Cobble	-	1	8.9	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.2	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Jasper	6-10mm	Cobble	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Quartz	6-10mm	Absent	-	2	0.3	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Metamorphic	6-10mm	Absent	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Siltstone	6-10mm	Absent	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Chert	< 6mm	Absent	-	1	0.1	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Debitage	Quartz	> 60mm	Cobble	-	1	57.2	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Fire-cracked Rock	Conglomerate	-	-	-	2	1,179.0	-	-	-	SPECIAL COLLECTION: REFIT #3 (2) PIECES.
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Fire-cracked Rock	Quartz	-	-	-	7	747.9	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	7	222.4	-	-	-	-
979	98/0002	3	-	-	-	436	B	03	-	97	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	517.9	-	-	-	SPECIAL COLLECTION: REFIT #16 (2) PIECES.
986	98/0002	3	-	-	-	436	B	04	-	97	-	-	-	-	Debitage	Chert	6-10mm	Absent	-	2	0.1	-	-	-	-
986	98/0002	3	-	-	-	436	B	04	-	97	-	-	-	-	Debitage	Jasper	6-10mm	Absent	-	1	0.1	-	-	-	-
986	98/0002	3	-	-	-	436	B	04	-	97	-	-	-	-	Debitage	Chert	6-10mm	Cobble	-	1	0.1	-	-	-	-
986	98/0002	3	-	-	-	436	B	04	-	97	-	-	-	-	Debitage	Quartz	6-10mm	Cobble	-	1	0.1	-	-	-	-
986	98/0002	3	-	-	-	436	B	04	-	97	-	-	-	-	Debitage	Siltstone	6-10mm	Absent	-	2	0.2	-	-	-	-
989	98/0002	3	-	-	-	436	B	05	-	97	-	-	-	-	Debitage	Chert	11-15mm	Cobble	-	2	0.2	-	-	-	-