


DeIDOT ADA Inventory Map

*A Multi-Purpose Tool for Compliance
and Connect-ability*

2015 DeIDOT Winter Workshop



What is the DeIDOT ADA Inventory?


| DeIDOT Sidewalk Inventory and ADA Assessment Status (2012) | | | | | |
|---|-----------------------|------------------------|----------------------------|--------------------|------------------------|
| Category | Total Assessed | Total Compliant | Total Non-Compliant | % Compliant | % Non-Compliant |
| Sidewalk (miles) | 520.13 | 289.78 | 230.35 | 56% | 44% |
| Missing Sidewalk Links (miles) | 17.15 | - | - | - | - |
| Marked Crosswalks | 3775 | 3436 | 339 | 91% | 9% |
| Curb Ramps | 12045 | 2834 | 9211 | 24% | 76% |
| Curb Barriers | 1577 | - | - | - | - |
| Bus Stop Patron Pads | 1958 | 514 | 1444 | 26% | 74% |
| Pedestrian Signals | 2321 | 969 | 1352 | 42% | 58% |
| Medians and Channelized Islands | 937 | 407 | 530 | 43% | 57% |
| Railroad Crossings | 175 | 1 | 174 | 1% | 99% |
| Stub Ends | 1796 | - | - | - | - |
| Driveway Crossings Along Non-Compliant Sidewalk | 5755 | - | - | - | - |
| On-Street Parking Locations | 193 | - | - | - | - |
| Features Collected Along Compliant Sidewalks Only | | | | | |
| Driveway Crossings Along Compliant Sidewalk | 4627 | 1726 | 2901 | 37% | 63% |
| Pinch Points | 783 | 446 | 337 | 57% | 43% |
| Horizontal Gaps > 1/2 inch | 508 | - | - | - | - |
| Vertical Elevation Differences > 1/2 inch | 1250 | - | - | - | - |
| Non-Compliant Sidewalk 20 Feet or Less | 1285 | - | - | - | - |
| Path/Trail Berm Running Slope | 37 | 1 | 36 | 3% | 97% |




ADA Inventory Map



What Is In A Picture?



Scoping Tool



Just To Refresh

- ▶ Tool to make the public aware of our ADA inventory;
- ▶ Tool to allow us to document and report the progress we make with improving our ADA inventory (Federal Requirement) as part of the ADA Transition Plan;
- ▶ Tool for scoping upcoming projects;
- ▶ Tool for accomplishing the **DeIDOT** mission:

*Excellence in Transportation
Every Trip • Every Mode • Every
Dollar • Everyone*



Questions?



Where to find the Inventory Map

www.ada.deldot.gov

John McNeal

ADA Title II/Section 504 Coordinator

Office: (302) 760-2467

Cell: (302) 399-6969

