

## Striping Item Usage Guidelines – Projects Using 2016 Standard Specifications

<b>Temporary Pavement Markings</b>		
<b>Marking Description</b>	<b>Hot-Mix Surface</b>	<b>Concrete Surface</b>
<p><b>Temporary Pavement Markings</b></p> <p>Preferred material for this usage is paint.</p>	<p>817003 – Temporary Markings, Paint, 4" (LF) 817004 – Temporary Markings, Paint, Symbol/Legend (SF)</p>	<p>817003 – Temporary Markings, Paint, 4" (LF) 817004 – Temporary Markings, Paint, Symbol/Legend (SF)</p>
<p><b>Temporary Pavement Markings</b></p> <p>Tape is to be used when temporary markings are placed on final hot-mix surface, but are not in the final marking configuration. May also be used on concrete surfaces.</p>	<p>817009 – Temporary Markings, Tape, 4" (LF) 817010 – Temporary Markings, Tape, Words/Symbols (SF)</p>	<p>817009 – Temporary Markings, Tape, 4" (LF) 817010 – Temporary Markings, Tape, Words/Symbols (SF)</p>
<p><b>Blackout Tape</b></p> <p>Used to temporarily cover 4" or 5" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>817008 – Blackout Tape, 6" (LF)</p>	<p>Do not use blackout tape on concrete roadways to cover existing markings.</p>
<p><b>Blackout Tape</b></p> <p>Used to temporarily cover 6" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>817011 – Blackout Tape, 8" (LF)</p>	<p>Do not use blackout tape on concrete roadways to cover existing markings.</p>

## Striping Item Usage Guidelines – Projects Using 2016 Standard Specifications

<b>Permanent Pavement Markings – Conventional Roads</b>		
<b>Marking Description</b>	<b>Hot-Mix Surface</b>	<b>Concrete Surface</b>
<b>Arrows</b>	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>Center Line</b>	817013 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 5" (LF)	817013 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 5" (LF)
<b>Channelizing Line (Gore Areas)</b>	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF)	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF)
<b>Chevron and Crosshatch</b>	817006 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	817007 – Retroreflective Preformed Patterned Markings, 12" (LF)
<b>Crosswalks</b>	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>Edge Line (Normal Width)</b>	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) <b>and</b> 817018 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
<b>Stop Lines</b>	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>Symbol – Bike (Includes Arrow)</b>	817015 – Preformed Retroreflective Thermoplastic Markings, Bike Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>Symbol - Handicap</b>	817017 – Preformed Retroreflective Thermoplastic Markings, Handicap Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)

## Striping Item Usage Guidelines – Projects Using 2016 Standard Specifications

<b>Permanent Pavement Markings – Conventional Roads</b>		
<b>Marking Description</b>	<b>Hot-Mix Surface</b>	<b>Concrete Surface</b>
<b>Symbol - Pedestrian</b>	817016 – Preformed Retroreflective Thermoplastic Markings, Pedestrian Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>2' Line / 6' Gap Dotted Pattern (Except Turning Tracks)</b>	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White, 5" (LF)	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White, 5" (LF) <b>and</b> 817024 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 9" (Under 2' White Line) (LF)
<b>2' Line / 6' Gap Dotted Pattern (Ramps and Lane Drops)</b>	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF)	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF) <b>and</b> 817025 – Permanent Pavement Striping, Epoxy , Black, 14" (Under 2' White Line) (LF)
<b>2' Line / 6' Gap Dotted Pattern (Turning Tracks)</b>	817005 – Permanent Pavement Striping, Alkyd-Thermoplastic, 5" (LF)	817022 – Retroreflective Preformed Patterned Markings, 8" <b>(Item includes both white and black markings)</b> (LF)
<b>10' Line / 30' Gap Broken Pattern</b>	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) <b>and</b> 817019 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 5" (In advance of 10' White Line Only) (LF)

## Striping Item Usage Guidelines – Projects Using 2016 Standard Specifications

<b>Permanent Pavement Markings – Interstates, Expressways and Freeways</b>		
<b>Marking Description</b>	<b>Hot-Mix Surface</b>	<b>Concrete Surface</b>
<b>Arrows</b>	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
<b>Channelizing Line (Gore Areas)</b>	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF)	817014 – Permanent Pavement Striping, Epoxy Resin Paint, White, 10" (LF)
<b>Chevron and Crosshatch</b>	817006 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	817007 – Retroreflective Preformed Patterned Markings, 12" (LF)
<b>Edge Lines - Left and Right (Normal Width)</b>	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	817013 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) <b>and</b> 817018 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
<b>3' Line / 9' Gap Dotted Pattern (Lane Reductions Only)</b>	817020 – Retroreflective Preformed Patterned Markings, 5" <b>(For inlaid applications only)</b> (LF)	817022 – Retroreflective Preformed Patterned Markings, 8" <b>(Item includes both white and black markings)</b> (LF)

Striping Item Usage Guidelines – Projects Using 2016 Standard Specifications

<b>Permanent Pavement Markings – Interstates, Expressways and Freeways</b>		
<b>Marking Description</b>	<b>Hot-Mix Surface</b>	<b>Concrete Surface</b>
<b>3' Line / 9' Gap Dotted Pattern (Ramps)</b>	817021 – Retroreflective Preformed Patterned Markings, 10" <b>(For inlaid applications only)</b> (LF)	817023 – Retroreflective Preformed Patterned Markings, 13" <b>(Item includes both white and black markings)</b> (LF)
<b>10' Line / 30' Gap Broken Pattern</b>	817020 – Retroreflective Preformed Patterned Markings, 5" <b>(For inlaid applications only)</b> (LF)	817022 – Retroreflective Preformed Patterned Markings, 8" <b>(Item includes both white and black markings)</b> (LF)