



# DelDOT – Development Coordination

## Email Blast

**Subject:**

Discharge Notification Chart

**Notice Date:**

January 7, 2026

*Notice*

DelDOT will require Discharge Notification Chart(s) on the cover sheet of construction plan sets approved on or after January 1, 2026, pursuant to DNREC’s [Regulatory Guidance Memorandum RGM-4](#).

A Discharge Notification Chart is required for each Point of Investigation (POI) where discharge from the site enters DelDOT’s drainage system. POI locations must also be clearly labeled in plan view. If the DelDOT roadway improvements discharge into the site, those discharges must also be included in the chart(s). When applicable, a note with the DelDOT Roadway Improvements’ DURMM-calculated R<sub>Pv</sub> shortfall (or credit) volume in cubic feet must be included on the cover sheet.

Discharge Notification Chart (required format)

Point of Investigation (POI) Number	R <sub>Pv</sub> discharge rate (cfs)	R <sub>Pv</sub> discharge volume (ac-ft)	C <sub>v</sub> discharge rate (cfs)	C <sub>v</sub> discharge volume (ac-ft)	F <sub>v</sub> discharge rate (cfs)	F <sub>v</sub> discharge volume (ac-ft)
Existing	0.00	0.00	0.00	0.00	0.00	0.00
Proposed	0.00	0.00	0.00	0.00	0.00	0.00
Net change (+/-)	0.00	0.00	0.00	0.00	0.00	0.00

Prior to DelDOT’s issuance of a Notice to Proceed for construction, DelDOT Public Works will verify the POI discharge values (and any DelDOT roadway-improvement R<sub>Pv</sub> volume) are included and consistent on both the Sediment & Stormwater Management Plan and the DelDOT Construction Plans; discrepancies will be referred to the DelDOT Stormwater Engineer for further review and to provide direction to the Engineer of Record to address inconsistencies.

For additional information on Discharge Notifications, please reference [DNREC Regulatory Guidance Memorandum RGM-4](#) or visit: <https://dnrec.delaware.gov/watershed-stewardship/sediment-stormwater/>.



# DelDOT – Development Coordination

## Email Blast

If you have questions or need additional information, please contact the Development Coordination Section at (302) 760-2266 or via email at [Subdivision@Delaware.gov](mailto:Subdivision@Delaware.gov).