



**ISOMETRIC VIEW**




**SECTION B-B**




**ELEVATION**


**WIRE MESH DETAIL  
(REINFORCED SILT FENCE ONLY)**



**SECTION A-A**



**SILT FENCE  
CONNECTON DETAIL**



**REINFORCED SILT FENCE  
CONNECTON DETAIL**

**NOTES:**

- 1). THIS DEVICE IS INTENDED TO CONTROL SHEET FLOW ONLY AND IS NOT TO BE USED IN AREAS OF CONCENTRATED FLOW.
- 2). TURN ENDS OF SILT FENCE UPSLOPE TO CONTAIN RUNOFF.
- 3). REINFORCING STRIP IS TO BE ONE COMPLETE STRIP COVERING ALL GEOTEXTILE FABRIC AT POST.
- 4). FOR SILT FENCE CONSTRUCTION, JOIN TERMINAL ENDS AND ROLL ONE FULL REVOLUTION.



ENGINEERING SUPPORT *Paul Johnson* 09/01/2020  
RECOMMENDED DATE

SILT FENCE  
STANDARD NO. E-2 (2020) SHT. 1 OF 2

REVIEWED *Mike Jones* 09/01/2020  
DEPUTY DIRECTOR - DESIGN DATE  
APPROVED *Sheryl* 09/01/2020  
CHIEF ENGINEER DATE