

**APPENDIX B**

**LITHIC ARTIFACT TYPE DEFINITIONS  
ARTIFACT INVENTORY, SITE 7NC-G-143**

## LITHIC ARTIFACT TYPE DEFINITIONS

### Lithic Artifact Types

The artifact types in the assemblage from Site 7NC-G-143 are listed below, organized by artifact class. The R:BASE code used is given in parentheses for each type.

#### *Debitage*

##### **Direct Freehand Percussion Flakes**

1. **Decortication Flakes (DF)** are intact or nearly intact flakes with 50% or more cortex covering their dorsal surface. They are the first series of flakes detached during lithic reduction.

2. **Early Reduction Flakes (ER)** are intact or nearly intact flakes with less than 50% dorsal cortex, *very few* dorsal flake scars, on the average, and irregularly shaped platforms with minimal faceting and no lipping. Platform grinding is not always present. These flakes could have been detached from early-stage bifaces or freehand percussion cores.

##### **Pressure and Indirect Percussion Flakes**

3. **Biface Reduction Flakes (BF)** are intact or nearly intact flakes with multiple overlapping dorsal flake scars and small elliptically shaped platforms with multiple facets. Platform grinding is usually present. Platforms are distinctive, because they represent tiny slivers of what once was the edge of a biface. Biface reduction flakes are generated during the middle and late stages of biface reduction, and also during biface maintenance.

4. **Pressure Flakes (PF)** are made using an implement (flaker) applied directly on the surface/edge of the tool. Because the force is applied by pressing and not striking, there are some morphological differences (Whittaker 1994), as compared with hard and soft hammer flakes. First, the platform is not a flat surface, but a slightly crushed edge. The edge grinding appears as the result of the edge preparation procedure. These flakes tend to be short and fragile. They are small and thin as compared to flakes made by the hard or soft percussion technique. They can sometimes be mistaken for percussion flakes, if their length is more than 1 cm. These flakes are not exactly thinning flakes because they do not remove much of the material. Notching flakes are typical examples of pressure flaking.

5. **Bipolar Reduction Flakes (BP)** are intact or nearly intact flakes that have been struck from a bipolar core. They typically exhibit sheared cones, diffuse bulbs, closely spaced ripples, and crushed and splintered platforms. Crushing can also occur on the termination of flakes (distal end), but it is a common misconception that platforms and bulbs are present on both ends of each flake. All flakes generated during bipolar reduction are not readily distinguishable as bipolar flakes.

6. **Block Shatter (BS)** are angular or blocky fragments that do not possess platforms or bulbs. Generally the result of uncontrolled fracturing along inclusions or internal fracture planes, block shatter is most frequently produced during the early reduction of cores and bifaces. Block shatter is common in bipolar reduction, and it is equivalent to "primary shatter" (Binford and Quimby 1963).

7. **Flake Shatter (FS)** are small, flat fragments or splinters that lack platforms, bulbs, and other obvious flake attributes. Flake shatter is generated throughout a reduction sequence but is most common in later stages. It is a common byproduct of bipolar reduction, and it is equivalent to "secondary shatter" (Binford and Quimby 1963). Trampling of debitage on living surfaces also generates flake shatter, while thermal fracturing produces both flake and block shatter.

8. **Flake Fragments (FF)** are sections of flakes that are too fragmentary to be assigned to a particular flake type.

9. **Other Flake Types (OF)** are flakes that do not easily fit into existing types— bladelets, for example. The Notes field on the analysis form is used to record distinctive attributes.

10. **Indeterminate Flakes (IF)** are flakes that cannot be assigned to a specific type because their surface has been damaged (e.g., pot lidding) or severely eroded (e.g., argillite debitage).

#### *Cores*

1. **Freehand Cores (FC)** are blocks or cobbles that have had flakes detached in multiple directions by holding the core in one hand and striking it with a hammerstone held in the other (Crabtree 1972). This procedure generates flakes that can be used as is for expedient tools or worked into formalized tools. Freehand percussion cores come in various shapes and sizes, depending upon the raw material form and degree of reduction.

2. **Bifacial Cores (BI)** are a specific type of freehand amorphous core flaked on both sides (Whittaker 1992:113), i.e., reduced along one or more bifacially prepared edges for the purpose of flake production. Some specific forms, such as discoidal cores (Crabtree 1972:59), can be further identified. Flaking occurs on both sides of a nodule to fully exploit the material or to avoid problematic areas exhibited on the same nodule/cobble. Some early-stage bifaces can be confused with this type; however, early-stage bifaces will usually exhibit a more consistent outline form (e.g., ovoid or triangular). With bifacial cores, edge preparation is a more important consideration than outline form.

3. **Bipolar Cores (BC)** are blocks or cobbles that have had flakes detached by direct hard-hammer percussion on an anvil: the core is placed on the anvil and struck vertically with a hammerstone (Crabtree 1972; Hayden 1980). Cores typically assume a tabular shape and exhibit heavy crushing and battering, and flake scars tend to run between areas of crushing and battering. Bipolar cores are normally smaller than freehand cores, because bipolar reduction is a technique for maximizing available raw materials. Most flakes that are detached are suitable only for expedient flake tools.

**4. Tested Cobbles (TC)** are unmodified cobbles, blocks, or nodules that have had a few flakes detached to examine raw-material quality.

#### *Unifaces*

**1. Retouched Flakes (RF)** are expedient tools that have had one or more edges retouched, either to sharpen the working edge, to create a dulled edge for grasping, or to form a specific edge angle or shape. The flake itself could have been detached from a core or a biface.

**2. Utilized Flakes (UF)** are expedient tools that exhibit traces of use damage and/or polish on one or more edges. These flakes could have been detached from cores or bifaces. The presence/absence of use-wear should be determined before coding a flake into this category. A damaged edge does not always indicate that a flake has been utilized.

#### *Bifaces*

**1. Early-Stage Bifaces (EB)** are cobbles, blocks, or large flakes that have had their edges bifacially trimmed and a few large reduction flakes detached. These bifacial blanks are equivalent to Callahan's Stage 2 bifaces (1979). Because of their crude condition, these bifaces can be confused with freehand percussion cores and choppers. Initial trimming makes the edges of these bifaces off-center.

**2. Middle-Stage Bifaces (MB)** look more like bifaces; they have been initially thinned and shaped. A lenticular cross section is developing, but edges are sinuous (off-centered edges resemble a wavy line), and patches of cortex may still remain on one or both faces. These bifaces are roughly equivalent to Callahan's Stage 3 bifaces (1979). Biface reduction is a continuum, and therefore middle-stage bifaces are often difficult to distinguish from early- and late-stage bifaces, depending upon the point at which their reduction was halted.

**3. Late-Stage Bifaces (LB)** are basically finished bifaces; they are well thinned, are symmetrical in outline and cross section, and their edges are centered. Small areas of cortex may still exist on one or both faces. These bifacial preforms are analogous to Callahan's Stage 4 bifaces (1979).

**4. Projectile Points (PP)** are finished bifaces that were usually hafted and functioned primarily as projectiles and/or knives. The most characteristic attributes of a point, e.g., an expanded-stem point, side-notched point, fluted point, triangle, etc., should be indicated in the Notes field.

**5. Choppers (CP)** or cleavers are sizable bifaces that may have been employed in tasks that required heavy-duty cutting, chopping, or severing. These implements are often crudely formed and can be mistaken for cores or early-stage bifaces. The use-wear pattern should be checked to determine whether a specimen has been used as a chopper. If use-wear is not present, the specimen should be coded as a biface, bifacial core, or core.

**6. Other Bifaces (OB)** are bifaces that do not easily fit into the above types. (The Notes field is used to record distinctive attributes.)

**7. Indeterminate Biface Fragments (IB)** are sections of bifaces that are too badly damaged to be assigned to a specific type.

#### *Cracked Rock*

Cracked rock includes all fragments of lithic debris that cannot be attributed to stone tool production. It may represent fire-cracked rock (FCR): cobbles and/or chunks of local bedrock that were used in heating and cooking activities. All fire-cracked or fire-altered rock was examined in the field and discarded after analysis. Due to ambiguities in determining fire-cracked specimens versus the local red sandstone, no systematic weighing of fire-cracked rock was accomplished, nor were any samples collected. Breakage patterns were evaluated to distinguish the specific activities for which the rock may have been used (cf. Cavallo and Kondrup 1986).

#### *Cobble Tools*

**1. Hammerstones (HS)** are cobbles that show evidence of battering and crushing along their margins, indicating that they were intentionally used as percussors either for working flint or for processing other materials.

**2. Manos (MN)** or grinding stones are hand-sized cobbles with one or more flat surfaces that were used to crush and grind various materials, as is evidenced by smoothed and polished surfaces.

**3. Anvil Stones (AV)** are cobbles or blocks of bedrock that were used as a base on which to rest materials while they were struck with a hammer. Surfaces that are interpreted as anvils tend to possess shallow, coarse-textured depressions with amorphous outlines.

**4. Pitted Cobbles (PC)** or "nutting stones" are cobbles or blocks of bedrock with at least one smooth depression no greater than about 4 cm in diameter. These depressions differ from anvil depressions in that they are smoother, often deeper, and tend to be circular or oval. These depressions are believed to be the result of processing nuts, as compared to anvil depressions, which are attributed to bipolar reduction.

**5. Abraders (AB)** are chunks of sandstone or related materials that were used to shape and sharpen tools made of various materials. Slotted abraders are believed to have been used in the manufacture and maintenance of bone and wood tools (e.g., needles, awls, and arrow shafts), and flat abraders are believed to have been used in the manufacture and maintenance of stone tools (e.g., chipped-stone platform preparation and polishing of groundstone tools) in addition to tools of bone and wood tools.

**6. Other Cobble Tools (OT)** are cobbles that do not fit into the above types. (Key attributes are recorded in the Notes field.) Broken cobble tools are assigned to one of the above types or are placed with the cracked rock if badly damaged.

## *Minerals*

Minerals (a "type" category that applies to unmodified or minimally modified minerals found at a site):

1. **Steatite (ST)** is an impure form of talc that is easily worked because of its softness and massive structure.
2. **Petrified Wood (PW)** is silicified wood that often occurs with other minerals.

## **Lithic Raw Material Analysis**

Raw materials were identified on the basis of macroscopic characteristics: color, texture, hardness, and inclusions. A 10X hand lens, and on occasion lenses with higher levels of magnification, were used to identify inclusions. Raw material analysis placed artifacts into the following material types: quartz, rhyolite, argillite, quartzite, jasper, chalcedony, chert, metasedimentary, shale, sandstone, and siltstone.

When present on debitage, type of cortex was recorded: (1) block or primary cortex and (2) cobble or secondary cortex. Archaeological and geological reference collections at the LBA laboratory in East Orange, New Jersey, were consulted during the analysis; the overall direction of the analysis was conducted through consultation with the Principal Investigator. Relevant raw material types for the region, as well as other analytical procedures regarding technological and stylistic elements of the assemblage, were reviewed by the Principal Investigator prior to initiating the preliminary laboratory work.

Raw material types are listed below, followed by their R:BASE code and a brief description.

1. **Chert (1.0)** encompasses all chert artifacts regardless of chert type. More than 400 chert artifacts, including debitage, were recovered.
2. **Jasper (2.0)** was recovered in large quantities. The pieces in the assemblage are quite variable in texture, from a very fine-grained tan to brown color variety to a coarse-grained red variety. Heat-altered specimens are also red. There are several known sources of jasper in the Middle Atlantic region (Hatch and Miller 1985; Stevenson et al. 1990), but none of the jasper in the assemblage has been linked to a particular source. It is likely, however, that much of the primary source (non-cobble) jasper is from the vicinity of Iron Hill in western New Castle County, Delaware (Custer 1989:56; Custer and Galasso 1980). This material is quite variable in knapping quality.
3. **Rhyolite (3.0)** is a fine-grained extrusive igneous rock that can be conchoidally fractured. One of its most distinguishing features is quartz and feldspar phenocrysts, which are scattered throughout its matrix. Only a few flakes of this raw material were recovered from the site.
4. **Argillite (4.0)** Argillite is an indurated mudstone or claystone, which, because of its fine texture and hardness, can be effectively flaked. Large deposits of argillite are common in the Middle Atlantic region (Didier 1975). The very few argillite artifacts in the assemblage recovered during this project compare favorably with argillite from the Delaware Valley, but

the ultimate source of these items is uncertain. All of the argillite artifacts are highly weathered, with a chalky exterior.

5. **Quartz** (5.0) that was recovered is primarily vein quartz. Vein quartz is formed from igneous magma and hydrothermal veins and in solution cavities and veins such as are typically found in eastern Piedmont rocks of northern Delaware. Specimens of vein quartz are partially transparent, but more often than not they can be described as cloudy or even opaque, and white to light gray in color (i.e., milky quartz).

6. **Quartzite** (6.0) is represented in the assemblage by over 3,000 artifacts, mostly debitage. This variety is primarily light brown to gray in color. Like quartz, quartzite is available near the project area, much of it in cobble form.

7. **Chalcedony** (7.0) is represented by only a few flakes. The origin is most likely from secondary cobble sources.

8. **Siltstone** (11.0) is poorly represented in the assemblage, and it is probably locally available. Some of the debitage of this material may not be made from siltstone, but actually from low-quality or heavily weathered grainy chert. Poorer quality siltstone may also grade into shale.

9. **Sandstone** (12.0) is the term given to iron-rich sandstone, which is so tightly compacted or welded together that it can be flaked. Most of the artifacts made from this low-quality material are fire-cracked rock fragments. The material is of local derivation.

10. **Metasedimentary** (17.0) is the term given to items which appear to be partially metamorphosed.

11. **Steatite** (18.0) or soapstone, is a fine-grained compact metamorphic rock whose principal constituent is talc. This soft but durable material is ideal for manufacturing stone bowls and other groundstone implements. Steatite quarries have been reported from the northeastern Maryland Piedmont near Christiana, in southeastern Pennsylvania (Custer 1989:58), as well as from other areas of the Middle Atlantic region (Holland et al. 1981; Holmes 1897).

SRL, DELAWARE - DRAWER CREEK \*\*\* PREHISTORIC LITHICS INVENTORY

Report Date: 10/28/97  
Report Page: 1

SRL, Delaware Site 7MC-6-143

ACCS#	CAT#	Koz#	PHS	AREA	STP	UNIT	STK	LEVEL	QUD	FEA	FLV	FQB	OTHEK	CATS	CLASS	MATERIAL	TYPE	CORTEX	CUMD	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
95/0013	337	1	1	16	036	-	B	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
95/0013	338	2	1	16	036A	-	C	-	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	1.2	-	-	-	-
95/0013	339	5	1	16	036C	-	A	-	-	-	-	-	-	-	Cracked Rock	-	-	-	-	8	202.2	-	-	-	-
95/0013	339	3	1	16	036C	-	A	-	-	-	-	-	-	-	Debitage	Khyolite	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
95/0013	339	4	1	16	036C	-	A	-	-	-	-	-	-	-	Debitage	Khyolite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
95/0013	340	6	1	16	040	-	A	-	-	-	-	-	-	-	Debitage	Quartz	Flake Shatter	Absent	-	1	0.7	-	-	-	-
95/0013	341	7	1	16	040	-	B	-	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	2	2	-	-	-	-
95/0013	342	8	1	16	040C	-	A	-	-	-	-	-	-	-	Debitage	Jasper	BiFace Reduction Flakes	Absent	-	1	0.2	-	-	-	-
95/0013	342	10	1	16	040C	-	A	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.8	-	-	-	-
95/0013	342	9	1	16	040C	-	A	-	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
95/0013	343	11	1	16	040D	-	A	-	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Block	-	1	1	-	-	-	-
95/0013	344	12	1	16	044	-	A	-	-	-	-	-	-	-	Cracked Rock	-	-	-	-	1	7.1	-	-	-	-
95/0013	345	13	1	16	048	-	D	-	-	-	-	-	-	-	Cracked Rock	-	-	-	-	2	5.2	-	-	-	-
95/0013	345	14	1	16	048	-	D	-	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.3	-	-	-	-
96/0023	329	1058	2	-	-	001	A	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	13	-	-	-	-
96/0023	329	1059	2	-	-	001	A	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	6.7	-	-	-	-
96/0023	330	1065	2	-	-	001	B	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	17.3	-	-	-	-
96/0023	330	1066	2	-	-	001	B	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	8.3	-	-	-	-
96/0023	330	1067	2	-	-	001	B	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	20	-	-	-	-
96/0023	330	1061	2	-	-	001	B	02	-	-	-	-	-	-	Debitage	Quartz	Decoritication Flakes	Cobble	-	1	8.1	-	-	-	-
96/0023	330	1060	2	-	-	001	B	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0023	330	1062	2	-	-	001	B	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0023	330	1063	2	-	-	001	B	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.7	-	-	-	-
96/0023	330	1064	2	-	-	001	B	02	-	-	-	-	-	-	Debitage	Quartz	Indeterminate Flakes	Absent	-	2	0.7	-	-	-	-



SK1, Delaware Site 7ND-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UDQ	FEA	FLV	FUD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0023	331	1068	2	-	-	001	B	03	-	-	-	-	-	-	-	Quartzite	Decortication Flakes	Cobble	-	1	1.	-	-	-	-
96/0023	332	1069	2	-	-	002	B	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	3.4	-	-	-	-
96/0023	332	1071	2	-	-	002	B	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0023	332	1070	2	-	-	002	B	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	1.7	-	-	-	-
96/0023	333	1072	2	-	-	002	B	03	-	-	-	-	-	-	-	Rhyolite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0023	334	1076	2	-	-	003	A	01	-	-	-	-	-	-	-	Quartzite	Freehand Cores	Absent	-	1	13.8	40.	22.	23	-
96/0023	334	1075	2	-	-	003	A	01	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	1	3.6	-	-	-	-
96/0023	334	1073	2	-	-	003	A	01	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	2	2.4	-	-	-	-
96/0023	334	1074	2	-	-	003	A	01	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	1	1.5	-	-	-	-
96/0023	335	1081	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Absent	-	6	2.2	-	-	-	-
96/0023	335	1077	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	2	13.	-	-	-	-
96/0023	335	1078	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	2	4.7	-	-	-	-
96/0023	335	1083	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	2	3.6	-	-	-	-
96/0023	335	1079	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartzite	Decortication Flakes	Cobble	-	1	0.4	-	-	-	-
96/0023	335	1080	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	29	40.3	-	-	-	-
96/0023	335	1082	2	-	-	003	B	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	25	9.4	-	-	-	-
96/0023	336	1091	2	-	-	003	B	03	-	-	-	-	-	-	-	Sandstone	-	-	-	1	231.8	-	-	-	-
96/0023	336	1086	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0023	336	1087	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Cobble	-	1	0.8	-	-	-	-
96/0023	336	1090	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	2	3.9	-	-	-	-
96/0023	336	1084	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Decortication Flakes	Cobble	-	1	0.5	-	-	-	-
96/0023	336	1085	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	17	7.7	-	-	-	-
96/0023	336	1088	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	8	3.1	-	-	-	-
96/0023	336	1089	2	-	-	003	B	03	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Cobble	-	1	1.4	-	-	-	-
96/0023	337	1095	2	-	-	003	B	04	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	1	1.1	-	-	-	-
96/0023	337	1093	2	-	-	003	B	04	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	2	1.	-	-	-	-
96/0023	337	1092	2	-	-	003	B	04	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-

ACCS#	CAT#	Row#	PMS	AREA	SIF	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0023	337	1094	2	-	-	003	B	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0023	338	1096	2	-	-	003	C	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	3.9	-	-	-	-
96/0023	339	1097	2	-	-	004	B	02	-	-	-	-	-	-	Debitage	Chert	Bipolar Reduction Flakes	Cobble	-	1	2.3	-	-	-	-
96/0023	340	1099	2	-	-	006	B	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	4.6	-	-	-	-
96/0023	340	1100	2	-	-	006	B	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	36.4	-	-	-	-
96/0023	340	1101	2	-	-	006	B	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	92.4	-	-	-	-
96/0023	340	1098	2	-	-	006	B	02	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	498.4	-	-	-	-
96/0023	341	1102	2	-	-	007	A	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	6.4	-	-	-	-
96/0023	342	1104	2	-	-	007	B	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	104.7	-	-	-	-
96/0023	342	1103	2	-	-	007	B	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	6.	-	-	-	-
96/0023	343	1105	2	-	-	008	A	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0023	344	1113	2	-	-	008	B	02	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	-	-	-	-	-	-
96/0023	344	1114	2	-	-	008	B	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	5	26.4	-	-	-	-
96/0023	344	1115	2	-	-	008	B	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	15.	-	-	-	-
96/0023	344	1111	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.3	-	-	-	-
96/0023	344	1106	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0023	344	1107	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	6.7	-	-	-	-
96/0023	344	1108	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.6	-	-	-	-
96/0023	344	1112	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1.8	-	-	-	-
96/0023	344	1109	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0023	344	1110	2	-	-	008	B	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0023	345	1117	2	-	-	008	B	04	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BAS	1	26.3	-	-	-	TRANSVERSE BREAK.
96/0023	345	1116	2	-	-	008	B	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0023	348	1122	2	-	-	011	A	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	2.6	-	-	-	-
96/0023	348	1123	2	-	-	011	A	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	18.4	-	-	-	-
96/0023	348	1119	2	-	-	011	A	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.7	-	-	-	-
96/0023	348	1120	2	-	-	011	A	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	3	39.8	-	-	-	-

ACCS#	CAT#	Box#	PHS AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLU	FQD	OTHER	CHTS CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0023	348	1118	2	-	011	A	01	-	-	-	-	-	-	Chert	Early Reduction	Absent	-	1	2.7	-	-	-	-
96/0023	348	1121	2	-	011	A	01	-	-	-	-	-	-	Quartzite	Early Reduction	Absent	-	2	2.7	-	-	-	-
96/0023	349	1134	2	-	011	B	02	-	-	-	-	-	-	Ironstone	-	-	-	3	2.7	-	-	-	-
96/0023	349	1135	2	-	011	B	02	-	-	-	-	-	-	Quartz	-	-	-	1	9.3	-	-	-	-
96/0023	349	1136	2	-	011	B	02	-	-	-	-	-	-	Quartzite	-	-	-	1	69.7	-	-	-	-
96/0023	349	1133	2	-	011	B	02	-	-	-	-	-	-	Sandstone	-	-	-	10	702.2	-	-	-	-
96/0023	349	1125	2	-	011	B	02	-	-	-	-	-	-	Chert	Block Shatter	Absent	-	1	1.7	-	-	-	-
96/0023	349	1124	2	-	011	B	02	-	-	-	-	-	-	Chert	Block Shatter	Cobble	-	2	10.3	-	-	-	ENDING.
96/0023	349	1132	2	-	011	B	02	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	1	1.8	-	-	-	-
96/0023	349	1126	2	-	011	B	02	-	-	-	-	-	-	Jasper	Early Reduction	Absent	-	1	0.2	-	-	-	-
96/0023	349	1127	2	-	011	B	02	-	-	-	-	-	-	Jasper	Early Reduction	Absent	-	3	1.2	-	-	-	-
96/0023	349	1128	2	-	011	B	02	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	4	0.5	-	-	-	-
96/0023	349	1130	2	-	011	B	02	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0023	349	1131	2	-	011	B	02	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0023	350	1137	2	-	011	B	03	-	-	-	-	-	-	Chert	Projectile Points	Absent	MHL	1	4.4	34	-	8.	8. BREKERTON EARED TRIANGLE OR FISHTAIL VARIANT; ONE EAR BROKEN; EDGE WEAR.
96/0023	350	1149	2	-	011	B	03	-	-	-	-	-	-	Jasper	-	-	-	1	1.2	-	-	-	-
96/0023	350	1151	2	-	011	B	03	-	-	-	-	-	-	Quartzite	-	-	-	4	10.7	-	-	-	-
96/0023	350	1150	2	-	011	B	03	-	-	-	-	-	-	Sandstone	-	-	-	1	1.3	-	-	-	-
96/0023	350	1143	2	-	011	B	03	-	-	-	-	-	-	Jasper	Biface Reduction	Absent	-	2	0.2	-	-	-	-
96/0023	350	1144	2	-	011	B	03	-	-	-	-	-	-	Jasper	Biface Reduction	Absent	-	1	0.3	-	-	-	-
96/0023	350	1139	2	-	011	B	03	-	-	-	-	-	-	Jasper	Decortication	Cobble	-	3	2.9	-	-	-	-
96/0023	350	1138	2	-	011	B	03	-	-	-	-	-	-	Chert	Early Reduction	Absent	-	1	0.3	-	-	-	-
96/0023	350	1140	2	-	011	B	03	-	-	-	-	-	-	Chert	Early Reduction	Absent	-	1	0.3	-	-	-	-
96/0023	350	1141	2	-	011	B	03	-	-	-	-	-	-	Jasper	Early Reduction	Absent	-	2	0.2	-	-	-	-

ACCS#	CAT#	R#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
%/0023	350	1142	2	-	-	011	B	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
%/0023	350	1147	2	-	-	011	B	03	-	-	-	-	-	-	Debitage	Rhyolite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
%/0023	350	1145	2	-	-	011	B	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	4	0.8	-	-	-	-
%/0023	350	1146	2	-	-	011	B	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	5	2.1	-	-	-	-
%/0023	350	1148	2	-	-	011	B	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-
%/0023	351	1156	2	-	-	011	B	04	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	12.	-	-	-	-
%/0023	351	1153	2	-	-	011	B	04	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
%/0023	351	1152	2	-	-	011	B	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
%/0023	351	1154	2	-	-	011	B	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.4	-	-	-	-
%/0023	351	1155	2	-	-	011	B	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	3	0.4	-	-	-	-
%/0023	353	1165	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
%/0023	353	1162	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
%/0023	353	1163	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
%/0023	353	1167	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.	-	-	-	-
%/0023	353	1164	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.4	-	-	-	-
%/0023	353	1166	2	-	-	011	B	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.6	-	-	-	-
%/0023	354	1169	2	-	-	011	B	07	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
%/0023	354	1170	2	-	-	011	B	07	-	-	-	-	-	-	Debitage	Jasper	Bipolar Reduction Flakes	Absent	-	1	0.1	-	-	-	-
%/0023	354	1168	2	-	-	011	B	07	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	2	0.8	-	-	-	-
%/0023	354	1171	2	-	-	011	B	07	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-
%/0023	354	1172	2	-	-	011	B	07	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
%/0023	352	1158	2	-	-	011	BC	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
%/0023	352	1161	2	-	-	011	BC	05	-	-	-	-	-	-	Debitage	Rhyolite	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-	-
%/0023	352	1157	2	-	-	011	BC	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.7	-	-	-	-
%/0023	352	1159	2	-	-	011	BC	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
%/0023	352	1160	2	-	-	011	BC	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
%/0023	355	1174	2	-	-	011	C	08	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLY	FOQ	OTHER	QNTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0023	355	1173	2	-	011	C	08	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0023	357	1175	2	-	013	A	01	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Cobble	-	1	13.1	-	-	-
96/0023	358	1176	2	-	013	B	02	-	-	-	-	-	-	Quartzite	Choppers	Cobble	WHL	1	358.1	108.	80.	30.
96/0023	358	1182	2	-	013	B	02	-	-	-	-	-	-	Sandstone	-	-	-	1	87.2	-	-	-
96/0023	358	1177	2	-	013	B	02	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-
96/0023	358	1179	2	-	013	B	02	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0023	358	1178	2	-	013	B	02	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	4	8.7	-	-	-
96/0023	358	1181	2	-	013	B	02	-	-	-	-	-	-	Quartz	Early Reduction Flakes	Cobble	-	1	0.9	-	-	-
96/0023	358	1180	2	-	013	B	02	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	4	0.8	-	-	-
96/0023	359	1187	2	-	013	B	03	-	-	-	-	-	-	Quartz	-	-	-	1	15.	-	-	-
96/0023	359	1183	2	-	013	B	03	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	3	0.3	-	-	-
96/0023	359	1184	2	-	013	B	03	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	0.1	-	-	-
96/0023	359	1185	2	-	013	B	03	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	5	1.2	-	-	-
96/0023	359	1186	2	-	013	B	03	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0023	360	1188	2	-	013	B	04	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0023	360	1189	2	-	013	B	04	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0023	360	1192	2	-	013	B	04	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.4	-	-	-
96/0023	360	1190	2	-	013	B	04	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-
96/0023	360	1191	2	-	013	B	04	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	2	0.4	-	-	-
96/0023	361	1194	2	-	013	C	05	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0023	361	1193	2	-	013	C	05	-	-	-	-	-	-	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0023	362	1195	2	-	013	-	-	-	-	-	-	-	-	Jasper	Decortication Flakes	Cobble	-	1	0.2	-	-	-
96/0023	363	1198	2	-	014	A	01	-	-	-	-	-	-	Jasper	Indeterminate Biface Fragments	Absent	BRK	1	0.9	-	-	-
96/0023	363	1201	2	-	014	A	01	-	-	-	-	-	-	Quartz	-	-	-	2	6.9	-	-	-
96/0023	363	1196	2	-	014	A	01	-	-	-	-	-	-	Chert	Decortication Flakes	Cobble	-	1	1.1	-	-	-
96/0023	363	1197	2	-	014	A	01	-	-	-	-	-	-	Chert	Indeterminate Flakes	Absent	-	1	1.7	-	-	-

SCL, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLY	FDP	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0023	363	1200	2	-	-	014	A	01	-	-	-	-	-	-	-	Metasedimentary	Indeterminate Flakes	Absent	-	1	1.	-	-	-	-
96/0023	363	1199	2	-	-	014	A	01	-	-	-	-	-	-	-	Jasper	Endscrapers	Cobble	-	1	4.3	20.	19.	12.	-
96/0023	364	1202	2	-	-	014	B	02	-	-	-	-	-	-	-	Quartz	-	-	-	1	57.7	-	-	-	-
96/0023	365	1203	2	-	-	014	C	03	-	-	-	-	-	-	-	Chert	Bipolar Cores	Cobble	-	1	10.9	31.	28.	15.	-
96/0023	365	1204	2	-	-	014	C	03	-	-	-	-	-	-	-	Jasper	Freehand Cores	Cobble	-	1	1.4	20.	12.	7.	-
96/0023	365	1214	2	-	-	014	C	03	-	-	-	-	-	-	-	Quartz	-	-	-	2	17.7	-	-	-	-
96/0023	365	1215	2	-	-	014	C	03	-	-	-	-	-	-	-	Quartzite	-	-	-	4	22.2	-	-	-	-
96/0023	365	1211	2	-	-	014	C	03	-	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	1	1.6	-	-	-	-
96/0023	365	1212	2	-	-	014	C	03	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	1	1.5	-	-	-	-
96/0023	365	1205	2	-	-	014	C	03	-	-	-	-	-	-	-	Jasper	Decoratation Flakes	Cobble	-	1	0.9	-	-	-	-
96/0023	365	1206	2	-	-	014	C	03	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0023	365	1210	2	-	-	014	C	03	-	-	-	-	-	-	-	Quartz	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0023	365	1207	2	-	-	014	C	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0023	365	1208	2	-	-	014	C	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0023	365	1209	2	-	-	014	C	03	-	-	-	-	-	-	-	Rhyolite	Flake Fragments	Absent	-	2	1.4	-	-	-	-
96/0023	365	1213	2	-	-	014	C	03	-	-	-	-	-	-	-	Sedimentary	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0023	366	1218	2	-	-	014	C	04	-	-	-	-	-	-	-	Quartz	Early Reduction Flakes	Absent	-	1	18.2	-	-	-	-
96/0023	366	1216	2	-	-	014	C	04	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0023	366	1220	2	-	-	014	C	04	-	-	-	-	-	-	-	Igneous	Flake Fragments	Absent	-	3	0.5	-	-	-	-
96/0023	366	1217	2	-	-	014	C	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0023	366	1219	2	-	-	014	C	04	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	277	2294	3	-	-	050	-	02	-	-	-	-	-	-	-	Sandstone	Pitted Cobbles	-	BRK	1	60.1	60.9	36.6	-	-
96/0037	286	2338	3	-	-	052	-	01	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	287	2297	3	-	-	052	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	2.3	-	-	-	-
96/0037	197	1698	3	-	-	054	-	0-50	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0037	364	2397	3	-	-	058	-	01	-	-	-	-	-	-	-	Quartzite	-	-	-	6	239.4	-	-	-	-
96/0037	365	2398	3	-	-	058	-	02	-	-	-	-	-	-	-	Quartzite	-	-	-	2	36.4	-	-	-	-

SRL, Delaware Site 7N0-B-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLV	FQD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	363	2396	3	-	058	-	02	-	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	366	2399	3	-	059	-	04	-	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	44.9	-	-	-	-
96/0037	367	2400	3	-	060	-	01	-	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	368	2401	3	-	061	-	01	-	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.6	-	-	-	-
96/0037	369	2402	3	-	061	-	02	-	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	370	2403	3	-	062	-	02	-	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	99.9	-	-	-	-
96/0037	1	1001	3	-	015	-	01	-	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	2.9	-	-	-	-
96/0037	1	1000	3	-	015	-	01	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1.8	-	-	-	-
96/0037	3	1010	3	-	015	-	02	-	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Absent	-	1	18.6	37.	31.	16.	-
96/0037	3	1012	3	-	015	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	3	1014	3	-	015	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	10.1	-	-	-	-
96/0037	3	1011	3	-	015	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	3	1013	3	-	015	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0037	4	1015	3	-	015	-	03	-	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	9	1039	3	-	016	-	02	-	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	1	42.8	-	-	-	-
96/0037	9	1037	3	-	016	-	02	-	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	297.6	-	-	-	-
96/0037	9	1038	3	-	016	-	02	-	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	121.6	-	-	-	-
96/0037	9	1036	3	-	016	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	2	44.4	-	-	-	-
96/0037	9	1035	3	-	016	-	02	-	-	-	-	-	-	-	UniFaces	Quartz	Utilized Flakes	Absent	-	1	17.	41.	34.	11.	CRUSHING
96/0037	10	1042	3	-	016	-	03	-	-	-	-	-	-	-	Bifaces	Quartz	Indeterminate Biface Fragments	Absent	-	BRK	1	6.3	-	-	-
96/0037	10	1043	3	-	016	-	03	-	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	288.	-	-	-	-
96/0037	10	1040	3	-	016	-	03	-	-	-	-	-	-	-	Debitage	Metasedimentary	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	10	1041	3	-	016	-	03	-	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	2	3.	-	-	-	-
96/0037	11	1044	3	-	016	-	04	-	-	-	-	-	-	-	Debitage	Quartzite	Decorification Flakes	Cobble	-	1	0.4	-	-	-	-
96/0037	11	1045	3	-	016	-	04	-	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	1.5	-	-	-	-
96/0037	13	1046	3	-	017	-	01	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	5.	-	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	13	1047	3	-	-	017	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	2.1	-	-	-	-
96/0037	14	1054	3	-	-	017	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Late-Stage Bifaces	Absent	BRK	1	7.6	-	24.	-	9. FLAT BASE; TRANSVERSE BREAK.
96/0037	14	1055	3	-	-	017	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	43.8	-	-	-	-
96/0037	14	1056	3	-	-	017	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	25.4	-	-	-	-
96/0037	14	1057	3	-	-	017	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	73.1	-	-	-	-
96/0037	14	1049	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	1.7	-	-	-	-
96/0037	14	1051	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	24.1	-	-	-	-
96/0037	14	1052	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	0.5	-	-	-	-
96/0037	14	1048	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	41	52.4	-	-	-	-
96/0037	14	1050	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	30	13.	-	-	-	-
96/0037	14	1053	3	-	-	017	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.2	-	-	-	-
96/0037	16	3111	3	-	-	017	-	03	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	BAS	1	7.	-	26.8	-	8. LATE-STAGE BIFACE; CONCAVE BASE.
96/0037	16	3112	3	-	-	017	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	48.9	-	-	-	-
96/0037	16	3113	3	-	-	017	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	10	19.9	-	-	-	-
96/0037	16	3114	3	-	-	017	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	629.3	-	-	-	-
96/0037	16	3105	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	0.8	-	-	-	-
96/0037	16	3110	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	16	87.6	-	-	-	-
96/0037	16	3104	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Decor-tation Flakes	Block	-	1	1.5	-	-	-	-
96/0037	16	3103	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	2.	-	-	-	-
96/0037	16	3101	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	47	23.2	-	-	-	-
96/0037	16	3102	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	16	3106	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	16	3107	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	55	14.1	-	-	-	-
96/0037	16	3108	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	16	3109	3	-	-	017	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	3	0.3	-	-	-	-



ACCS#	CAT#	Room#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLY	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	17	7	3	-	-	017	-	04	-	-	-	-	-	-	Bifaces	Quartz	Indeterminate Biface Fragments	Absent	BRK	1	4.5	-	28.5	8.8	-
96/0037	17	8	3	-	-	017	-	04	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	4	37.5	-	-	-	-
96/0037	17	3	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	0.9	-	-	-	-
96/0037	17	5	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	17	2	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	17	1	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	13	6.1	-	-	-	-
96/0037	17	4	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	32	8.9	-	-	-	-
96/0037	17	6	3	-	-	017	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	18	10	3	-	-	017	-	05	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	6	1.2	-	-	-	-
96/0037	18	13	3	-	-	017	-	05	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	1.2	-	-	-	-
96/0037	18	9	3	-	-	017	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	2.1	-	-	-	-
96/0037	18	12	3	-	-	017	-	05	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
96/0037	18	11	3	-	-	017	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	5	1.4	-	-	-	-
96/0037	20	3125	3	-	-	017	-	06	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	1.3	-	-	-	-
96/0037	20	3122	3	-	-	017	-	06	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	20	3124	3	-	-	017	-	06	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	2.4	-	-	-	-
96/0037	20	3120	3	-	-	017	-	06	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	1.2	-	-	-	-
96/0037	20	3121	3	-	-	017	-	06	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	20	3123	3	-	-	017	-	06	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	0.8	-	-	-	-
96/0037	21	3122	3	-	-	018	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	4	11.2	-	-	-	-
96/0037	21	3128	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	21	3131	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Block	-	1	9.	-	-	-	-
96/0037	21	3126	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	9	8.3	-	-	-	-
96/0037	21	3127	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	2	2.2	-	-	-	-
96/0037	21	3130	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	21	3129	3	-	-	018	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	8	3.8	-	-	-	-

ACCS#	CAT#	Row#	PHS AREA	STP	UNIT	STR LEVEL	UBD	FEA	FLY	FQD	OTHER	QNTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	22	3146	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Late-Stage Bifaces	Absent	BRK	1	13.1	-	18.8	10	-
96/0037	22	3147	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	2.2	-	-	-	-
96/0037	22	3153	3	-	018	-	02	-	-	-	FLOT	-	Chert	-	-	-	2	6.8	-	-	-	-
96/0037	22	3154	3	-	018	-	02	-	-	-	FLOT	-	Chert	-	-	-	1	0.2	-	-	-	-
96/0037	22	3155	3	-	018	-	02	-	-	-	FLOT	-	Jasper	-	-	-	1	0.1	-	-	-	-
96/0037	22	3152	3	-	018	-	02	-	-	-	FLOT	-	Metasedimentary	-	-	-	1	68.9	-	-	-	-
96/0037	22	3151	3	-	018	-	02	-	-	-	FLOT	-	Quartz	-	-	-	1	13	-	-	-	-
96/0037	22	3149	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	-	-	-	41	495.4	-	-	-	-
96/0037	22	3148	3	-	018	-	02	-	-	-	FLOT	-	Sandstone	-	-	-	8	723.7	-	-	-	-
96/0037	22	3150	3	-	018	-	02	-	-	-	FLOT	-	Siltstone	-	-	-	1	141.4	-	-	-	-
96/0037	22	3137	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-	-
96/0037	22	3143	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Block Shatter	Absent	-	13	35.3	-	-	-	-
96/0037	22	3145	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Block Shatter	Block	-	6	138.2	-	-	-	-
96/0037	22	3144	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Block Shatter	Cobble	-	3	8.4	-	-	-	-
96/0037	22	3136	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Decorification Flakes	Cobble	-	1	4.4	-	-	-	-
96/0037	22	3135	3	-	018	-	02	-	-	-	FLOT	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	22	3133	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Early Reduction Flakes	Absent	-	94	78.1	-	-	-	-
96/0037	22	3134	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Early Reduction Flakes	Block	-	1	3.6	-	-	-	-
96/0037	22	3139	3	-	018	-	02	-	-	-	FLOT	-	Chalcedony	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	22	3140	3	-	018	-	02	-	-	-	FLOT	-	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	1.1	-	-	-	-
96/0037	22	3138	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Flake Fragments	Absent	-	77	22.9	-	-	-	-
96/0037	22	3141	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Flake Shatter	Absent	-	5	0.6	-	-	-	-
96/0037	22	3142	3	-	018	-	02	-	-	-	FLOT	-	Quartzite	Pressure Flakes	Absent	-	4	0.5	-	-	-	-
96/0037	24	56	3	-	018	-	03	-	-	-	FLOT	-	Quartzite	Late-Stage Bifaces	Absent	BRK	1	14.4	-	30.4	13	-
96/0037	24	58	3	-	018	-	03	-	-	-	FLOT	-	Quartz	-	-	-	4	660.1	-	-	-	-
96/0037	24	57	3	-	018	-	03	-	-	-	FLOT	-	Quartzite	-	-	-	3	32.5	-	-	-	-
96/0037	24	50	3	-	018	-	03	-	-	-	FLOT	-	Quartzite	Biface Reduction Flakes	Absent	-	10	3.2	-	-	-	-

ACCNUM	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQP	FEA	FLV	FQP	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	24	55	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.3	-	-	-	-
96/0037	24	54	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Absent	-	2	9.6	-	-	-	-
96/0037	24	49	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	20	7.6	-	-	-	-
96/0037	24	52	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	24	51	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	34	20	-	-	-	-
96/0037	24	53	3	-	-	018	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.7	-	-	-	-
96/0037	26	67	3	-	-	018	-	04	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	1	0.8	-	-	-	-
96/0037	26	63	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	1.3	-	-	-	-
96/0037	26	66	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Absent	-	1	14.6	-	-	-	-
96/0037	26	62	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
96/0037	26	61	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	6	10.4	-	-	-	-
96/0037	26	64	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	11	4.3	-	-	-	-
96/0037	26	65	3	-	-	018	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Shatter	Absent	-	3	0.5	-	-	-	-
96/0037	27	69	3	-	-	018	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	27	68	3	-	-	018	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	27	70	3	-	-	018	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	1.4	-	-	-	-
96/0037	27	71	3	-	-	018	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	35	3172	3	-	-	019	-	01	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BKK	1	6.8	39.8	-	9	-
96/0037	35	3173	3	-	-	019	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	9.2	-	-	-	-
96/0037	35	3171	3	-	-	019	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	5	25.6	-	-	-	-
96/0037	35	3168	3	-	-	019	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	35	3166	3	-	-	019	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	22	22.1	-	-	-	-
96/0037	35	3167	3	-	-	019	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	2	7.2	-	-	-	-
96/0037	35	3170	3	-	-	019	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	19	8.8	-	-	-	-
96/0037	38	512	3	-	-	019	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	Flake Fragments	Block	-	1	0.8	-	-	-	-
96/0037	38	516	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	1.2	-	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLU	FQD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	38	519	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	1.1	-	-	-	-
96/0037	38	518	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	2	3.6	-	-	-	-
96/0037	38	511	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.5	-	-	-	-
96/0037	38	513	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	32	18.5	-	-	-	-
96/0037	38	514	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	45	32.6	-	-	-	-
96/0037	38	515	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	2	8.4	-	-	-	-
96/0037	38	517	3	-	-	019	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	10	1.8	-	-	-	-
96/0037	41	523	3	-	-	019	-	03	-	-	-	-	-	-	Bifaces	Quartzite	Late-Stage Bifaces	Absent	BKK	1	3	-	-	-	-
96/0037	41	524	3	-	-	019	-	03	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	1.8	-	-	-	-
96/0037	41	525	3	-	-	019	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	12	11.2	-	-	-	-
96/0037	41	526	3	-	-	019	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	18	5.9	-	-	-	-
96/0037	41	527	3	-	-	019	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	4.7	-	-	-	-
96/0037	41	528	3	-	-	019	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	4	0.6	-	-	-	-
96/0037	44	534	3	-	-	019	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	1.7	-	-	-	-
96/0037	44	535	3	-	-	019	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.2	-	-	-	-
96/0037	45	536	3	-	-	019	-	05	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	45	537	3	-	-	019	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.7	-	-	-	-
96/0037	48	539	3	-	-	019	-	06	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	48	540	3	-	-	019	-	06	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	52	547	3	-	-	020	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	4	13.5	-	-	-	-
96/0037	52	548	3	-	-	020	-	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	3	1.5	-	-	-	-
96/0037	52	549	3	-	-	020	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	1.9	-	-	-	-
96/0037	52	550	3	-	-	020	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	8	10.5	-	-	-	-
96/0037	52	551	3	-	-	020	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	2	2.6	-	-	-	-
96/0037	52	552	3	-	-	020	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	9	5.3	-	-	-	-
96/0037	54	557	3	-	-	020	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	35.5	-	-	-	-
96/0037	54	559	3	-	-	020	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	47.2	-	-	-	-

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	54	558	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	4	37	-	-	-	-
96/0037	54	564	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	1.1	-	-	-	-
96/0037	54	563	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	5	16.5	-	-	-	-
96/0037	54	565	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	11	-	-	-	FLAKES STRUCK OFF VENTRAL FACE.
96/0037	54	566	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Metasedimentary	Decortication Flakes	Cobble	-	1	3.8	-	-	-	-
96/0037	54	556	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	54	560	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	9	4.7	-	-	-	-
96/0037	54	561	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	20	8.3	-	-	-	-
96/0037	54	562	3	-	-	020	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Cobble	-	1	0.2	-	-	-	-
96/0037	54	555	3	-	-	020	-	02	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	40.7	-	-	-	-
96/0037	59	585	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	1.3	-	-	-	-
96/0037	59	589	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.9	-	-	-	-
96/0037	59	588	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	2	5.4	-	-	-	-
96/0037	59	586	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	2.8	-	-	-	-
96/0037	59	583	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	59	584	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	1.9	-	-	-	-
96/0037	59	587	3	-	-	020	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	1.2	-	-	-	-
96/0037	61	592	3	-	-	020	-	04	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	2	13.3	-	-	-	-
96/0037	61	593	3	-	-	020	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	2.9	-	-	-	-
96/0037	61	594	3	-	-	020	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	61	591	3	-	-	020	-	04	-	-	-	-	-	-	Unmodified Cobbles	Conglomerate	-	-	-	1	7.8	-	-	-	-
96/0037	65	605	3	-	-	020	-	05	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	2	1.3	-	-	-	-
96/0037	65	604	3	-	-	020	-	05	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	13.5	-	-	-	-
96/0037	70	618	3	-	-	021	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	55.1	-	-	-	-
96/0037	70	619	3	-	-	021	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	49	-	-	-	-
96/0037	70	620	3	-	-	021	-	01	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Cobble	-	1	16.7	-	-	-	-

ACCS#	CAT#	Row#	PMS AREA	STP	UNIT	STR LEVEL	UDD	FEA	FLV	FDD	OTHER	CATS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	70	622	3	-	021	-	01	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	0.9	-	-	-
96/0037	70	623	3	-	021	-	01	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	4	125.8	-	-	-
96/0037	70	621	3	-	021	-	01	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	70	624	3	-	021	-	01	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1.6	-	-	-
96/0037	70	625	3	-	021	-	01	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.6	-	-	-
96/0037	70	617	3	-	021	-	01	-	-	-	-	-	Unmodified Pebbles	Jasper	-	-	1	31.3	-	-	-	-
96/0037	71	627	3	-	021	-	02	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.5	-	-	-
96/0037	71	628	3	-	021	-	02	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	2.4	-	-	-
96/0037	71	629	3	-	021	-	02	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	21.5	-	-	-
96/0037	71	626	3	-	021	-	02	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	1.2	-	-	-
96/0037	74	633	3	-	021	-	03	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	4.1	-	-	-
96/0037	74	636	3	-	021	-	03	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	13	-	-	-
96/0037	74	635	3	-	021	-	03	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	2	7.4	-	-	-
96/0037	74	634	3	-	021	-	03	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1	-	-	-
96/0037	74	632	3	-	021	-	03	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	2	2.3	-	-	-
96/0037	74	631	3	-	021	-	03	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0037	78	654	3	-	021	-	04	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	3.2	-	-	-	-
96/0037	78	655	3	-	021	-	04	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	335.9	-	-	-	-
96/0037	83	148	3	-	022	-	01	-	-	-	FL0T	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	5.3	-	-	-
96/0037	87	169	3	-	022	-	02	-	-	-	FL0T	-	Cracked Rock	Chert	-	-	1	8.5	-	-	-	-
96/0037	87	170	3	-	022	-	02	-	-	-	FL0T	-	Cracked Rock	Quartz	-	-	1	31.1	-	-	-	-
96/0037	87	171	3	-	022	-	02	-	-	-	FL0T	-	Cracked Rock	Quartzite	-	-	1	32.4	-	-	-	-
96/0037	87	168	3	-	022	-	02	-	-	-	FL0T	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-
96/0037	93	852	3	-	022	-	03	-	-	-	FL0T	-	Cracked Rock	Quartzite	-	-	3	234.4	-	-	-	-
96/0037	2	1008	3	-	023	-	01	-	-	-	FL0T	-	Cracked Rock	Sandstone	-	-	2	196.6	-	-	-	-
96/0037	2	1009	3	-	023	-	01	-	-	-	FL0T	-	Cracked Rock	Siltstone	-	-	1	0.2	-	-	-	-
96/0037	2	1006	3	-	023	-	01	-	-	-	FL0T	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	0.4	-	-	-

SKI, Delaware Site 7NC-6-143

ACCNS#	CAT#	Box#	PHS AREA	STP	UNIT	STR LEVEL	UDD	FEA	FLV	FOD	OTHER	QNTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	2	1005	3	-	023	-	01	-	-	-	FLOT	-	Debitage	Decoritication Flakes	Cobble	-	1	0.4	-	-	-
96/0037	2	1007	3	-	023	-	01	-	-	-	FLOT	-	Siltstone	Decoritication Flakes	Cobble	-	1	0.5	-	-	-
96/0037	2	1003	3	-	023	-	01	-	-	-	FLOT	-	Jasper	Early Reduction Flakes	Absent	-	3	1.9	-	-	-
96/0037	2	1004	3	-	023	-	01	-	-	-	FLOT	-	Rhyolite	Early Reduction Flakes	Absent	-	1	4.6	-	-	-
96/0037	2	1002	3	-	023	-	01	-	-	-	FLOT	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	5	1023	3	-	023	-	02	-	-	-	FLOT	-	Quartz	-	-	-	4	231.	-	-	-
96/0037	5	1024	3	-	023	-	02	-	-	-	FLOT	-	Siltstone	-	-	-	6	187.6	-	-	-
96/0037	5	1020	3	-	023	-	02	-	-	-	FLOT	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
96/0037	5	1016	3	-	023	-	02	-	-	-	FLOT	-	Chert	Decoritication Flakes	Cobble	-	1	0.2	-	-	-
96/0037	5	1018	3	-	023	-	02	-	-	-	FLOT	-	Jasper	Decoritication Flakes	Cobble	-	1	0.5	-	-	-
96/0037	5	1019	3	-	023	-	02	-	-	-	FLOT	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.9	-	-	-
96/0037	5	1017	3	-	023	-	02	-	-	-	FLOT	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	5	1021	3	-	023	-	02	-	-	-	FLOT	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	5	1021	3	-	023	-	02	-	-	-	FLOT	-	Unmodified Cobbles Chert	-	-	-	1	67.4	-	-	-
96/0037	5	1022	3	-	023	-	02	-	-	-	FLOT	-	Unmodified Cobbles Quartz	-	-	-	5	565.5	-	-	-
96/0037	5	1022	3	-	023	-	02	-	-	-	FLOT	-	Unmodified Cobbles Siltstone	-	-	-	6	428.8	-	-	-
96/0037	6	1032	3	-	023	-	03	-	-	-	FLOT	-	Cracked Rock	-	-	-	1	19.2	-	-	FOLDED.
96/0037	6	1033	3	-	023	-	03	-	-	-	FLOT	-	Cracked Rock	-	-	-	3	216.	-	-	-
96/0037	6	1026	3	-	023	-	03	-	-	-	FLOT	-	Jasper	Decoritication Flakes	Cobble	-	1	0.2	-	-	-
96/0037	6	1031	3	-	023	-	03	-	-	-	FLOT	-	Quartz	Decoritication Flakes	Cobble	-	1	0.6	-	-	-
96/0037	6	1027	3	-	023	-	03	-	-	-	FLOT	-	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	6	1028	3	-	023	-	03	-	-	-	FLOT	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-
96/0037	6	1025	3	-	023	-	03	-	-	-	FLOT	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	6	1029	3	-	023	-	03	-	-	-	FLOT	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	6	1030	3	-	023	-	03	-	-	-	FLOT	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	6	1034	3	-	023	-	03	-	-	-	FLOT	-	Unmodified Cobbles Quartz	-	-	-	2	188.4	-	-	-
96/0037	53	553	3	-	024	-	01	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	2	0.4	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CRT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FER	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	53	554	3	-	-	024	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.9	-	-	-	-
96/0037	57	575	3	-	-	024	-	02	-	-	-	-	-	-	-	Chert	Block Shatter	Absent	-	1	1.4	-	-	-	-
96/0037	57	580	3	-	-	024	-	02	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	1	0.2	-	-	-	-
96/0037	57	573	3	-	-	024	-	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	2	1.3	-	-	-	-
96/0037	57	572	3	-	-	024	-	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	2	61.4	-	-	-	-
96/0037	57	578	3	-	-	024	-	02	-	-	-	-	-	-	-	Jasper	Decoratation Flakes	Cobble	-	1	2.8	-	-	-	-
96/0037	57	571	3	-	-	024	-	02	-	-	-	-	-	-	-	Quartz	Decoratation Flakes	Cobble	-	1	33.5	-	-	-	-
96/0037	57	574	3	-	-	024	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	3	0.6	-	-	-	-
96/0037	57	576	3	-	-	024	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	57	577	3	-	-	024	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	57	581	3	-	-	024	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	3	0.6	-	-	-	-
96/0037	57	579	3	-	-	024	-	02	-	-	-	-	-	-	-	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	57	570	3	-	-	024	-	02	-	-	-	-	-	-	-	Unmodified Cobbles Sandstone	-	-	-	1	440.9	-	-	-	-
96/0037	62	595	3	-	-	024	-	03	-	-	-	-	-	-	-	Cracked Rock	-	-	-	1	249.4	-	-	-	-
96/0037	62	599	3	-	-	024	-	03	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	1	0.2	-	-	-	-
96/0037	62	596	3	-	-	024	-	03	-	-	-	-	-	-	-	Quartzite	Block Shatter	Cobble	-	1	7.7	-	-	-	-
96/0037	62	598	3	-	-	024	-	03	-	-	-	-	-	-	-	Jasper	Decoratation Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	62	597	3	-	-	024	-	03	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	2	1.1	-	-	-	-
96/0037	66	607	3	-	-	024	-	04	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	1	3.4	-	-	-	-
96/0037	66	608	3	-	-	024	-	04	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	1	0.5	-	-	-	-
96/0037	66	606	3	-	-	024	-	04	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	37	508	3	-	-	025	-	02	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	1	6.7	-	-	-	-
96/0037	37	509	3	-	-	025	-	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	1	1.	-	-	-	-
96/0037	37	507	3	-	-	025	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	37	510	3	-	-	025	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Cobble	-	1	16.7	-	-	-	-
96/0037	43	533	3	-	-	025	-	03	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	1	3.3	-	-	-	-
96/0037	51	541	3	-	-	026	-	01	-	-	-	-	-	-	-	Cracked Rock	-	-	-	1	70.	-	-	-	-



ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FDD	OTHER	QNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	51	546	3	-	-	026	-	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	6.6	-	-	-	-
96/0037	51	544	3	-	-	026	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	1.4	-	-	-	-
96/0037	51	542	3	-	-	026	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	51	543	3	-	-	026	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	51	545	3	-	-	026	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	55	569	3	-	-	026	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	1.	-	-	-	-
96/0037	55	568	3	-	-	026	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	60	590	3	-	-	026	-	03	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	1.3	-	-	-	-
96/0037	72	19	3	-	-	027	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	17.5	-	-	-	-
96/0037	72	20	3	-	-	027	-	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	36.7	-	-	-	-
96/0037	72	17	3	-	-	027	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	72	18	3	-	-	027	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0037	79	25	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Jasper	BiFace Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	79	29	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Cobble	-	1	4.	-	-	-	-
96/0037	79	23	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.8	-	-	-	-
96/0037	79	22	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	79	24	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	5	3.8	-	-	-	-
96/0037	79	21	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	1.6	-	-	-	-
96/0037	79	26	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.7	-	-	-	-
96/0037	79	27	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.3	-	-	-	-
96/0037	79	28	3	-	-	027	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.7	-	-	-	-
96/0037	85	30	3	-	-	027	-	03	-	-	-	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	85	31	3	-	-	027	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	85	32	3	-	-	027	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	85	33	3	-	-	027	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	1.4	-	-	-	-
96/0037	85	34	3	-	-	027	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	86	166	3	-	-	027	-	04	-	-	-	-	FL0T	-	Cracked Rock	Jasper	-	-	-	1	1.3	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	ROW#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	86	167	3	-	-	027	-	04	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	1	0.5	-	-	-	-	
96/0037	86	165	3	-	-	027	-	04	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	3	112.	-	-	-	-	RENDS
96/0037	86	164	3	-	-	027	-	04	-	-	-	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	1	11.9	-	-	-	-	
96/0037	86	155	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.2	-	-	-	-	
96/0037	86	157	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Cobble	-	2	1.9	-	-	-	-	
96/0037	86	156	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	6	0.8	-	-	-	-	
96/0037	86	154	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.5	-	-	-	-	
96/0037	86	158	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	4	0.9	-	-	-	-	
96/0037	86	159	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.3	-	-	-	-	
96/0037	86	161	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.4	-	-	-	-	
96/0037	86	160	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-	
96/0037	86	162	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	4	0.9	-	-	-	-	
96/0037	86	163	3	-	-	027	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.3	-	-	-	-	
96/0037	92	675	3	-	-	027	-	05	-	-	-	-	FLOT	-	Cobble Tools	Siltstone	Abraders	Cobble	-	1	102.1	89.	37.	27.	POSSIBLY ALSO HAMMERSTONE.	
96/0037	92	678	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Chert	Decortication Flakes	Cobble	-	1	0.6	-	-	-	-	
96/0037	92	682	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	1.6	-	-	-	-	
96/0037	92	677	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-	
96/0037	92	681	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	6	3.5	-	-	-	-	
96/0037	92	676	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Rhyolite	Early Reduction Flakes	Absent	-	1	4.7	-	-	-	-	
96/0037	92	679	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.2	-	-	-	-	
96/0037	92	680	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Cobble	-	2	3.6	-	-	-	-	
96/0037	92	683	3	-	-	027	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.6	-	-	-	-	
96/0037	100	2910	3	-	-	027	-	06	-	-	-	-	FLOT	-	Cracked Rock	Chert	-	-	-	1	1.1	-	-	-	-	
96/0037	100	2908	3	-	-	027	-	06	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	4	1.1	-	-	-	-	
96/0037	100	2909	3	-	-	027	-	06	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	1	0.2	-	-	-	-	
96/0037	100	2907	3	-	-	027	-	06	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	2	61.6	-	-	-	-	

SK1, Delaware Site 7WC-6-143

ACC#	CAT#	QTY	PHS AREA	STP	UNIT	STR LEVEL	QUD	FEA	FLV	FOD	OTHER	CMTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	100	2905	3	-	027	-	06	-	-	-	FL0T	-	Sandstone	-	-	-	6	316.5	-	-	-
96/0037	100	2906	3	-	027	-	06	-	-	-	FL0T	-	Siltstone	-	-	-	5	81.7	-	-	-
96/0037	100	2902	3	-	027	-	06	-	-	-	FL0T	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	100	2900	3	-	027	-	06	-	-	-	FL0T	-	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	100	2901	3	-	027	-	06	-	-	-	FL0T	-	Jasper	Early Reduction Flakes	Cobble	-	1	1.	-	-	-
96/0037	100	2903	3	-	027	-	06	-	-	-	FL0T	-	Jasper	Flake Fragments	Absent	-	5	1.1	-	-	-
96/0037	100	2904	3	-	027	-	06	-	-	-	FL0T	-	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-
96/0037	106	135	3	-	027	-	07	-	-	-	FL0T	-	Ironstone	-	-	-	1	4.9	-	-	-
96/0037	106	133	3	-	027	-	07	-	-	-	FL0T	-	Jasper	Biface Reduction Flakes	Absent	-	3	0.4	-	-	-
96/0037	106	134	3	-	027	-	07	-	-	-	FL0T	-	Jasper	Early Reduction Flakes	Cobble	-	1	1.	-	-	-
96/0037	109	143	3	-	027	-	08	-	-	-	FL0T	-	Chert	Early Reduction Flakes	Absent	-	1	0.7	-	-	-
96/0037	109	142	3	-	027	-	08	-	-	-	FL0T	-	Jasper	Flake Fragments	Absent	-	1	0.3	-	-	-
96/0037	121	106	3	-	028	-	01	-	-	-	FL0T	-	Quartzite	-	-	-	1	1.7	-	-	-
96/0037	121	103	3	-	028	-	01	-	-	-	FL0T	-	Chert	Biface Reduction Flakes	Cobble	-	1	0.1	-	-	-
96/0037	121	104	3	-	028	-	01	-	-	-	FL0T	-	Chert	Flake Fragments	Cobble	-	1	0.1	-	-	-
96/0037	121	105	3	-	028	-	01	-	-	-	FL0T	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	124	214	3	-	028	-	02	-	-	-	FL0T	-	Chert	-	-	-	2	1.9	-	-	-
96/0037	124	213	3	-	028	-	02	-	-	-	FL0T	-	Quartzite	-	-	-	1	121.7	-	-	-
96/0037	124	212	3	-	028	-	02	-	-	-	FL0T	-	Siltstone	-	-	-	1	70.	-	-	-
96/0037	124	207	3	-	028	-	02	-	-	-	FL0T	-	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	124	206	3	-	028	-	02	-	-	-	FL0T	-	Jasper	Decortication Flakes	Cobble	-	1	0.3	-	-	-
96/0037	124	204	3	-	028	-	02	-	-	-	FL0T	-	Jasper	Early Reduction Flakes	Absent	-	2	0.8	-	-	-
96/0037	124	205	3	-	028	-	02	-	-	-	FL0T	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-
96/0037	124	209	3	-	028	-	02	-	-	-	FL0T	-	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-
96/0037	124	211	3	-	028	-	02	-	-	-	FL0T	-	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	124	208	3	-	028	-	02	-	-	-	FL0T	-	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-
96/0037	124	210	3	-	028	-	02	-	-	-	FL0T	-	Jasper	Flake Fragments	Cobble	-	2	0.3	-	-	-

SR1, Delaware Site 7MC-6-143

ACCESS#	CAT#	Row#	PMS AREA	STP	UNIT	STK LEVEL	UDD	FEA	FLV	FOD	OTHER	CNTS CLASS	MATERIAL	TYPE	CORTEX	COMD COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	130	241	3	-	028	-	03	-	-	-	-	-	Cracked Rock	Chert	-	1	0.8	-	-	-	-
96/0037	130	242	3	-	028	-	03	-	-	-	-	-	Cracked Rock	Jasper	-	1	3.5	-	-	-	-
96/0037	130	240	3	-	028	-	03	-	-	-	-	-	Cracked Rock	Quartzite	-	10	374.2	-	-	-	-
96/0037	130	243	3	-	028	-	03	-	-	-	-	-	Cracked Rock	Siltstone	-	2	223.1	-	-	-	-
96/0037	130	231	3	-	028	-	03	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	4	0.6	-	-	-
96/0037	130	232	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	4	0.9	-	-	-
96/0037	130	230	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Decorication Flakes	Cobble	1	0.2	-	-	-
96/0037	130	229	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	2	0.5	-	-	-
96/0037	130	235	3	-	028	-	03	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	8	1.9	-	-	-
96/0037	130	236	3	-	028	-	03	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	3	0.7	-	-	-
96/0037	130	238	3	-	028	-	03	-	-	-	-	-	Debitage	Indeterminate	Flake Fragments	Absent	1	0.9	-	-	-
96/0037	130	233	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	5	0.9	-	-	-
96/0037	130	234	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	2	0.5	-	-	-
96/0037	130	237	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	5	1.2	-	-	-
96/0037	130	239	3	-	028	-	03	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	2	0.3	-	-	-
96/0037	130	244	3	-	028	-	03	-	-	-	-	-	Unmodified Pebbles Sandstone	Jasper	-	1	67.9	-	-	-	-
96/0037	135	394	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Chert	-	6	6.6	-	-	-	-
96/0037	135	396	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Jasper	-	7	2.7	-	-	-	-
96/0037	135	397	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Jasper	-	1	0.3	-	-	-	-
96/0037	135	395	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Quartz	-	1	24.6	-	-	-	-
96/0037	135	398	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Quartzite	-	4	244.7	-	-	-	-
96/0037	135	399	3	-	028	-	04	-	-	-	C14	-	Cracked Rock	Siltstone	-	1	133.7	-	-	-	-
96/0037	135	382	3	-	028	-	04	-	-	-	C14	-	Debitage	Chert	Biface Reduction Flakes	Absent	2	0.3	-	-	-
96/0037	135	383	3	-	028	-	04	-	-	-	C14	-	Debitage	Jasper	Biface Reduction Flakes	Absent	6	1.4	-	-	-
96/0037	135	384	3	-	028	-	04	-	-	-	C14	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	1	0.6	-	-	-
96/0037	135	378	3	-	028	-	04	-	-	-	C14	-	Debitage	Chert	Early Reduction Flakes	Absent	1	0.6	-	-	-
96/0037	135	379	3	-	028	-	04	-	-	-	C14	-	Debitage	Jasper	Early Reduction Flakes	Absent	1	0.6	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	U00	FEA	FLV	F00	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	135	381	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	3	1.8	-	-	-	-
96/0037	135	380	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	135	377	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	3.	-	-	-	-
96/0037	135	385	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.9	-	-	-	-
96/0037	135	389	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Chert	Flake Fragments	Cobble	-	2	0.6	-	-	-	-
96/0037	135	390	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.9	-	-	-	-
96/0037	135	387	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Jasper	Flake Fragments	Absent	-	8	1.4	-	-	-	-
96/0037	135	388	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Jasper	Flake Fragments	Cobble	-	3	1.7	-	-	-	-
96/0037	135	386	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	135	392	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	135	391	3	-	-	028	-	04	-	-	-	-	C14	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	135	393	3	-	-	028	-	04	-	-	-	-	C14	-	Unmodified Pebbles Indeterminate				-	1	29.4	-	-	-	-
96/0037	136	411	3	-	-	028	-	05	-	-	-	-	-	-	Cracked Rock	Jasper			-	4	0.9	-	-	-	-
96/0037	136	414	3	-	-	028	-	05	-	-	-	-	-	-	Cracked Rock	Quartz			-	1	3.4	-	-	-	-
96/0037	136	412	3	-	-	028	-	05	-	-	-	-	-	-	Cracked Rock	Quartzite			-	3	80.8	-	-	-	-
96/0037	136	410	3	-	-	028	-	05	-	-	-	-	-	-	Cracked Rock	Sandstone			-	1	148.6	-	-	-	-
96/0037	136	404	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	136	403	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.	-	-	-	-
96/0037	136	405	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	136	402	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Decorative Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	136	401	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	2	0.8	-	-	-	-
96/0037	136	400	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	136	406	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	6	0.6	-	-	-	-
96/0037	136	408	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	2	2.6	-	-	-	-
96/0037	136	407	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	9	1.1	-	-	-	-
96/0037	136	409	3	-	-	028	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	3	1.9	-	-	-	-
96/0037	136	413	3	-	-	028	-	05	-	-	-	-	-	-	Unmodified Pebbles Indeterminate				-	1	23.4	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	140	422	3	-	-	028	-	06	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.2	-	-	-	-
96/0037	140	421	3	-	-	028	-	06	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	94.8	-	-	-	-
96/0037	140	417	3	-	-	028	-	06	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	1.4	-	-	-	-
96/0037	140	418	3	-	-	028	-	06	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	5	1.9	-	-	-	-	
96/0037	140	419	3	-	-	028	-	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	6	0.7	-	-	-	-	
96/0037	140	420	3	-	-	028	-	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Block	2	0.5	-	-	-	-	
96/0037	140	424	3	-	-	028	-	06	-	-	-	-	-	-	Unmodified Pebbles	Indeterminate	-	-	-	1	53.7	-	-	-	-
96/0037	140	423	3	-	-	028	-	06	-	-	-	-	-	-	Unmodified Pebbles	Quartzite	-	-	-	1	54.1	-	-	-	-
96/0037	146	360	3	-	-	028	-	07	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Cobble	1	0.1	-	-	-	-	
96/0037	146	359	3	-	-	028	-	07	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	1	0.1	-	-	-	-	
96/0037	146	361	3	-	-	028	-	07	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	3	0.3	-	-	-	-	
96/0037	146	362	3	-	-	028	-	07	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	1	0.4	-	-	-	-	
96/0037	146	363	3	-	-	028	-	07	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	2	0.2	-	-	-	-	
96/0037	147	364	3	-	-	028	-	08	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	1	0.1	-	-	-	-	
96/0037	82	665	3	-	-	029	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	1	1.4	-	-	-	-	
96/0037	82	656	3	-	-	029	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	1	0.5	-	-	-	-	
96/0037	82	664	3	-	-	029	-	01	-	-	-	-	-	-	Unifaces	Jasper	Endscrapers	Cobble	1	13.9	34.	23.	15.	FORMERLY A BIPOLAR CONE.	
96/0037	90	199	3	-	-	029	-	02	-	02	01	-	-	-	Cracked Rock	Chert	-	-	-	1	1.	-	-	-	-
96/0037	90	200	3	-	-	029	-	02	-	02	01	-	-	-	Cracked Rock	Jasper	-	-	-	1	1.3	-	-	-	-
96/0037	90	198	3	-	-	029	-	02	-	02	01	-	-	-	Cracked Rock	Quartzite	-	-	-	9	755.9	-	-	-	-
96/0037	90	197	3	-	-	029	-	02	-	02	01	-	-	-	Cracked Rock	Siltstone	-	-	-	3	146.5	-	-	-	-
96/0037	90	194	3	-	-	029	-	02	-	02	01	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	1	0.4	-	-	-	-	
96/0037	90	193	3	-	-	029	-	02	-	02	01	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	1	0.5	-	-	-	-	
96/0037	90	192	3	-	-	029	-	02	-	02	01	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	1	0.3	-	-	-	-	
96/0037	90	196	3	-	-	029	-	02	-	02	01	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	2	0.8	-	-	-	-	
96/0037	90	195	3	-	-	029	-	02	-	02	01	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	1	0.2	-	-	-	-	

SRL, Delaware Site 7NC-6-143

ACUS#	CAT#	Box#	PHS	AREA	STP	UNIT	STR	LEVEL	UDB	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	90	201	3	-	-	029	-	02	-	02	01	-	-	-	Unmodified Cobbles	Quartz	-	-	-	1	122.6	-	-	-	-
96/0037	90	203	3	-	-	029	-	02	-	02	01	-	-	-	Unmodified Pebbles	Indeterminate	-	-	-	1	84.9	-	-	-	-
96/0037	90	202	3	-	-	029	-	02	-	02	01	-	-	-	Unmodified Pebbles	Quartzite	-	-	-	1	81.2	-	-	-	-
96/0037	89	189	3	-	-	029	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	8.	-	-	-	-
96/0037	89	190	3	-	-	029	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.5	-	-	-	-
96/0037	89	188	3	-	-	029	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	34.9	-	-	-	-
96/0037	89	191	3	-	-	029	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	37.9	-	-	-	-
96/0037	89	180	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	89	181	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	89	179	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	8	2.2	-	-	-	-
96/0037	89	182	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	3	1.5	-	-	-	-
96/0037	89	183	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	89	177	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	89	178	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	89	184	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	7	2.	-	-	-	-
96/0037	89	186	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	8	1.5	-	-	-	-
96/0037	89	187	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.5	-	-	-	-
96/0037	89	185	3	-	-	029	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	96	875	3	-	-	029	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	4	2.4	-	-	-	-
96/0037	96	878	3	-	-	029	-	03	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	2	50.3	-	-	-	-
96/0037	96	876	3	-	-	029	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	29.2	-	-	-	-
96/0037	96	877	3	-	-	029	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	182.9	-	-	-	-
96/0037	96	856	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-	-
96/0037	96	866	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	4	0.8	-	-	-	-
96/0037	96	868	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	96	867	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	96	869	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.3	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCSN#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	96	860	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	96	854	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Decoritication Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	96	861	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Decoritication Flakes	Cobble	-	2	0.8	-	-	-	-
96/0037	96	855	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	96	862	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	4	0.9	-	-	-	-
96/0037	96	863	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	96	864	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	96	865	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	96	857	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	96	858	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0037	96	859	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	96	870	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	7	1.3	-	-	-	-
96/0037	96	871	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	96	872	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	3	12.9	-	-	-	-
96/0037	96	873	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.5	-	-	-	-
96/0037	96	874	3	-	-	029	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	102	116	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	102	117	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	0.6	-	-	-	-
96/0037	102	115	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Chert	Decoritication Flakes	Cobble	-	1	1.2	-	-	-	-
96/0037	102	114	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	102	113	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	102	118	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Chert	Flake Fragments	Absent	-	8	1.5	-	-	-	-
96/0037	102	119	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Jasper	Flake Fragments	Absent	-	6	0.9	-	-	-	-
96/0037	102	120	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Jasper	Flake Fragments	Cobble	-	3	0.9	-	-	-	-
96/0037	102	121	3	-	-	029	-	04	-	-	-	-	C14	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	105	127	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	105	126	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-



ACCSN#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	105	128	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	105	125	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Decoritication Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	105	124	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	105	130	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	4	0.5	-	-	-	-
96/0037	105	131	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	105	129	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	105	132	3	-	-	029	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	119	102	3	-	-	029	-	06	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	23	44	3	-	-	030	-	01	-	-	-	-	-	-	Cracked Rock	Indeterminate	-	-	-	3	1.7	-	-	-	-
96/0037	23	45	3	-	-	030	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	709.2	-	-	-	-
96/0037	23	43	3	-	-	030	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	5	281.4	-	-	-	-
96/0037	23	38	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	23	37	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.5	-	-	-	-
96/0037	23	36	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	23	35	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	3.1	-	-	-	-
96/0037	23	39	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.9	-	-	-	-
96/0037	23	40	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	23	41	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	2	4.3	-	-	-	-
96/0037	23	42	3	-	-	030	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Cobble	-	1	0.4	-	-	-	-
96/0037	23	46	3	-	-	030	-	01	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	2	211.6	-	-	-	-
96/0037	23	48	3	-	-	030	-	01	-	-	-	-	-	-	Unmodified Pebbles	Jasper	-	-	-	1	68.7	-	-	-	-
96/0037	23	47	3	-	-	030	-	01	-	-	-	-	-	-	Unmodified Pebbles	Quartzite	-	-	-	1	31.	-	-	-	-
96/0037	31	3159	3	-	-	030	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	0.3	-	-	-	-
96/0037	31	3161	3	-	-	030	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	94.1	-	-	-	-
96/0037	31	3160	3	-	-	030	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	114.5	-	-	-	-
96/0037	31	3158	3	-	-	030	-	02	-	-	-	-	-	-	Debitage	Chert	Decoritication Flakes	Cobble	-	1	4.2	-	-	-	-
96/0037	31	3157	3	-	-	030	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoritication Flakes	Cobble	-	1	5.4	-	-	-	-

SR1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	31	3156	3	-	-	030	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	33	3164	3	-	-	030	-	03	-	-	-	-	-	-	Cores	Jasper	Bifacial Core	Absent	-	1	31.4	56.7	40.3	12.8	-
96/0037	33	3162	3	-	-	030	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	33	3163	3	-	-	030	-	03	-	-	-	-	-	-	Minerals	-	Petrified Wood	-	-	1	0.2	-	-	-	-
96/0037	40	521	3	-	-	030	-	04	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	2.6	-	-	-	-
96/0037	40	522	3	-	-	030	-	04	-	-	-	-	-	-	Debitage	Rhyolite	Early Reduction Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	29	3181	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Chert	-	-	-	4	104.1	-	-	-	-
96/0037	29	3182	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Chert	-	-	-	5	1.1	-	-	-	-
96/0037	29	3184	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Ironstone	-	-	-	2	3.2	-	-	-	-
96/0037	29	3183	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Jasper	-	-	-	2	88.5	-	-	-	-
96/0037	29	3178	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	13	523.7	-	-	-	-
96/0037	29	3176	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	5	459.	-	-	-	-
96/0037	29	3177	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	12	633.9	-	-	-	-
96/0037	29	3179	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	1	89.4	-	-	-	-
96/0037	29	3180	3	-	-	030	-	-	-	02	01	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	3	229.5	-	-	-	-
96/0037	29	3174	3	-	-	030	-	-	-	02	01	-	FLOT	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	1.2	-	-	-	-
96/0037	29	3175	3	-	-	030	-	-	-	02	01	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	29	3186	3	-	-	030	-	-	-	02	01	-	FLOT	-	Unmodified Cobbles	-	-	-	-	4	635.7	-	-	-	-
96/0037	29	3185	3	-	-	030	-	-	-	02	01	-	FLOT	-	Unmodified Pebbles	Quartzite	-	-	-	16	1122.2	-	-	-	-
96/0037	98	2899	3	-	-	031	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	10.3	-	-	-	-
96/0037	98	2897	3	-	-	031	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	181.4	-	-	-	-
96/0037	98	2898	3	-	-	031	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	36.9	-	-	-	-
96/0037	101	112	3	-	-	031	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	581.9	-	-	-	-
96/0037	101	111	3	-	-	031	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	3.	-	-	-	-
96/0037	104	123	3	-	-	031	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	19.4	-	-	-	-
96/0037	64	603	3	-	-	032	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	97.8	-	-	-	-
96/0037	64	602	3	-	-	032	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	77.3	-	-	-	-

ACCS#	CAT#	Row#	PHS AREA	STP	UNIT	STR LEVEL	UOQ	FEA	FLV	FQD	OTHER	CNTS CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	69	14	3	-	032	-	-	-	-	-	SOIL	-	Chalcedony	Projectile Points	Absent	MHL	1	8.2	41.5	20.2	9.2	SIDE-NOTCHED.
96/0037	69	15	3	-	032	-	-	-	-	-	SOIL	-	Quartzite	-	-	-	2	277.8	-	-	-	-
96/0037	69	16	3	-	032	-	-	-	-	-	SOIL	-	Quartzite	Block Shatter	Cobble	-	1	105.	-	-	-	-
96/0037	76	638	3	-	032	-	-	-	-	-	-	-	Chert	Block Shatter	Indeterminate	-	1	0.8	-	-	-	-
96/0037	36	502	3	-	033	-	-	-	-	-	FLOT	-	Quartz	Bipolar Cores	Absent	-	1	1.6	-	-	-	-
96/0037	36	500	3	-	033	-	-	-	-	-	FLOT	-	Quartz	-	-	-	1	4.9	-	-	-	-
96/0037	36	505	3	-	033	-	-	-	-	-	FLOT	-	Quartzite	-	-	-	2	139.8	-	-	-	-
96/0037	36	506	3	-	033	-	-	-	-	-	FLOT	-	Sandstone	-	-	-	7	548.4	-	-	-	2 MEND.
96/0037	36	501	3	-	033	-	-	-	-	-	FLOT	-	Quartz	Block Shatter	Absent	-	1	71.7	-	-	-	-
96/0037	36	504	3	-	033	-	-	-	-	-	FLOT	-	Quartzite	Block Shatter	Cobble	-	3	107.6	-	-	-	-
96/0037	36	503	3	-	033	-	-	-	-	-	FLOT	-	Quartzite	Flake Fragments	Cobble	-	1	4.2	-	-	-	-
96/0037	42	529	3	-	033	-	-	-	-	-	FLOT	-	Jasper	-	-	-	1	0.2	-	-	-	-
96/0037	42	532	3	-	033	-	-	-	-	-	FLOT	-	Sandstone	-	-	-	2	97.5	-	-	-	-
96/0037	42	530	3	-	033	-	-	-	-	-	FLOT	-	Quartz	Block Shatter	Cobble	-	2	9.9	-	-	-	-
96/0037	42	531	3	-	033	-	-	-	-	-	FLOT	-	Quartzite	Block Shatter	Cobble	-	4	181.8	-	-	-	3 MEND.
96/0037	91	667	3	-	034	-	-	-	-	-	SOIL	-	Quartzite	-	-	-	4	41.7	-	-	-	-
96/0037	91	666	3	-	034	-	-	-	-	-	SOIL	-	Sandstone	-	-	-	1	34.4	-	-	-	-
96/0037	91	668	3	-	034	-	-	-	-	-	SOIL	-	Siltstone	-	-	-	2	33.8	-	-	-	-
96/0037	91	671	3	-	034	-	-	-	-	-	SOIL	-	Quartz	Block Shatter	Absent	-	3	6.5	-	-	-	-
96/0037	91	670	3	-	034	-	-	-	-	-	SOIL	-	Quartz	Block Shatter	Cobble	-	1	72.5	-	-	-	-
96/0037	91	674	3	-	034	-	-	-	-	-	SOIL	-	Quartzite	Block Shatter	Absent	-	1	11.	-	-	-	-
96/0037	91	673	3	-	034	-	-	-	-	-	SOIL	-	Quartzite	Block Shatter	Cobble	-	2	23.7	-	-	-	-
96/0037	91	672	3	-	034	-	-	-	-	-	SOIL	-	Quartzite	Decoritication Flakes	Cobble	-	1	2.1	-	-	-	-
96/0037	91	669	3	-	034	-	-	-	-	-	SOIL	-	Unmodified Pebbles Sandstone	-	-	-	1	10.5	-	-	-	-
96/0037	108	139	3	-	034	-	-	-	-	-	-	-	Chert	-	-	-	1	6.1	-	-	-	-
96/0037	108	137	3	-	034	-	-	-	-	-	-	-	Quartz	-	-	-	11	200.8	-	-	-	-
96/0037	108	141	3	-	034	-	-	-	-	-	-	-	Quartzite	-	-	-	20	453.8	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	ROW#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	108	140	3	-	-	034	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	7	97.9	-	-	-	-
96/0037	108	138	3	-	-	034	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	31.2	-	-	-	-
96/0037	120	251	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Cracked Rock	Quartz	-	-	-	2	330.8	-	-	-	-
96/0037	120	252	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	7	1639.	-	-	-	-
96/0037	120	253	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	1	405.	-	-	-	-
96/0037	120	254	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	1	143.7	-	-	-	-
96/0037	120	255	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Unmodified Cobbles	Quartz	-	-	-	1	430.2	-	-	-	-
96/0037	120	256	3	-	-	034/046	-	-	-	03	01	-	FLOT	-	Unmodified Cobbles	Quartzite	-	-	-	2	477.6	-	-	-	-
96/0037	133	373	3	-	-	035	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	1	34.8	-	-	-	-
96/0037	133	374	3	-	-	035	-	01	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	2	63.8	-	-	-	-
96/0037	133	372	3	-	-	035	-	01	-	-	-	-	FLOT	-	Debitage	Quartz	-	-	-	1	0.5	-	-	-	-
96/0037	134	375	3	-	-	035	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	1	250.6	-	-	-	-
96/0037	134	376	3	-	-	035	-	02	-	-	-	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	1	37.5	-	-	-	-
96/0037	112	78	3	-	-	036	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	11.4	-	-	-	-
96/0037	112	79	3	-	-	036	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	7	260.4	-	-	-	-
96/0037	112	77	3	-	-	036	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	4	260.4	-	-	-	-
96/0037	112	76	3	-	-	036	-	01	-	-	-	-	-	-	Debitage	Quartz	-	-	-	1	1.5	-	-	-	-
96/0037	112	75	3	-	-	036	-	01	-	-	-	-	-	-	Debitage	Quartz	-	-	-	1	1.8	-	-	-	-
96/0037	116	92	3	-	-	036	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	8.5	-	-	-	-
96/0037	116	90	3	-	-	036	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	4	42.6	-	-	-	-
96/0037	116	91	3	-	-	036	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	22.3	-	-	-	-
96/0037	47	538	3	-	-	037	-	02	-	-	-	-	FLOT	-	Debitage	Quartz	-	-	-	1	2.3	-	-	-	-
96/0037	73	630	3	-	-	038	-	01	-	-	-	-	SOIL	-	Bifaces	Quartzite	-	-	-	MHL	1	10.4	46.	23.	10. SIDE NOTCHED EXPANDING STEEL. -PEQUEA-
96/0037	15	3100	3	-	-	039	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	22.7	-	-	-	-
96/0037	15	3098	3	-	-	039	-	01	-	-	-	-	-	-	Debitage	Quartzite	-	-	-	1	1.3	-	-	-	-
96/0037	15	3099	3	-	-	039	-	01	-	-	-	-	-	-	Debitage	Quartzite	-	-	-	1	2.6	-	-	-	-

ACCS#	CAT#	Row#	PIS	AREA	SF	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	15	3097	3	-	-	039	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	19	3119	3	-	-	039	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	3	157.7	-	-	-	-	-
96/0037	19	3115	3	-	-	039	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	19	3116	3	-	-	039	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	3.1	-	-	-	-
96/0037	19	3117	3	-	-	039	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	19	3118	3	-	-	039	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	25	60	3	-	-	040	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	1.1	-	-	-	-
96/0037	34	3165	3	-	-	040	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	0.3	-	-	-	-
96/0037	25	59	3	-	-	040	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	9.6	-	-	-	-
96/0037	28	72	3	-	-	040	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	39	520	3	-	-	041	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.3	-	-	-	-
96/0037	58	582	3	-	-	042	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Indeterminate	-	1	1.8	-	-	-	-
96/0037	63	601	3	-	-	042	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	768.4	-	-	-	-
96/0037	63	600	3	-	-	042	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	12.2	-	-	-	-
96/0037	84	151	3	-	-	043	-	01	-	-	-	-	FLOT	1 Bifaces	Chert	Projectile Points	Absent	WHL	1	1.9	21.9	20.9	5.	TRIANGLE.	
96/0037	84	153	3	-	-	043	-	01	-	-	-	-	FLOT	-	Chert	-	-	-	1	2.8	-	-	-	-	
96/0037	84	152	3	-	-	043	-	01	-	-	-	-	FLOT	-	Quartzite	-	-	-	2	15.1	-	-	-	-	
96/0037	84	149	3	-	-	043	-	01	-	-	-	-	FLOT	-	Chert	Early Reduction Flakes	Cobble	-	1	4.9	-	-	-	-	
96/0037	84	150	3	-	-	043	-	01	-	-	-	-	FLOT	-	Quartzite	Flake Fragments	Absent	-	1	1.9	-	-	-	-	
96/0037	88	176	3	-	-	043	-	02	-	-	-	-	FLOT	-	Chalcedony	-	-	-	1	7.5	-	-	-	-	
96/0037	88	175	3	-	-	043	-	02	-	-	-	-	FLOT	-	Jasper	-	-	-	1	0.3	-	-	-	-	
96/0037	88	173	3	-	-	043	-	02	-	-	-	-	FLOT	-	Quartzite	-	-	-	2	7.2	-	-	-	-	
96/0037	88	174	3	-	-	043	-	02	-	-	-	-	FLOT	-	Siltstone	-	-	-	1	7.6	-	-	-	-	
96/0037	88	172	3	-	-	043	-	02	-	-	-	-	FLOT	-	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-	
96/0037	95	853	3	-	-	043	-	03	-	-	-	-	FLOT	-	Chert	-	-	-	1	2.8	-	-	-	-	
96/0037	103	122	3	-	-	043	-	04	-	-	-	-	FLOT	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	
96/0037	67	616	3	-	-	044	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	374.5	-	-	-	-	

ACCS#	CRT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UPD	FEA	FLY	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COMD	COUNT	WEIGHT	WIDTH	THICKNESS	NOTE
96/0037	67	610	3	-	-	044	-	01	-	-	-	-	-	-	-	Chert	Block Shatter	Cobble	-	1	8.4	-	-	-
96/0037	67	613	3	-	-	044	-	01	-	-	-	-	-	-	-	Jasper	Block Shatter	Cobble	-	2	5.8	-	-	-
96/0037	67	614	3	-	-	044	-	01	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	2	7.6	-	-	-
96/0037	67	615	3	-	-	044	-	01	-	-	-	-	-	-	-	Quartzite	Block Shatter	Cobble	-	4	22.5	-	-	-
96/0037	67	609	3	-	-	044	-	01	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.8	-	-	-
96/0037	67	611	3	-	-	044	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.8	-	-	-
96/0037	67	612	3	-	-	044	-	01	-	-	-	-	-	-	-	Rhyolite	Flake Fragments	Absent	-	1	0.3	-	-	-
96/0037	77	652	3	-	-	044	-	02	-	-	-	-	-	-	-	Metamorphic	-	-	-	3	6.7	-	-	-
96/0037	77	653	3	-	-	044	-	02	-	-	-	-	-	-	-	Metasedimentary	-	-	-	1	9.1	-	-	-
96/0037	77	649	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartz	-	-	-	3	33.6	-	-	-
96/0037	77	650	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartz	-	-	-	1	9.	-	-	-
96/0037	77	651	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartzite	-	-	-	1	24.7	-	-	-
96/0037	77	641	3	-	-	044	-	02	-	-	-	-	-	-	-	Chert	Block Shatter	Cobble	-	2	8.8	-	-	-
96/0037	77	645	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	3	5.8	-	-	-
96/0037	77	646	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	1	5.4	-	-	-
96/0037	77	648	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	1	1.3	-	-	-
96/0037	77	647	3	-	-	044	-	02	-	-	-	-	-	-	-	Quartzite	Block Shatter	Cobble	-	3	10.7	-	-	-
96/0037	77	639	3	-	-	044	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	3.7	-	-	-
96/0037	77	644	3	-	-	044	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	2.6	-	-	-
96/0037	77	643	3	-	-	044	-	02	-	-	-	-	-	-	-	Rhyolite	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-
96/0037	77	640	3	-	-	044	-	02	-	-	-	-	-	-	-	Chalcedony	Flake Shatter	Absent	-	1	0.2	-	-	-
96/0037	80	662	3	-	-	044	-	03	-	-	-	-	-	-	-	Sandstone	-	-	-	1	49.5	-	-	-
96/0037	80	661	3	-	-	044	-	03	-	-	-	-	-	-	-	Siltstone	-	-	-	2	6.3	-	-	-
96/0037	80	663	3	-	-	044	-	03	-	-	-	-	-	-	-	Metasedimentary	Block Shatter	Cobble	-	1	0.8	-	-	-
96/0037	80	664	3	-	-	044	-	03	-	-	-	-	-	-	-	Quartz	Block Shatter	Cobble	-	1	9.9	-	-	-
96/0037	80	659	3	-	-	044	-	03	-	-	-	-	-	-	-	Quartz	Early Reduction Flakes	Cobble	-	1	1.5	-	-	-
96/0037	80	657	3	-	-	044	-	03	-	-	-	-	-	-	-	Rhyolite	Flake Fragments	Absent	-	1	0.9	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQP	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	80	658	3	-	-	044	-	03	-	-	-	-	-	-	Debitage	Khyolite	Flake Fragments	Cobble	-	2	2.	-	-	-	-
96/0037	97	879	3	-	-	045	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	97	880	3	-	-	045	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
96/0037	107	136	3	-	-	045	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	5.9	-	-	-	-
96/0037	113	80	3	-	-	045	-	04	-	-	-	-	-	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	110	145	3	-	-	046	-	01	-	03	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	17.	-	-	-	-
96/0037	110	147	3	-	-	046	-	01	-	03	-	-	-	-	Cracked Rock	Quartzite	-	-	-	7	191.1	-	-	-	-
96/0037	110	146	3	-	-	046	-	01	-	03	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	44.3	-	-	-	-
96/0037	110	144	3	-	-	046	-	01	-	03	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	2.5	-	-	-	-
96/0037	118	99	3	-	-	046	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	10	15.	-	-	-	-
96/0037	118	101	3	-	-	046	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	11	186.7	-	-	-	-
96/0037	118	100	3	-	-	046	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	2.4	-	-	-	-
96/0037	118	98	3	-	-	046	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	111	74	3	-	-	047	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	2.6	-	-	-	-
96/0037	111	73	3	-	-	047	-	01	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	117	96	3	-	-	047	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	3.6	-	-	-	-
96/0037	117	95	3	-	-	047	-	02	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	1	6.1	-	-	-	-
96/0037	117	97	3	-	-	047	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	1.8	-	-	-	-
96/0037	117	94	3	-	-	047	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	72.2	-	-	-	-
96/0037	117	93	3	-	-	047	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	4.	-	-	-	-
96/0037	123	109	3	-	-	047	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.2	-	-	-	-
96/0037	123	110	3	-	-	047	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	153	258	3	-	-	047	-	-	-	04	01	-	-	-	Cracked Rock	Jasper	-	-	-	1	1.9	-	-	-	-
96/0037	115	87	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	15.3	-	-	-	-
96/0037	115	88	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	1.3	-	-	-	-
96/0037	115	89	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	1	7.4	-	-	-	-
96/0037	115	86	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	6.6	-	-	-	-

SCI, Delaware Site 7NC-G-143

ACCESS#	CAT#	Box#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	115	83	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	78.8	-	-	-	-
96/0037	115	85	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	15	217.1	-	-	-	-
96/0037	115	84	3	-	-	048	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	40.	-	-	-	-
96/0037	115	82	3	-	-	048	-	01	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	1	17.2	-	-	-	-
96/0037	115	81	3	-	-	048	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	125	217	3	-	-	048	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	2.	-	-	-	-
96/0037	125	216	3	-	-	048	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	35.2	-	-	-	-
96/0037	125	219	3	-	-	048	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	17	497.4	-	-	-	-
96/0037	125	218	3	-	-	048	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	144.	-	-	-	-
96/0037	125	215	3	-	-	048	-	02	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	1	4.6	-	-	-	-
96/0037	128	224	3	-	-	048	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	3	30.8	-	-	-	-
96/0037	128	222	3	-	-	048	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	23.2	-	-	-	-
96/0037	128	223	3	-	-	048	-	03	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	3.	-	-	-	-
96/0037	128	221	3	-	-	048	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	4.	-	-	-	-
96/0037	143	353	3	-	-	048	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	6.3	-	-	-	-
96/0037	143	350	3	-	-	048	-	04	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	143	351	3	-	-	048	-	04	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	143	352	3	-	-	048	-	04	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	154	259	3	-	-	048	-	05	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	7.1	-	-	-	-
96/0037	154	260	3	-	-	048	-	05	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	3.6	-	-	-	-
96/0037	127	220	3	-	-	049	-	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	1.6	-	-	-	-
96/0037	129	228	3	-	-	049	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.6	-	-	-	-
96/0037	129	226	3	-	-	049	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	129	225	3	-	-	049	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	129	227	3	-	-	049	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	1.5	-	-	-	-
96/0037	132	250	3	-	-	049	-	04	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.8	-	-	-	-
96/0037	131	245	3	-	-	050	-	02	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	0.8	-	-	-	POINT BASE.



SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS AREA	STP	UNIT	STR LEVEL	UDD	FEA	FLY	FDD	OTHER	QNTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	131	249	3	-	050	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	104.3	-	-	-	-
96/0037	131	248	3	-	050	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	125.3	-	-	-	MENDS.
96/0037	131	247	3	-	050	02	-	-	-	-	-	-	Debitage	Quartzite	Cobble	-	1	22.5	-	-	-	-
96/0037	131	246	3	-	050	02	-	-	-	-	-	-	Debitage	Quartz	Cobble	-	1	1.	-	-	-	-
96/0037	139	416	3	-	050	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	11.1	-	-	-	-
96/0037	139	415	3	-	050	03	-	-	-	-	-	-	Debitage	Quartzite	Absent	-	2	0.9	-	-	-	-
96/0037	142	349	3	-	050	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	33.4	-	-	-	-
96/0037	159	287	3	-	051	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	82.	-	-	-	-
96/0037	159	286	3	-	051	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	3	105.3	-	-	-	-
96/0037	159	282	3	-	051	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	1	0.1	-	-	-	-
96/0037	159	281	3	-	051	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	3	0.6	-	-	-	-
96/0037	159	280	3	-	051	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	6	12.1	-	-	-	-
96/0037	159	283	3	-	051	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	2	1.6	-	-	-	-
96/0037	159	284	3	-	051	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	3	0.9	-	-	-	-
96/0037	159	285	3	-	051	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	2	9.1	-	-	-	-
96/0037	163	323	3	-	051	03	-	-	-	-	-	-	Bifaces	Chert	Indeterminate Biface Fragments	Absent	BRK	1	2.9	-	-	-
96/0037	163	326	3	-	051	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	82.8	-	-	-	-
96/0037	163	327	3	-	051	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	3	98.8	-	-	-	-
96/0037	163	325	3	-	051	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	1	111.5	-	-	-	-
96/0037	163	324	3	-	051	03	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	2	96.2	-	-	-	-
96/0037	163	313	3	-	051	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	8	3.6	-	-	-	-
96/0037	163	322	3	-	051	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	1	1.3	-	-	-	-
96/0037	163	321	3	-	051	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	3	22.	-	-	-	-
96/0037	163	311	3	-	051	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	1	0.1	-	-	-	-
96/0037	163	310	3	-	051	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	5	5.5	-	-	-	-
96/0037	163	312	3	-	051	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	2	4.4	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	163	345	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	163	346	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	163	344	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	33	21.1	-	-	-	-
96/0037	163	347	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Indeterminate	-	5	12.9	-	-	-	-
96/0037	163	349	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	163	348	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	163	320	3	-	-	051	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.2	-	-	-	-
96/0037	167	1554	3	-	-	051	-	04	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.7	-	-	-	-
96/0037	167	1548	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	167	1549	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	167	1547	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	8	2.5	-	-	-	-
96/0037	167	1553	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	3.3	-	-	-	-
96/0037	167	1546	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Jasper	Decoronation Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	167	1545	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	3.2	-	-	-	-
96/0037	167	1551	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.8	-	-	-	-
96/0037	167	1550	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	3.8	-	-	-	-
96/0037	167	1552	3	-	-	051	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	169	1560	3	-	-	051	-	05	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	2.3	-	-	-	-
96/0037	169	1561	3	-	-	051	-	05	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	2.8	-	-	-	-
96/0037	169	1558	3	-	-	051	-	05	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	0.8	-	-	-	-
96/0037	169	1559	3	-	-	051	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	8	1.4	-	-	-	-
96/0037	173	1575	3	-	-	051	-	06	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.6	-	-	-	-
96/0037	173	1576	3	-	-	051	-	06	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	177	1591	3	-	-	051	-	07	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	181	1607	3	-	-	052	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	1.6	-	-	-	-
96/0037	181	1605	3	-	-	052	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	2.1	-	-	-	-
96/0037	181	1606	3	-	-	052	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	3.	-	-	-	-

ACCSN#	CAT#	Row#	PMS AREA	STP	UNIT	STR LEVEL	UDD	FEA	FLV	FDD	OTHER	QNTS CLASS	MATERIAL	TYPE	CORTEX	COMD COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	185	1632	3	-	052	02	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Absent	1	30.1	-	43.7	18.8	-
96/0037	185	1633	3	-	052	02	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	8.6	-	-	-	-
96/0037	185	1626	3	-	052	02	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	1	0.2	-	-	-	-
96/0037	185	1625	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	7	4.4	-	-	-	-
96/0037	185	1630	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	5	35.9	-	-	-	-
96/0037	185	1631	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	1	20.4	-	-	-	-
96/0037	185	1624	3	-	052	02	-	-	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	1	2.2	-	-	-	-
96/0037	185	1623	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Decortication Flakes	Block	1	4.4	-	-	-	-
96/0037	185	1622	3	-	052	02	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	1	1.3	-	-	-	-
96/0037	185	1620	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	8	9.	-	-	-	-
96/0037	185	1621	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	1	1.2	-	-	-	-
96/0037	185	1627	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	27	13.5	-	-	-	-
96/0037	185	1628	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	1	13.7	-	-	-	-
96/0037	185	1629	3	-	052	02	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	1	0.3	-	-	-	-
96/0037	188	1656	3	-	052	03	-	-	-	-	-	Cracked Rock	Quartz	-	-	2	3.6	-	-	-	-
96/0037	188	1657	3	-	052	03	-	-	-	-	-	Cracked Rock	Quartz	-	-	2	21.	-	-	-	-
96/0037	188	1655	3	-	052	03	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	21.7	-	-	-	-
96/0037	188	1650	3	-	052	03	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	3	1.3	-	-	-	-
96/0037	188	1654	3	-	052	03	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	1	0.8	-	-	-	-
96/0037	188	1649	3	-	052	03	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	7	8.9	-	-	-	-
96/0037	188	1652	3	-	052	03	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	1	0.3	-	-	-	-
96/0037	188	1651	3	-	052	03	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	14	11.2	-	-	-	-
96/0037	188	1653	3	-	052	03	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	1	0.2	-	-	-	-
96/0037	190	1669	3	-	052	04	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	1	0.2	-	-	-	-
96/0037	190	1668	3	-	052	04	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	2	0.5	-	-	-	-
96/0037	190	1671	3	-	052	04	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	1	0.1	-	-	-	-
96/0037	190	1670	3	-	052	04	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	6	3.9	-	-	-	-

SR1, Delaware Site 7NC-G-143

ACCS#	CAT#	ROW#	PMS	AREA	STP	UNIT	STR	LEVEL	QDD	FEA	FLV	FDD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	190	1672	3	-	-	052	-	04	-	-	-	-	-	-	Debitage	Indeterminate	Flake Shatter	Absent	-	1	0.2	-	-	-	-
96/0037	193	1688	3	-	-	052	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	1.3	-	-	-	-
96/0037	195	1697	3	-	-	053	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	1	0.7	-	-	-	-
96/0037	195	1696	3	-	-	053	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	3	67.2	-	-	-	-
96/0037	195	1692	3	-	-	053	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	1.8	-	-	-	-
96/0037	195	1695	3	-	-	053	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.9	-	-	-	-
96/0037	195	1691	3	-	-	053	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	8.1	-	-	-	-
96/0037	195	1693	3	-	-	053	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	8	6.5	-	-	-	-
96/0037	195	1694	3	-	-	053	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Block	-	1	7.1	-	-	-	-
96/0037	198	478	3	-	-	053	-	02	-	-	-	-	FLOT	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	4.2	-	-	-	-
96/0037	198	479	3	-	-	053	-	02	-	-	-	-	FLOT	-	Cores	Quartzite	Tested Cobbles	Cobble	-	2	64.	-	-	-	-
96/0037	198	482	3	-	-	053	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	19	157.9	-	-	-	-
96/0037	198	481	3	-	-	053	-	02	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	1	2.2	-	-	-	-
96/0037	198	471	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	198	470	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	15	8.8	-	-	-	-
96/0037	198	476	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Absent	-	15	91.	-	-	-	-
96/0037	198	477	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	22.7	-	-	-	-
96/0037	198	480	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Decortication Flakes	Block	-	1	18.5	-	-	-	-
96/0037	198	469	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	198	468	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	22	34.2	-	-	-	-
96/0037	198	473	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	198	472	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	51	29.	-	-	-	-
96/0037	198	474	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Cobble	-	2	0.7	-	-	-	-
96/0037	198	475	3	-	-	053	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.3	-	-	-	-
96/0037	201	1503	3	-	-	053	-	03	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	2	83.3	-	-	-	-
96/0037	201	499	3	-	-	053	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	201	498	3	-	-	053	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	3.8	-	-	-	-

SRL, Delaware Site 7MC-6-143

ACCS#	CAT#	Box#	PIS	AREA	STP	UNIT	STR	LEVEL	UOP	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	201	1502	3	-	-	053	-	03	-	-	-	-	FLOT	-	Debitage	Chalcedony	Flake Fragments	Cobble	-	1	1.2	-	-	-	-
96/0037	201	1500	3	-	-	053	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	6.9	-	-	-	-
96/0037	201	1501	3	-	-	053	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	1.	-	-	-	-
96/0037	205	1530	3	-	-	053	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	205	1529	3	-	-	053	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.3	-	-	-	-
96/0037	144	355	3	-	-	054	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	7.	-	-	-	-
96/0037	144	354	3	-	-	054	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	1.2	-	-	-	-
96/0037	145	356	3	-	-	054	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	25.5	-	-	-	-
96/0037	145	357	3	-	-	054	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	145	358	3	-	-	054	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.2	-	-	-	-
96/0037	160	288	3	-	-	054	-	-	-	04	01	-	-	-	Cracked Rock	Chert	-	-	-	2	1.8	-	-	-	-
96/0037	165	333	3	-	-	054	-	-	-	04	02	-	-	-	Cracked Rock	Chert	-	-	-	1	1.	-	-	-	-
96/0037	165	334	3	-	-	054	-	-	-	04	02	-	-	-	Cracked Rock	Siltstone	-	-	-	2	3.3	-	-	-	-
96/0037	165	331	3	-	-	054	-	-	-	04	02	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	165	332	3	-	-	054	-	-	-	04	02	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	165	335	3	-	-	054	-	-	-	04	02	-	-	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	150	367	3	-	-	055	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	23.5	-	-	-	-
96/0037	152	257	3	-	-	055	-	03	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Cobble	-	1	0.8	-	-	-	-
96/0037	148	365	3	-	-	056	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	1	59.9	-	-	-	-
96/0037	148	366	3	-	-	056	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	6	193.4	-	-	-	-
96/0037	151	368	3	-	-	056	-	02	-	-	-	-	FLOT	-	Bifaces	Jasper	Indeterminate Biface Fragments	Absent	BKK	1	20.6	-	-	-	-
96/0037	151	369	3	-	-	056	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	1	40.3	-	-	-	-
96/0037	151	371	3	-	-	056	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	3	253.4	-	-	-	-
96/0037	151	370	3	-	-	056	-	02	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	1	25.4	-	-	-	-
96/0037	155	263	3	-	-	056	-	03	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	3	16.2	-	-	-	-
96/0037	155	262	3	-	-	056	-	03	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	1	3.	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCSN#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	155	261	3	-	-	056	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	1.7	-	-	-	-
96/0037	156	264	3	-	-	056	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	45.3	-	-	-	-
96/0037	158	279	3	-	-	057	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	4.3	-	-	-	-
96/0037	158	277	3	-	-	057	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	42.6	-	-	-	-
96/0037	158	278	3	-	-	057	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	43.7	-	-	-	-
96/0037	158	276	3	-	-	057	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	61.3	-	-	-	-
96/0037	158	275	3	-	-	057	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	130.7	-	-	-	-
96/0037	158	270	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	158	271	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	158	269	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	158	266	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	158	267	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	158	268	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	158	272	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	158	274	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	158	273	3	-	-	057	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	4	1.	-	-	-	-
96/0037	162	304	3	-	-	057	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	12.5	-	35.6	10.4	-
96/0037	162	306	3	-	-	057	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	6.5	-	-	-	-
96/0037	162	305	3	-	-	057	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	4	3.1	-	-	-	-
96/0037	162	307	3	-	-	057	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	60.7	-	-	-	-
96/0037	162	309	3	-	-	057	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	31.9	-	-	-	-
96/0037	162	308	3	-	-	057	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	102.2	-	-	-	-
96/0037	162	293	3	-	-	057	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	3	0.5	-	-	-	-
96/0037	162	294	3	-	-	057	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	162	295	3	-	-	057	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	2	0.4	-	-	-	-
96/0037	162	292	3	-	-	057	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	162	296	3	-	-	057	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	4	1.1	-	-	-	-

ACC#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	WIDTH	THICKNESS	NOTE
96/0037	162	300	3	-	-	057	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	3	2.4	-	-	-
96/0037	162	298	3	-	-	057	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	7	2.1	-	-	-
96/0037	162	301	3	-	-	057	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	7	3.	-	-	-
96/0037	162	302	3	-	-	057	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	2	1.	-	-	-
96/0037	162	297	3	-	-	057	-	02	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	3	0.9	-	-	-
96/0037	162	299	3	-	-	057	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	162	303	3	-	-	057	-	02	-	-	-	-	-	-	-	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0037	166	346	3	-	-	057	-	03	-	-	-	-	-	-	-	Cracked Rock	-	-	-	2	7.2	-	-	-
96/0037	166	347	3	-	-	057	-	03	-	-	-	-	-	-	-	Cracked Rock	-	-	-	1	66.5	-	-	-
96/0037	166	337	3	-	-	057	-	03	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-
96/0037	166	338	3	-	-	057	-	03	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Cobble	-	1	0.1	-	-	-
96/0037	166	341	3	-	-	057	-	03	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
96/0037	166	336	3	-	-	057	-	03	-	-	-	-	-	-	-	Chert	Decoronation Flakes	Cobble	-	1	2.8	-	-	-
96/0037	166	342	3	-	-	057	-	03	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	2	0.2	-	-	-
96/0037	166	344	3	-	-	057	-	03	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	0.1	-	-	-
96/0037	166	339	3	-	-	057	-	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	6	0.5	-	-	-
96/0037	166	345	3	-	-	057	-	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	166	340	3	-	-	057	-	03	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-
96/0037	166	343	3	-	-	057	-	03	-	-	-	-	-	-	-	Quartz	Flake Fragments	Cobble	-	2	2.4	-	-	-
96/0037	166	348	3	-	-	057	-	03	-	-	-	-	-	-	-	Unmodified Cobbles	-	-	-	1	106.1	-	-	-
96/0037	171	1549	3	-	-	057	-	04	-	-	-	-	-	-	-	Cracked Rock	-	-	-	1	0.3	-	-	-
96/0037	171	1542	3	-	-	057	-	04	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	171	1543	3	-	-	057	-	04	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
96/0037	171	1544	3	-	-	057	-	04	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Cobble	-	2	0.3	-	-	-
96/0037	171	1546	3	-	-	057	-	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-
96/0037	171	1547	3	-	-	057	-	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-
96/0037	171	1545	3	-	-	057	-	04	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-

SCI, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FQD	OTHER	CRIS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	171	1568	3	-	-	057	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	174	1581	3	-	-	057	-	05	-	-	-	-	-	-	Cracked Rock	Chert	-	-	1	23.6	-	-	-	-	-
96/0037	174	1580	3	-	-	057	-	05	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	1	1.5	-	-	-	-	-
96/0037	174	1579	3	-	-	057	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	174	1577	3	-	-	057	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0037	174	1578	3	-	-	057	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-	-
96/0037	176	1589	3	-	-	057	-	06	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	176	1590	3	-	-	057	-	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	157	265	3	-	-	058	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	161	290	3	-	-	058	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	2.5	-	-	-	-	-
96/0037	161	291	3	-	-	058	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	1	111.1	-	-	-	-	-
96/0037	161	289	3	-	-	058	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	1	-	-	-	-
96/0037	164	328	3	-	-	058	-	03	-	-	-	-	-	1 Bifaces	Jasper	Projectile Points	Absent	-	1	3.6	38.5	16.3	-	-	7.6 CONTRACTING STEP.
96/0037	164	330	3	-	-	058	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	3.3	-	-	-	-	-
96/0037	164	329	3	-	-	058	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	10.3	-	-	-	-	-
96/0037	168	1557	3	-	-	058	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	4.8	-	-	-	-	-
96/0037	168	1555	3	-	-	058	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	168	1556	3	-	-	058	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	175	1588	3	-	-	058	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-	-
96/0037	175	1587	3	-	-	058	-	05	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	3.3	-	-	-	-
96/0037	170	1584	3	-	-	059	-	01	-	-	-	-	FLOT	-	Cracked Rock	Chert	-	-	1	7.1	-	-	-	-	-
96/0037	170	1586	3	-	-	059	-	01	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	2	3.3	-	-	-	-	-
96/0037	170	1585	3	-	-	059	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	1	8.2	-	-	-	-	-
96/0037	170	1583	3	-	-	059	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0037	170	1582	3	-	-	059	-	01	-	-	-	-	FLOT	-	Debitage	Quartz	Flake Fragments	Absent	-	1	1.3	-	-	-	-
96/0037	172	1570	3	-	-	059	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	3	1.2	-	-	-	-
96/0037	172	1574	3	-	-	059	-	02	-	-	-	-	FLOT	-	Debitage	Quartz	Block Shatter	Cobble	-	1	5	-	-	-	-



ACCSN#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FDD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	172	1571	3	-	-	059	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	172	1572	3	-	-	059	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
96/0037	172	1573	3	-	-	059	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Indeterminate Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	179	1599	3	-	-	059	-	03	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	3	5.4	-	-	-	-
96/0037	179	1598	3	-	-	059	-	03	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	3	144.	-	-	-	-
96/0037	179	1594	3	-	-	059	-	03	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	179	1595	3	-	-	059	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.9	-	-	-	-
96/0037	179	1596	3	-	-	059	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	179	1597	3	-	-	059	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	192	1685	3	-	-	060	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	6	11.8	-	-	-	-
96/0037	192	1686	3	-	-	060	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.7	-	-	-	-
96/0037	192	1687	3	-	-	060	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	41.4	-	-	-	-
96/0037	192	1676	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	7	4.4	-	-	-	-
96/0037	192	1678	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	1.6	-	-	-	-
96/0037	192	1677	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	9	6.8	-	-	-	-
96/0037	192	1684	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	1.	-	-	-	-
96/0037	192	1674	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	4	3.8	-	-	-	-
96/0037	192	1675	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	3.7	-	-	-	-
96/0037	192	1673	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	7.4	-	-	-	-
96/0037	192	1682	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.6	-	-	-	-
96/0037	192	1680	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	30	24.	-	-	-	-
96/0037	192	1681	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	192	1679	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	25	28.4	-	-	-	-
96/0037	192	1683	3	-	-	060	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	1.6	-	-	-	-
96/0037	196	1718	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	6	4.2	-	-	-	-
96/0037	196	1719	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	14	50.4	-	-	-	-
96/0037	196	1724	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Indeterminate	-	-	-	1	2.9	-	-	-	-

SCL, Delaware Site 7NC-6-143

ACCS#	CAT#	Rox#	PMS	AREA	STP	UNIT	STR	LEVEL	UPD	FEA	FLV	FOD	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	WIDTH	THICKNESS	NOTE
96/0037	196	1720	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	3	33.2	-	-	-
96/0037	196	1721	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	22.7	-	-	-
96/0037	196	1725	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	16	274.7	-	-	-
96/0037	196	1726	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	271.7	-	-	-
96/0037	196	1722	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	4	139.9	-	-	-
96/0037	196	1723	3	-	-	060	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	58.2	-	-	-
96/0037	196	1704	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	11	3.	-	-	-
96/0037	196	1703	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	6	1.6	-	-	-
96/0037	196	1717	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	2	16.9	-	-	-
96/0037	196	1716	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	31.5	-	-	-
96/0037	196	1702	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.4	-	-	-
96/0037	196	1700	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	25	24.8	-	-	-
96/0037	196	1699	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	16	20.5	-	-	-
96/0037	196	1701	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	1.1	-	-	-
96/0037	196	1707	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.6	-	-	-
96/0037	196	1708	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	1.9	-	-	-
96/0037	196	1712	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	4.9	-	-	-
96/0037	196	1705	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	41	23.9	-	-	-
96/0037	196	1706	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-
96/0037	196	1709	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	61	33.7	-	-	-
96/0037	196	1711	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	13.2	-	-	-
96/0037	196	1710	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-
96/0037	196	1714	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	2	0.4	-	-	-
96/0037	196	1713	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.5	-	-	-
96/0037	196	1715	3	-	-	060	-	02	-	-	-	-	-	-	Debitage	Chert	Indeterminate Flakes	Absent	-	1	0.2	-	-	-
96/0037	204	1526	3	-	-	060	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	6	28.4	-	-	-
96/0037	204	1525	3	-	-	060	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	5	104.8	-	-	-

SKI, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UPD	FEA	FLV	FDD	OTHER	QNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	204	1527	3	-	-	060	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	7	33.	-	-	-	-
96/0037	204	1528	3	-	-	060	-	03	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	40.1	-	-	-	-
96/0037	204	1514	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	204	1513	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	10	6.8	-	-	-	-
96/0037	204	1515	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	2.5	-	-	-	-
96/0037	204	1524	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	7.6	-	-	-	-
96/0037	204	1511	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	204	1512	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	2.5	-	-	-	-
96/0037	204	1510	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	8.5	-	-	-	-
96/0037	204	1519	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	204	1517	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	8	3.7	-	-	-	-
96/0037	204	1521	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	204	1518	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	23	9.7	-	-	-	-
96/0037	204	1520	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.8	-	-	-	-
96/0037	204	1522	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	204	1523	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Indeterminate Flakes	Cobble	-	1	2.6	-	-	-	-
96/0037	204	1516	3	-	-	060	-	03	-	-	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	178	1593	3	-	-	061	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	3.	-	-	-	-
96/0037	178	1592	3	-	-	061	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	1.6	-	-	-	-
96/0037	184	1619	3	-	-	061	-	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	2.3	-	-	-	-
96/0037	184	1618	3	-	-	061	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	184	1617	3	-	-	061	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.7	-	-	-	-
96/0037	182	1616	3	-	-	062	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	21.7	-	-	-	-
96/0037	182	1609	3	-	-	062	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	182	1615	3	-	-	062	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	4.2	-	-	-	-
96/0037	182	1608	3	-	-	062	-	01	-	-	-	-	-	-	Debitage	Jasper	Decorative Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	182	1613	3	-	-	062	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	5.	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	182	1611	3	-	-	062	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	182	1612	3	-	-	062	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	2	2.1	-	-	-	-
96/0037	182	1610	3	-	-	062	-	01	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.8	-	-	-	-
96/0037	182	1614	3	-	-	062	-	01	-	-	-	-	-	-	-	Jasper	Flake Shatter	Block	-	1	0.6	-	-	-	-
96/0037	187	1658	3	-	-	062	-	02	-	-	-	-	-	-	-	Quartz	-	-	-	1	1.6	-	-	-	-
96/0037	187	1645	3	-	-	062	-	02	-	-	-	-	-	-	-	Chert	Decortication Flakes	Cobble	-	1	1.1	-	-	-	-
96/0037	187	1644	3	-	-	062	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	187	1647	3	-	-	062	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	187	1646	3	-	-	062	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	4.8	-	-	-	-
96/0037	187	1648	3	-	-	062	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	180	1604	3	-	-	063	-	01	-	-	-	-	-	-	-	Quartzite	-	-	-	2	8.1	-	-	-	-
96/0037	180	1600	3	-	-	063	-	01	-	-	-	-	-	-	-	Quartzite	BiFace Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	180	1601	3	-	-	063	-	01	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	3	1.3	-	-	-	-
96/0037	180	1603	3	-	-	063	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	180	1602	3	-	-	063	-	01	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	186	1643	3	-	-	063	-	02	-	-	-	-	-	-	-	Quartzite	-	-	-	1	26.1	-	-	-	-
96/0037	186	1635	3	-	-	063	-	02	-	-	-	-	-	-	-	Jasper	BiFace Reduction Flakes	Absent	-	3	0.9	-	-	-	-
96/0037	186	1642	3	-	-	063	-	02	-	-	-	-	-	-	-	Chert	Block Shatter	Cobble	-	1	22.1	-	-	-	-
96/0037	186	1634	3	-	-	063	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	186	1640	3	-	-	063	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	186	1636	3	-	-	063	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	186	1637	3	-	-	063	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	3	0.6	-	-	-	-
96/0037	186	1639	3	-	-	063	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	186	1638	3	-	-	063	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	186	1641	3	-	-	063	-	02	-	-	-	-	-	-	-	Jasper	Pressure Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	189	1665	3	-	-	063	-	03	-	-	-	-	-	-	-	Argillite	Freshland Cores	Indeterminate	-	1	112.7	75.5	50.8	28.5	POSSIBLE FRESHLAND CONE.

SKI, Delaware Site 7ND-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	189	1666	3	-	-	063	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	1.1	-	-	-	-
96/0037	189	1667	3	-	-	063	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	1.7	-	-	-	-
96/0037	189	1659	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	189	1660	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.6	-	-	-	-
96/0037	189	1661	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.3	-	-	-	-
96/0037	189	1662	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	1.1	-	-	-	-
96/0037	189	1663	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-	-
96/0037	189	1664	3	-	-	063	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	194	1689	3	-	-	063	-	04	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	194	1690	3	-	-	063	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	199	485	3	-	-	064	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	199	483	3	-	-	064	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	15.4	-	-	-	-
96/0037	199	484	3	-	-	064	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	199	486	3	-	-	064	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	1.1	-	-	-	-
96/0037	200	494	3	-	-	064	-	02	-	-	-	-	S01L	-	Bifaces	Jasper	Middle-Stage Bifaces	Absent	BRK	1	12.1	-	33.	10.3	-
96/0037	200	495	3	-	-	064	-	02	-	-	-	-	S01L	-	Cracked Rock	Chert	-	-	-	3	24.2	-	-	-	-
96/0037	200	496	3	-	-	064	-	02	-	-	-	-	S01L	-	Cracked Rock	Quartzite	-	-	-	3	44.3	-	-	-	-
96/0037	200	497	3	-	-	064	-	02	-	-	-	-	S01L	-	Cracked Rock	Sandstone	-	-	-	1	44.1	-	-	-	-
96/0037	200	488	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	2.3	-	-	-	-
96/0037	200	487	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	4.6	-	-	-	-
96/0037	200	491	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	200	493	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	200	489	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Jasper	Flake Fragments	Absent	-	4	0.7	-	-	-	-
96/0037	200	490	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Jasper	Flake Fragments	Absent	-	3	2.1	-	-	-	-
96/0037	200	492	3	-	-	064	-	02	-	-	-	-	S01L	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0037	210	425	3	-	-	064	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	2.1	-	-	-	-
96/0037	210	427	3	-	-	064	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FER	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	210	426	3	-	-	064	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	217	2037	3	-	-	065	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.6	-	-	-	-
96/0037	217	2038	3	-	-	065	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	219	2053	3	-	-	065	-	02	-	-	-	-	FLOT	-	Cracked Rock	Igneous/Metamorphic	-	-	1	5.3	-	-	-	-	-
96/0037	219	2052	3	-	-	065	-	02	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	1	73.1	-	-	-	-	-
96/0037	219	2047	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	219	2046	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	219	2044	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	5	3.9	-	-	-	-
96/0037	219	2045	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	2	0.4	-	-	-	-
96/0037	219	2048	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	8	5.4	-	-	-	-
96/0037	219	2050	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Block	-	1	0.3	-	-	-	-
96/0037	219	2049	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	219	2051	3	-	-	065	-	02	-	-	-	-	FLOT	-	Debitage	Indeterminate	Flake Shatter	Indeterminate	-	1	0.6	-	-	-	-
96/0037	225	1960	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	225	1964	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	1.6	-	-	-	-
96/0037	225	1965	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Quartz	Block Shatter	Cobble	-	1	4	-	-	-	-
96/0037	225	1959	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	1	-	-	-	-
96/0037	225	1961	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	4	2.6	-	-	-	-
96/0037	225	1963	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Block	-	2	0.3	-	-	-	-
96/0037	225	1962	3	-	-	065	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	228	1977	3	-	-	065	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	1.7	-	-	-	-
96/0037	228	1978	3	-	-	065	-	04	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	2.9	-	-	-	-
96/0037	228	1979	3	-	-	065	-	04	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	5	3	-	-	-	-
96/0037	234	1842	3	-	-	065	-	05	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	1	0.4	-	-	-	-	-
96/0037	234	1840	3	-	-	065	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	234	1839	3	-	-	065	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	234	1841	3	-	-	065	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-

SCL, Delaware Site 7MC-6-143

ACCS#	CAT#	Box#	PIS	AREA	STP	UNIT	STR	LEVEL	QDD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	245	1923	3	-	-	065	-	06	W	-	-	-	-	-	-	Quartz	-	-	-	1	7.1	-	-	-	-
96/0037	245	1924	3	-	-	065	-	06	W	-	-	-	-	-	-	Sandstone	-	-	-	1	4	-	-	-	-
96/0037	245	1922	3	-	-	065	-	06	W	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	1	1.7	-	-	-	-
96/0037	251	1950	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	251	1955	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Block Shatter	Absent	-	2	2.9	-	-	-	-
96/0037	251	1948	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	13	25.8	-	-	-	-
96/0037	251	1949	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Block	-	2	15.1	-	-	-	-
96/0037	251	1951	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	18	8.4	-	-	-	-
96/0037	251	1954	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Block	-	1	0.7	-	-	-	-
96/0037	251	1952	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	251	1953	3	-	-	066	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	256	1754	3	-	-	066	-	02	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.9	-	-	-	-
96/0037	256	1752	3	-	-	066	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	6	3.4	-	-	-	-
96/0037	256	1753	3	-	-	066	-	02	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	256	1758	3	-	-	066	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Absent	-	2	16.8	-	-	-	-
96/0037	256	1751	3	-	-	066	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	8	7.4	-	-	-	-
96/0037	256	1756	3	-	-	066	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	3	0.6	-	-	-	-
96/0037	256	1757	3	-	-	066	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	256	1755	3	-	-	066	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	22	18.1	-	-	-	-
96/0037	257	1761	3	-	-	066	-	03	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	257	1760	3	-	-	066	-	03	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	257	1766	3	-	-	066	-	03	-	-	-	-	-	-	-	Chert	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	257	1759	3	-	-	066	-	03	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	3	5.1	-	-	-	-
96/0037	257	1764	3	-	-	066	-	03	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	257	1765	3	-	-	066	-	03	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0037	257	1762	3	-	-	066	-	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	3	1	-	-	-	-
96/0037	257	1763	3	-	-	066	-	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.7	-	-	-	-

SRL, Delaware Site 7NC-6-143

ACCS#	CAT#	QTY	PHS AREA	STP	UNIT	STK LEVEL	UQD	FEA	FLV	FQD	OTHER	CHTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	258 1777	3	-	-	066	-	04	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	43.5	-	-	-	
96/0037	258 1768	3	-	-	066	-	04	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	258 1769	3	-	-	066	-	04	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	258 1770	3	-	-	066	-	04	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	258 1771	3	-	-	066	-	04	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0	-	-	-
96/0037	258 1775	3	-	-	066	-	04	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	1	2.3	-	-	-
96/0037	258 1774	3	-	-	066	-	04	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	2	3.6	-	-	-
96/0037	258 1776	3	-	-	066	-	04	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Block	-	2	15.2	-	-	-
96/0037	258 1767	3	-	-	066	-	04	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	4.6	-	-	-
96/0037	258 1773	3	-	-	066	-	04	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	4	0.6	-	-	-
96/0037	258 1772	3	-	-	066	-	04	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	6	2	-	-	-
96/0037	275 2292	3	-	-	066	-	05	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.3	-	-	-
96/0037	285 2337	3	-	-	067	-	01	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	TIP	1	2.1	-	-	-
96/0037	285 2336	3	-	-	067	-	01	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	4	6.3	-	-	-
96/0037	285 2335	3	-	-	067	-	01	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.3	-	-	-
96/0037	285 2330	3	-	-	067	-	01	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	2	1.8	-	-	-
96/0037	285 2328	3	-	-	067	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	8	4.8	-	-	-
96/0037	285 2329	3	-	-	067	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	5.5	-	-	-
96/0037	285 2331	3	-	-	067	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	12	9	-	-	-
96/0037	285 2333	3	-	-	067	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Block	-	1	1.7	-	-	-
96/0037	285 2332	3	-	-	067	-	01	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.8	-	-	-
96/0037	285 2334	3	-	-	067	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0037	291 2204	3	-	-	067	-	02	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	3.1	-	-	-
96/0037	291 2203	3	-	-	067	-	02	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	9	22.2	-	-	-
96/0037	291 2205	3	-	-	067	-	02	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	14.8	-	-	-
96/0037	291 2206	3	-	-	067	-	02	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.4	-	-	-
96/0037	291 2192	3	-	-	067	-	02	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	6	2.1	-	-	-



SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	FMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	291	2196	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	7	20.1	-	-	-	-
96/0037	291	2198	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Block	-	1	7.7	-	-	-	-
96/0037	291	2197	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.3	-	-	-	-
96/0037	291	2188	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	291	2186	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	48	76.	-	-	-	-
96/0037	291	2191	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Block	-	1	0.4	-	-	-	-
96/0037	291	2189	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	2	4.4	-	-	-	-
96/0037	291	2187	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	291	2190	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	2.3	-	-	-	-
96/0037	291	2202	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	1.1	-	-	-	-
96/0037	291	2199	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	40	15.7	-	-	-	-
96/0037	291	2193	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Block	-	1	2.6	-	-	-	-
96/0037	291	2201	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.6	-	-	-	-
96/0037	291	2200	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	3	2.1	-	-	-	-
96/0037	291	2194	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	-	11	1.9	-	-	-	-
96/0037	291	2195	3	-	-	067	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	294	2254	3	-	-	067	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	2.5	-	-	-	-
96/0037	294	2255	3	-	-	067	-	03	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	2	6.6	-	-	-	-
96/0037	294	2253	3	-	-	067	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	22.9	-	-	-	-
96/0037	294	2244	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	294	2245	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	294	2243	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Decoratation Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	294	2250	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Block	-	1	0.6	-	-	-	-
96/0037	294	2238	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	4	4.4	-	-	-	-
96/0037	294	2237	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	14	5.1	-	-	-	-
96/0037	294	2241	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
96/0037	294	2239	3	-	-	067	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCSN#	CAT#	Row#	PHS AREA	STP	UNIT	STR LEVEL	UDD	FEA	FLV	FDD	OTHER	CNTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	294	2242	3	-	067	-	03	-	-	-	-	-	Jasper	Early Reduction Flakes	Cobble	-	2	0.5	-	-	-
96/0037	294	2240	3	-	067	-	03	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	294	2248	3	-	067	-	03	-	-	-	-	-	Chert	Flake Fragments	Absent	-	3	0.7	-	-	-
96/0037	294	2249	3	-	067	-	03	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	0.3	-	-	-
96/0037	294	2246	3	-	067	-	03	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	14	3.9	-	-	-
96/0037	294	2247	3	-	067	-	03	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-
96/0037	294	2251	3	-	067	-	03	-	-	-	-	-	Igneous/Metamorphic	Flake Shatter	Absent	-	2	0.3	-	-	-
96/0037	294	2252	3	-	067	-	03	-	-	-	-	-	Quartz	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0037	297	2284	3	-	067	-	04	-	-	-	-	-	Quartz	-	-	-	1	0.6	-	-	-
96/0037	297	2281	3	-	067	-	04	-	-	-	-	-	Igneous/Metamorphic	Bi-face Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	297	2278	3	-	067	-	04	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	297	2277	3	-	067	-	04	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	4	1.5	-	-	-
96/0037	297	2279	3	-	067	-	04	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Block	-	1	2.1	-	-	-
96/0037	297	2280	3	-	067	-	04	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-
96/0037	297	2282	3	-	067	-	04	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	4	1.2	-	-	-
96/0037	297	2283	3	-	067	-	04	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	303	2133	3	-	067	-	05	-	-	-	-	-	Jasper	Bi-face Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	303	2132	3	-	067	-	05	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	303	2134	3	-	067	-	05	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	202	1504	3	-	068	-	01	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.8	-	-	-
96/0037	202	1505	3	-	068	-	01	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.6	-	-	-
96/0037	203	1508	3	-	068	-	02	-	-	-	-	-	Jasper	-	-	-	1	52.3	-	-	-
96/0037	203	1509	3	-	068	-	02	-	-	-	-	-	Quartzite	-	-	-	2	285.7	-	-	-
96/0037	203	1507	3	-	068	-	02	-	-	-	-	-	Siltstone	-	-	-	1	19.4	-	-	-
96/0037	203	1506	3	-	068	-	02	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.5	-	-	-
96/0037	208	1540	3	-	068	-	03	-	-	-	-	-	Jasper	-	-	-	1	7.5	-	-	-
96/0037	208	1539	3	-	068	-	03	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-

SKI, Delaware Site 7MC-6-143

ACCS#	CAT#	ROW#	FMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FOD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	213	445	3	-	-	068	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.8	-	-	-	-
96/0037	206	1538	3	-	-	069	-	01	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	1	45.9	-	-	-	-
96/0037	206	1537	3	-	-	069	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	5	192.2	-	-	-	-
96/0037	206	1533	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	206	1532	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	1.4	-	-	-	-
96/0037	206	1531	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	206	1534	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.6	-	-	-	-
96/0037	206	1535	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	206	1536	3	-	-	069	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	211	438	3	-	-	069	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	1.6	-	-	-	-
96/0037	211	439	3	-	-	069	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	3.4	-	-	-	-
96/0037	211	440	3	-	-	069	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	496.1	-	-	-	-
96/0037	211	437	3	-	-	069	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	32.2	-	-	-	-
96/0037	211	429	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	4	0.5	-	-	-	-
96/0037	211	428	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	1.1	-	-	-	-
96/0037	211	430	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Block	-	1	1.2	-	-	-	-
96/0037	211	431	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	1.	-	-	-	-
96/0037	211	432	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	211	435	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	211	433	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	1.	-	-	-	-
96/0037	211	434	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.9	-	-	-	-
96/0037	211	436	3	-	-	069	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Cobble	-	1	0.3	-	-	-	-
96/0037	212	442	3	-	-	069	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.6	-	-	-	-
96/0037	212	444	3	-	-	069	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	18.1	-	-	-	-
96/0037	212	443	3	-	-	069	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	32.1	-	-	-	-
96/0037	212	441	3	-	-	069	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	218	2043	3	-	-	069	-	04	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	3.3	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UDQ	FEA	FLV	FQP	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	218	2039	3	-	-	069	-	04	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	218	2042	3	-	-	069	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	3.8	-	-	-	-
96/0037	218	2041	3	-	-	069	-	04	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.7	-	-	-	-
96/0037	218	2040	3	-	-	069	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	221	2061	3	-	-	069	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.	-	-	-	-
96/0037	221	2063	3	-	-	069	-	05	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0037	221	2062	3	-	-	069	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	209	1541	3	-	-	070	-	01	-	-	-	-	SOIL	1 Bifaces	Chert	Projectile Points	Absent	WHL	1	5.2	33.3	34.4	6.2	TRIANGULAR (LANGE)	
96/0037	209	1543	3	-	-	070	-	01	-	-	-	-	SOIL	Cracked Rock	Quartzite	-	-	-	-	2	223.1	-	-	-	-
96/0037	209	1544	3	-	-	070	-	01	-	-	-	-	SOIL	Cracked Rock	Siltstone	-	-	-	-	1	63.3	-	-	-	-
96/0037	209	1542	3	-	-	070	-	01	-	-	-	-	SOIL	Debitage	Chert	Decoratation Flakes	Cobble	-	1	8.4	-	-	-	-	-
96/0037	216	2036	3	-	-	070	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	11.4	-	-	-	-
96/0037	216	2035	3	-	-	070	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	5.	-	-	-	-
96/0037	216	2030	3	-	-	070	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	1.6	-	-	-	-
96/0037	216	2031	3	-	-	070	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	216	2033	3	-	-	070	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	216	2032	3	-	-	070	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.6	-	-	-	-
96/0037	216	2034	3	-	-	070	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	229	1988	3	-	-	071	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	29.9	-	-	-	-
96/0037	229	1990	3	-	-	071	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	40.8	-	-	-	-
96/0037	229	1989	3	-	-	071	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	16.6	-	-	-	-
96/0037	229	1991	3	-	-	071	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	29.9	-	-	-	-
96/0037	229	1992	3	-	-	071	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	6.	-	-	-	-
96/0037	229	1987	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Cobble	-	1	3.6	-	-	-	-
96/0037	229	1986	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	2	16.1	-	-	-	-
96/0037	229	1981	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	229	1980	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	30.5	-	-	-	-

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FOD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	CUMD	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	229	1982	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	229	1983	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	229	1984	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	2	1.3	-	-	-	-
96/0037	229	1985	3	-	-	071	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Shatter	Absent	-	2	0.3	-	-	-	-
96/0037	236	1871	3	-	-	071	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	17.4	-	-	-	-
96/0037	236	1873	3	-	-	071	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	72.1	-	-	-	-
96/0037	236	1870	3	-	-	071	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	17.	-	-	-	-
96/0037	236	1868	3	-	-	071	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	4.1	-	-	-	-
96/0037	236	1860	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	236	1867	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	2	2.3	-	-	-	-
96/0037	236	1869	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	8.5	-	-	-	-
96/0037	236	1858	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	236	1859	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	2.4	-	-	-	-
96/0037	236	1857	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	236	1863	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	236	1864	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	2	0.9	-	-	-	-
96/0037	236	1861	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	236	1866	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	1.9	-	-	-	-
96/0037	236	1862	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	236	1865	3	-	-	071	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	1.	-	-	-	-
96/0037	236	1872	3	-	-	071	-	02	-	-	-	-	-	-	Unmodified Cobbles	Quartzite	-	-	-	1	374.8	-	-	-	-
96/0037	241	686	3	-	-	071	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	2	1.8	-	-	-	-
96/0037	241	684	3	-	-	071	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
96/0037	241	685	3	-	-	071	-	03	-	-	-	-	-	-	Debitage	Argillite	Indeterminate Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	214	449	3	-	-	072	-	01	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	TIP	1	0.7	-	-	-	SAME MATERIAL AS #79.
96/0037	214	452	3	-	-	072	-	01	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	1	2.	-	-	-	-

ACCUS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	214	451	3	-	-	072	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	0.3	-	-	-	-
96/0037	214	450	3	-	-	072	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	8.8	-	-	-	-
96/0037	214	447	3	-	-	072	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	1.4	-	-	-	-
96/0037	214	446	3	-	-	072	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	12.3	-	-	-	-
96/0037	214	448	3	-	-	072	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	10.1	-	-	-	-
96/0037	215	462	3	-	-	072	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Absent	BKK	1	7.9	-	-	-	-
96/0037	215	460	3	-	-	072	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BKK	1	13.9	-	27.4	12.2	-
96/0037	215	461	3	-	-	072	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BKK	1	10.2	-	-	17.3	-
96/0037	215	463	3	-	-	072	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	BKK	1	5.1	-	-	7.	-
96/0037	215	467	3	-	-	072	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	72.7	-	-	-	-
96/0037	215	466	3	-	-	072	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	9	168.3	-	-	-	-
96/0037	215	464	3	-	-	072	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	4	681.7	-	-	-	-
96/0037	215	465	3	-	-	072	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	28.2	-	-	-	-
96/0037	215	455	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	10	6.6	-	-	-	-
96/0037	215	458	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	3.9	-	-	-	-
96/0037	215	459	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	1	16.9	-	-	-	-
96/0037	215	453	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	16	38.5	-	-	-	-
96/0037	215	454	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	215	456	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	31	18.3	-	-	-	-
96/0037	215	457	3	-	-	072	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	1.4	-	-	-	-
96/0037	220	2060	3	-	-	072	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	5	208.1	-	-	-	-
96/0037	220	2057	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	220	2056	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Chert	Decorative Flakes	Cobble	-	1	0.4	-	-	-	-
96/0037	220	2055	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	1.8	-	-	-	-
96/0037	220	2054	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	1.7	-	-	-	-
96/0037	220	2059	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	220	2058	3	-	-	072	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	13	4.3	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Ko#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FDP	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	222	2068	3	-	-	072	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.9	-	-	-	-
96/0037	222	2067	3	-	-	072	-	04	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.4	-	-	-	-
96/0037	222	2066	3	-	-	072	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	3.4	-	-	-	-
96/0037	222	2064	3	-	-	072	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	222	2065	3	-	-	072	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	222	2499	3	-	-	072	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	224	1957	3	-	-	072	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	224	1958	3	-	-	072	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	226	1966	3	-	-	072	-	06	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.	-	-	-	-
96/0037	223	2089	3	-	-	073	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	3	8.5	-	-	-	-
96/0037	223	2090	3	-	-	073	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	5	41.1	-	-	-	-
96/0037	223	2075	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	2.5	-	-	-	-
96/0037	223	2076	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	6	3.	-	-	-	-
96/0037	223	2091	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	1	2.8	-	-	-	-
96/0037	223	2086	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	5	6.2	-	-	-	-
96/0037	223	2088	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	0.9	-	-	-	-
96/0037	223	2085	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	10	52.9	-	-	-	-
96/0037	223	2087	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	2	67.5	-	-	-	-
96/0037	223	2072	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	223	2070	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	46	56.8	-	-	-	-
96/0037	223	2071	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	223	2074	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	2	1.7	-	-	-	-
96/0037	223	2073	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Indeterminate	-	1	1.1	-	-	-	-
96/0037	223	2069	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	35	40.3	-	-	-	-
96/0037	223	2079	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.7	-	-	-	-
96/0037	223	2078	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	42	17.7	-	-	-	-
96/0037	223	2080	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.4	-	-	-	-

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FDP	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	223	2077	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	53	41.8	-	-	-	-
96/0037	223	2082	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	3	1.6	-	-	-	-
96/0037	223	2081	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	1.5	-	-	-	-
96/0037	223	2084	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	2	0.4	-	-	-	-
96/0037	223	2083	3	-	-	073	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	3	0.7	-	-	-	-
96/0037	232	2028	3	-	-	073	-	02	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	1	1.1	-	-	-	-
96/0037	232	2029	3	-	-	073	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.8	-	-	-	-
96/0037	232	2025	3	-	-	073	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	7.7	-	-	-	-
96/0037	232	2026	3	-	-	073	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	195.5	-	-	-	-
96/0037	232	2027	3	-	-	073	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	219.2	-	-	-	-
96/0037	232	2010	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	232	2011	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	4	1.	-	-	-	-
96/0037	232	2009	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	1.6	-	-	-	-
96/0037	232	2022	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	2	2.3	-	-	-	-
96/0037	232	2024	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	0.9	-	-	-	-
96/0037	232	2021	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	8	35.5	-	-	-	-
96/0037	232	2023	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	60.8	-	-	-	-
96/0037	232	2004	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	34	29.2	-	-	-	-
96/0037	232	2007	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	2	3.7	-	-	-	-
96/0037	232	2008	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	2.3	-	-	-	-
96/0037	232	2005	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Indeterminate	-	5	10.5	-	-	-	-
96/0037	232	2003	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	25	29.8	-	-	-	-
96/0037	232	2006	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	2.9	-	-	-	-
96/0037	232	2016	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	2	0.7	-	-	-	-
96/0037	232	2013	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	55	33.1	-	-	-	-
96/0037	232	2014	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	232	2015	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Indeterminate	-	2	6.8	-	-	-	-



ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	232	2012	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	52	18.6	-	-	-	-
96/0037	232	2017	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	3.2	-	-	-	-
96/0037	232	2018	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	2	0.7	-	-	-	-
96/0037	232	2019	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.2	-	-	-	-
96/0037	232	2020	3	-	-	073	-	02	-	-	-	-	-	-	Debitage	Quartzite	Pressure Flakes	Absent	-	3	0.5	-	-	-	-
96/0037	242	1906	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	5	1.4	-	-	-	-
96/0037	242	1907	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	242	1913	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	2.5	-	-	-	-
96/0037	242	1914	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	1	3.8	-	-	-	-
96/0037	242	1904	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	242	1903	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	12	5.2	-	-	-	-
96/0037	242	1902	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	9	8.1	-	-	-	-
96/0037	242	1905	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	0.6	-	-	-	-
96/0037	242	1909	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	32	12.4	-	-	-	-
96/0037	242	1908	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	30	9.4	-	-	-	-
96/0037	242	1910	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	2.4	-	-	-	-
96/0037	242	1912	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.	-	-	-	-
96/0037	242	1911	3	-	-	073	-	03	-	-	-	-	-	-	Debitage	Indeterminate	Indeterminate Flakes	No Observation	-	1	0.9	-	-	-	-
96/0037	248	1942	3	-	-	073	-	04	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.3	-	-	-	-
96/0037	248	1943	3	-	-	073	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.7	-	-	-	-
96/0037	248	1935	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	1.	-	-	-	-
96/0037	248	1941	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	3.5	-	-	-	-
96/0037	248	1932	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	6	6.2	-	-	-	-
96/0037	248	1933	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	3.1	-	-	-	-
96/0037	248	1934	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	2.9	-	-	-	-
96/0037	248	1938	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	10	6.1	-	-	-	-
96/0037	248	1937	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.3	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLV	FPO	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	248	1936	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	9	4.6	-	-	-	-
96/0037	248	1940	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	0.3	-	-	-	-
96/0037	248	1939	3	-	-	073	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.8	-	-	-	-
96/0037	248	1931	3	-	-	073	-	04	-	-	-	-	-	-	Unifaces	Chert	Utilized Flakes	Cobble	-	1	9.9	31.	35.	10.7	POSSIBLE UTILIZED FLAKE.
96/0037	259	1778	3	-	-	073	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	2.5	-	-	-	-
96/0037	259	1779	3	-	-	073	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	259	1780	3	-	-	073	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	227	1976	3	-	-	074	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.7	-	-	-	-
96/0037	227	1972	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-	-
96/0037	227	1971	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	227	1967	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	13	10.2	-	-	-	-
96/0037	227	1970	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	3	5.	-	-	-	-
96/0037	227	1968	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	227	1969	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	1.7	-	-	-	-
96/0037	227	1975	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	227	1973	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	15	9.1	-	-	-	-
96/0037	227	1974	3	-	-	074	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	3.2	-	-	-	-
96/0037	233	1837	3	-	-	074	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.6	-	-	-	-
96/0037	233	1838	3	-	-	074	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	3.1	-	-	-	-
96/0037	233	1836	3	-	-	074	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	12.6	-	-	-	-
96/0037	233	1821	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	233	1822	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	8	1.2	-	-	-	-
96/0037	233	1820	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	5	3.5	-	-	-	-
96/0037	233	1834	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	1.	-	-	-	-
96/0037	233	1835	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	2.	-	-	-	-
96/0037	233	1819	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoritication Flakes	Block	-	2	20.6	-	-	-	-

ACCS#	DATE	ROW#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
%/0037	233	1818	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Decortication Flakes	Block	-	1	15.1	-	-	-	-
%/0037	233	1815	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
%/0037	233	1813	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	26	22.4	-	-	-	-
%/0037	233	1814	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	1.1	-	-	-	-
%/0037	233	1817	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	0.6	-	-	-	-
%/0037	233	1812	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	15	32.5	-	-	-	-
%/0037	233	1816	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	2	40.3	-	-	-	-
%/0037	233	1826	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
%/0037	233	1827	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.2	-	-	-	-
%/0037	233	1824	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	28	10.2	-	-	-	-
%/0037	233	1825	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.6	-	-	-	-
%/0037	233	1830	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Block	-	6	2.	-	-	-	-
%/0037	233	1823	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	25	7.5	-	-	-	-
%/0037	233	1828	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
%/0037	233	1829	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
%/0037	233	1832	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.5	-	-	-	-
%/0037	233	1831	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Block	-	1	0.3	-	-	-	-
%/0037	233	1833	3	-	-	074	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	4	0.6	-	-	-	-
%/0037	240	1896	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.9	-	-	-	-
%/0037	240	1895	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	1.2	-	-	-	-
%/0037	240	1901	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.3	-	-	-	-
%/0037	240	1892	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
%/0037	240	1894	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	0.5	-	-	-	-
%/0037	240	1893	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
%/0037	240	1891	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	2.1	-	-	-	-
%/0037	240	1900	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
%/0037	240	1898	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	16	5.	-	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	240	1899	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	240	1897	3	-	-	074	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	9	4	-	-	-	-
96/0037	246	1927	3	-	-	074	-	04	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	246	1925	3	-	-	074	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	2.7	-	-	-	-
96/0037	246	1926	3	-	-	074	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	246	1928	3	-	-	074	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	231	2002	3	-	-	075	-	01	-	-	-	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	1	11.2	-	-	-	-
96/0037	231	2000	3	-	-	075	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	231	2001	3	-	-	075	-	01	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	238	1886	3	-	-	075	-	02	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	3	1.7	-	-	-	-
96/0037	238	1881	3	-	-	075	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	238	1882	3	-	-	075	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	238	1883	3	-	-	075	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	238	1884	3	-	-	075	-	02	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	238	1885	3	-	-	075	-	02	-	-	-	-	FLOT	-	Debitage	Indeterminate	Indeterminate Flakes	Indeterminate	-	1	0.8	-	-	-	-
96/0037	243	1917	3	-	-	075	-	03	-	-	-	-	FLOT	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	243	1916	3	-	-	075	-	03	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	243	1915	3	-	-	075	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	243	1918	3	-	-	075	-	03	-	-	-	-	FLOT	-	Debitage	Siltstone	Flake Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	243	1919	3	-	-	075	-	03	-	-	-	-	FLOT	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	247	1930	3	-	-	075	-	04	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	1	9.8	-	-	-	-
96/0037	247	1929	3	-	-	075	-	04	-	-	-	-	FLOT	-	Debitage	Chert	Pressure Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	250	1947	3	-	-	075	-	05	-	-	-	-	FLOT	-	Cracked Rock	Chert	-	-	-	1	6.2	-	-	-	-
96/0037	250	1946	3	-	-	075	-	05	-	-	-	-	FLOT	-	Cracked Rock	Ironstone	-	-	-	1	62.1	-	-	-	-
96/0037	250	1944	3	-	-	075	-	05	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0	-	-	-	-
96/0037	250	1945	3	-	-	075	-	05	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	280	2295	3	-	-	075	-	06	-	-	-	-	FLOT	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.2	-	-	-	-

SCL, Delaware Site 7N0-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	230	1999	3	-	-	076	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	7	155.7	-	-	-	-
96/0037	230	1994	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	1.8	-	-	-	-
96/0037	230	1997	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	12	-	-	-	-
96/0037	230	1998	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	1	3.7	-	-	-	-
96/0037	230	1993	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	13	9.6	-	-	-	-
96/0037	230	1995	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	4.1	-	-	-	-
96/0037	230	1996	3	-	-	076	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	1.5	-	-	-	-
96/0037	235	1852	3	-	-	076	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.8	-	-	-	-
96/0037	235	1854	3	-	-	076	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	43.9	-	-	-	-
96/0037	235	1853	3	-	-	076	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	1.7	-	-	-	-
96/0037	235	1850	3	-	-	076	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	5	105.5	-	-	-	-
96/0037	235	1851	3	-	-	076	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.5	-	-	-	-
96/0037	235	1845	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	235	1844	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	0.8	-	-	-	-
96/0037	235	1849	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Block	-	1	106.8	-	-	-	-
96/0037	235	1848	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	12	-	-	-	-
96/0037	235	1843	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	7.4	-	-	-	-
96/0037	235	1846	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	16	6.5	-	-	-	-
96/0037	235	1847	3	-	-	076	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	235	1856	3	-	-	076	-	02	-	-	-	-	-	-	Unmodified Cobbles	Ironstone	-	-	-	1	336.3	-	-	-	-
96/0037	235	1855	3	-	-	076	-	02	-	-	-	-	-	-	Unmodified Cobbles	Sandstone	-	-	-	1	264.4	-	-	-	-
96/0037	237	1880	3	-	-	076	-	03	-	-	-	-	-	-	Bifaces	Chert	Middle-Stage Bifaces	Cobble	BRK	1	4.9	34.2	-	8.3	-
96/0037	237	1879	3	-	-	076	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	6.2	-	-	-	-
96/0037	237	1875	3	-	-	076	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	1.4	-	-	-	-
96/0037	237	1877	3	-	-	076	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	8.9	-	-	-	-
96/0037	237	1878	3	-	-	076	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	15.2	-	-	-	-
96/0037	237	1874	3	-	-	076	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1.1	-	-	-	-

ACCS#	CAT#	ROW#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	237	1876	3	-	-	076	-	03	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	8	2.	-	-	-	-
96/0037	239	1887	3	-	-	076	-	04	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	1.	-	-	-	-
96/0037	239	1890	3	-	-	076	-	04	-	-	-	-	-	-	-	Chert	Flake Fragments	Cobble	-	1	1.7	-	-	-	-
96/0037	239	1888	3	-	-	076	-	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	239	1889	3	-	-	076	-	04	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	244	1920	3	-	-	076	-	05	-	-	-	-	-	-	-	Quartz	Early Reduction Flakes	Absent	-	1	3.1	-	-	-	-
96/0037	244	1921	3	-	-	076	-	05	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	1.6	-	-	-	-
96/0037	490	3063	3	-	-	077	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.7	-	-	-	-
96/0037	490	3062	3	-	-	077	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	0.5	-	-	-	-
96/0037	490	3061	3	-	-	077	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	5	111.4	-	-	-	-
96/0037	490	3060	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	2	4.	-	-	-	-
96/0037	490	3059	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	12.5	-	-	-	-
96/0037	490	3054	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	490	3051	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	490	3052	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	490	3053	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.4	-	-	-	-
96/0037	490	3056	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	490	3055	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	490	3057	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.	-	-	-	-
96/0037	490	3058	3	-	-	077	-	01	-	-	-	-	-	-	Debitage	Chert	Pressure Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	448	2875	3	-	-	077	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	3	4.1	-	-	-	-
96/0037	448	2874	3	-	-	077	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	3.1	-	-	-	-
96/0037	448	2876	3	-	-	077	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	0.5	-	-	-	-
96/0037	448	2873	3	-	-	077	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	122.3	-	-	-	-
96/0037	448	2869	3	-	-	077	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	448	2868	3	-	-	077	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	448	2870	3	-	-	077	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	3	1.9	-	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	448	2872	3	-	-	077	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	1	0.3	-	-	-	-	-	
96/0037	448	2871	3	-	-	077	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	5	0.8	-	-	-	-	-
96/0037	451	2889	3	-	-	077	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	2	1.8	-	-	-	-	-	-
96/0037	451	2888	3	-	-	077	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	5.2	-	-	-	-	-	-
96/0037	451	2885	3	-	-	077	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	451	2887	3	-	-	077	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-	-	-
96/0037	451	2886	3	-	-	077	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.7	-	-	-	-	-
96/0037	279	2310	3	-	-	078	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	1	0.8	-	-	-	-	-	-
96/0037	279	2308	3	-	-	078	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	3	70.6	-	-	-	-	-	-
96/0037	279	2309	3	-	-	078	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	1	2.7	-	-	-	-	-	-
96/0037	279	2307	3	-	-	078	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	1.3	-	-	-	-	-
96/0037	279	2304	3	-	-	078	-	01	-	-	-	-	-	-	Debitage	Quartzite	Decortication Flakes	Cobble	-	1	16.5	-	-	-	-	-
96/0037	279	2303	3	-	-	078	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	4.8	-	-	-	-	-
96/0037	279	2306	3	-	-	078	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.	-	-	-	-	-
96/0037	279	2305	3	-	-	078	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	2.9	-	-	-	-	-
96/0037	281	2314	3	-	-	078	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	9	284.3	-	-	-	-	-	-
96/0037	281	2315	3	-	-	078	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	2	115.4	-	-	-	-	-	-
96/0037	281	2311	3	-	-	078	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	8	10.5	-	-	-	-	-
96/0037	281	2313	3	-	-	078	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	2	0.6	-	-	-	-	-
96/0037	281	2312	3	-	-	078	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	11	2.9	-	-	-	-	-
96/0037	282	2321	3	-	-	078	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	1	7.2	-	-	-	-	-	-
96/0037	282	2320	3	-	-	078	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	2.8	-	-	-	-	-	-
96/0037	282	2317	3	-	-	078	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-	-
96/0037	282	2316	3	-	-	078	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.6	-	-	-	-	-
96/0037	282	2318	3	-	-	078	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.7	-	-	-	-	-
96/0037	282	2319	3	-	-	078	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.3	-	-	-	-	-
96/0037	283	2327	3	-	-	078	-	04	-	-	-	-	-	-	Cracked Rock	Chert	-	-	1	3.3	-	-	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCSN#	CAT#	ROW#	PHS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FQD	OTHER	CKTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	283	2326	3	-	-	078	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	4.2	-	-	-	-
96/0037	283	2322	3	-	-	078	-	04	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	283	2323	3	-	-	078	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	283	2325	3	-	-	078	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	283	2324	3	-	-	078	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	284	2296	3	-	-	078	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	278	2302	3	-	-	079	-	01	-	-	-	-	FLOT	-	Cracked Rock	Metasedimentary	-	-	-	1	501.6	-	-	-	-
96/0037	278	2301	3	-	-	079	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	1	5.6	-	-	-	-
96/0037	278	2299	3	-	-	079	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	1.	-	-	-	-
96/0037	278	2298	3	-	-	079	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	9	10.9	-	-	-	-
96/0037	278	2300	3	-	-	079	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	2.9	-	-	-	-
96/0037	289	2349	3	-	-	079	-	02	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	1	0.3	-	-	-	-
96/0037	289	2348	3	-	-	079	-	02	-	-	-	-	FLOT	-	Cracked Rock	Metasedimentary	-	-	-	1	25.8	-	-	-	-
96/0037	289	2347	3	-	-	079	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	9	310.2	-	-	-	-
96/0037	289	2346	3	-	-	079	-	02	-	-	-	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	3	248.7	-	-	-	-
96/0037	289	2341	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	289	2345	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Block Shatter	Absent	-	3	39.2	-	-	-	-
96/0037	289	2340	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	289	2339	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	28	34.2	-	-	-	-
96/0037	289	2343	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	289	2342	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	20	8.	-	-	-	-
96/0037	289	2344	3	-	-	079	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Cobble	-	2	0.6	-	-	-	-
96/0037	305	2149	3	-	-	079	-	03	-	-	-	-	FLOT	-	Cracked Rock	Metasedimentary	-	-	-	3	264.4	-	-	-	-
96/0037	305	2148	3	-	-	079	-	03	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	5	80.	-	-	-	-
96/0037	305	2147	3	-	-	079	-	03	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	3	498.5	-	-	-	-
96/0037	305	2146	3	-	-	079	-	03	-	-	-	-	FLOT	-	Cracked Rock	Siltstone	-	-	-	2	286.8	-	-	-	-
96/0037	305	2144	3	-	-	079	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	2.7	-	-	-	-



ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	305	2145	3	-	-	079	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.5	-	-	-	-	-
96/0037	310	1311	3	-	-	079	-	04	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	3	137.2	-	-	-	-	-	-
96/0037	313	1323	3	-	-	079	-	05	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	1	1	-	-	-	-	-	-
96/0037	313	1324	3	-	-	079	-	05	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	1	33.4	-	-	-	-	-	-
96/0037	313	1321	3	-	-	079	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-	-
96/0037	313	1322	3	-	-	079	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	260	1785	3	-	-	080	-	01	-	-	-	-	-	-	Bifaces	Quartzite	Early-Stage Bifaces	Absent	BKK	1	19.9	-	34.9	14	-	
96/0037	260	1786	3	-	-	080	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	5.7	-	-	-	-	
96/0037	260	1782	3	-	-	080	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-	
96/0037	260	1781	3	-	-	080	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	3.9	-	-	-	-	
96/0037	260	1784	3	-	-	080	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.4	-	-	-	-	
96/0037	260	1783	3	-	-	080	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.7	-	-	-	-	
96/0037	261	1797	3	-	-	080	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	BAS	1	4	-	-	-	SIMILAR TO #16	
96/0037	261	1800	3	-	-	080	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	45.1	-	-	-	-	
96/0037	261	1799	3	-	-	080	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	7	214.5	-	-	-	-	
96/0037	261	1801	3	-	-	080	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	9.1	-	-	-	-	
96/0037	261	1791	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	1.3	-	-	-	-	
96/0037	261	1795	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	4	7.8	-	-	-	-	
96/0037	261	1798	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	1	76.4	-	-	-	-	
96/0037	261	1796	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	1.6	-	-	-	-	
96/0037	261	1789	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.4	-	-	-	-	
96/0037	261	1790	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Decoratation Flakes	Block	-	1	0.4	-	-	-	-	
96/0037	261	1788	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-	
96/0037	261	1787	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	11	11.2	-	-	-	-	
96/0037	261	1792	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	32	25.3	-	-	-	-	
96/0037	261	1793	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	2	0.7	-	-	-	-	
96/0037	261	1794	3	-	-	080	-	02	-	-	-	-	-	-	Debitage	Quartzite	Pressure Flakes	Absent	-	1	0.1	-	-	-	-	

SR1, Delaware Site 74C-6-143

ACCS#	CAT#	Box#	PIS AREA	STP	UNIT	STK LEVEL	UOD	FEA	FLV	FDD	OTHER	CMTS CLASS	MATERIAL	TYPE	CORTX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	262	1809	3	-	080	03	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.8	-	-	-	-
96/0037	262	1810	3	-	080	03	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	60.6	-	-	-	-
96/0037	262	1811	3	-	080	03	-	-	-	-	-	Cracked Rock	Quartzite	-	-	3	97.4	-	-	-	-	-
96/0037	262	1803	3	-	080	03	-	-	-	-	-	Debitage	Quartzite	Decoratation Flakes	Block	-	1	1.5	-	-	-	-
96/0037	262	1802	3	-	080	03	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	7.5	-	-	-	-
96/0037	262	1806	3	-	080	03	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Block	-	1	0.7	-	-	-	-
96/0037	262	1807	3	-	080	03	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	262	1804	3	-	080	03	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	10	3.3	-	-	-	-
96/0037	262	1805	3	-	080	03	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	1.6	-	-	-	-
96/0037	262	1808	3	-	080	03	-	-	-	-	-	Debitage	Quartz	Flake Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	263	1223	3	-	080	04	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	263	1221	3	-	080	04	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	2	3.1	-	-	-	-
96/0037	263	1222	3	-	080	04	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	263	1224	3	-	080	04	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	273	2287	3	-	080	05	-	-	-	-	-	Debitage	Quartzite	Decoratation Flakes	Cobble	-	1	1.1	-	-	-	-
96/0037	273	2285	3	-	080	05	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	273	2286	3	-	080	05	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	273	2289	3	-	080	05	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	273	2288	3	-	080	05	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	252	1956	3	-	081	01	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.1	-	-	-	-
96/0037	254	1750	3	-	081	02	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.7	-	-	-	-
96/0037	254	1749	3	-	081	02	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	40.5	-	-	-	-
96/0037	254	1747	3	-	081	02	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	25.4	-	-	-	-
96/0037	254	1748	3	-	081	02	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	1.3	-	-	-	-
96/0037	254	1746	3	-	081	02	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	92.7	-	-	-	-
96/0037	254	1741	3	-	081	02	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	254	1740	3	-	081	02	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.9	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Roc#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	254	1745	3	-	-	081	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	6.4	-	-	-	-
96/0037	254	1739	3	-	-	081	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	9.4	-	-	-	-
96/0037	254	1743	3	-	-	081	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	254	1742	3	-	-	081	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	1.6	-	-	-	-
96/0037	254	1744	3	-	-	081	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	0.4	-	-	-	-
96/0037	264	1227	3	-	-	081	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	11.4	-	-	-	-
96/0037	264	1228	3	-	-	081	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	15.3	-	-	-	-
96/0037	264	1226	3	-	-	081	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	12.8	-	-	-	-
96/0037	264	1225	3	-	-	081	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	265	1232	3	-	-	081	-	04	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	10.8	-	-	-	-
96/0037	265	1229	3	-	-	081	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	265	1230	3	-	-	081	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	2.2	-	-	-	-
96/0037	265	1231	3	-	-	081	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	253	1737	3	-	-	082	-	01	-	-	-	-	FLOT	-	Cracked Rock	Jasper	-	-	-	1	6.9	-	-	-	-
96/0037	253	1738	3	-	-	082	-	01	-	-	-	-	FLOT	-	Cracked Rock	Quartzite	-	-	-	3	15.1	-	-	-	-
96/0037	253	1731	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	1.5	-	-	-	-
96/0037	253	1730	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	253	1728	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	5.	-	-	-	-
96/0037	253	1729	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.9	-	-	-	-
96/0037	253	1727	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	8.6	-	-	-	-
96/0037	253	1733	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Absent	-	1	3.7	-	-	-	-
96/0037	253	1736	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Chert	Flake Fragments	Cobble	-	1	1.2	-	-	-	-
96/0037	253	1734	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	253	1735	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Jasper	Flake Fragments	Absent	-	2	1.5	-	-	-	-
96/0037	253	1732	3	-	-	082	-	01	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	9	5.6	-	-	-	-
96/0037	266	1250	3	-	-	082	-	02	-	-	-	-	FLOT	-	Cracked Rock	Indeterminate	-	-	-	5	2.1	-	-	-	-
96/0037	266	1249	3	-	-	082	-	02	-	-	-	-	FLOT	-	Cracked Rock	Quartz	-	-	-	2	1.5	-	-	-	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CKTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	266	1248	3	-	-	082	-	02	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	1	146.3	-	-	-	-
96/0037	266	1243	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Biface Reduction	Flakes	Absent	-	9	2.8	-	-	-	-
96/0037	266	1238	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Biface Reduction	Flakes	Absent	-	7	5.	-	-	-	-
96/0037	266	1245	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Block Shatter		Absent	-	3	8.4	-	-	-	-
96/0037	266	1246	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Block Shatter		Cobble	-	2	34.6	-	-	-	-
96/0037	266	1240	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Block Shatter		Absent	-	2	2.2	-	-	-	-
96/0037	266	1233	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Chert Decortication	Flakes	Cobble	-	1	3.4	-	-	-	-
96/0037	266	1241	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Decortication	Flakes	Cobble	-	1	2.6	-	-	-	-
96/0037	266	1235	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Decortication	Flakes	Cobble	-	1	2.9	-	-	-	-
96/0037	266	1242	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Absent	-	10	10.1	-	-	-	-
96/0037	266	1236	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Early Reduction	Flakes	Absent	-	14	12.7	-	-	-	-
96/0037	266	1237	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Early Reduction	Flakes	Cobble	-	1	6.2	-	-	-	-
96/0037	266	1234	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Chert Flake Fragments		Absent	-	1	0.2	-	-	-	-
96/0037	266	1244	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Flake Fragments		Absent	-	24	9.3	-	-	-	-
96/0037	266	1239	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Quartzite Flake Fragments		Absent	-	38	30.	-	-	-	-
96/0037	266	1247	3	-	-	082	-	02	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Flake Shatter		Absent	-	1	0.1	-	-	-	-
96/0037	267	1262	3	-	-	082	-	03	-	-	-	-	FLOT	-	Cracked Rock	Chert	-	-	-	1	0.5	-	-	-	-
96/0037	267	1263	3	-	-	082	-	03	-	-	-	-	FLOT	-	Cracked Rock	Sandstone	-	-	-	1	4.2	-	-	-	-
96/0037	267	1258	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Biface Reduction	Flakes	Absent	-	3	2.3	-	-	-	-
96/0037	267	1254	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite Biface Reduction	Flakes	Absent	-	6	4.2	-	-	-	-
96/0037	267	1261	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Block Shatter		Absent	-	2	1.5	-	-	-	-
96/0037	267	1257	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Absent	-	6	2.	-	-	-	-
96/0037	267	1253	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite Early Reduction	Flakes	Absent	-	5	4.4	-	-	-	-
96/0037	267	1252	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Rhyolite Early Reduction	Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	267	1251	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Chert Flake Fragments		Cobble	-	1	0.1	-	-	-	-
96/0037	267	1259	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Flake Fragments		Absent	-	13	3.5	-	-	-	-
96/0037	267	1260	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic Flake Fragments		Cobble	-	1	0.4	-	-	-	-

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	267	1255	3	-	-	082	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	7	1.7	-	-	-	-
96/0037	267	1256	3	-	-	082	-	03	-	-	-	-	FLOT	-	Unifaces	Quartzite	Endscrapers	Absent	-	1	3.5	2.7	19.	10.	-
96/0037	268	1280	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	3	0.5	-	-	-	-
96/0037	268	1277	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	3.4	-	-	-	-
96/0037	268	1279	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	1.5	-	-	-	-
96/0037	268	1276	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	2.8	-	-	-	-
96/0037	268	1281	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	6	3.1	-	-	-	-
96/0037	268	1278	3	-	-	082	-	04	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	0.6	-	-	-	-
96/0037	269	1284	3	-	-	082	-	05	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	269	1282	3	-	-	082	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	4.3	-	-	-	-
96/0037	269	1285	3	-	-	082	-	05	-	-	-	-	FLOT	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0037	269	1283	3	-	-	082	-	05	-	-	-	-	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	2.8	-	-	-	-
96/0037	276	2293	3	-	-	082	-	06	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.3	-	-	-	-
96/0037	270	1291	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	3	1.	-	-	-	-
96/0037	270	1287	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	4.8	-	-	-	-
96/0037	270	1289	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	4	3.6	-	-	-	-
96/0037	270	1290	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	23	29.9	-	-	-	-
96/0037	270	1286	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	13	20.	-	-	-	-
96/0037	270	1292	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	17	8.2	-	-	-	-
96/0037	270	1288	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	12	10.5	-	-	-	-
96/0037	270	1293	3	-	-	083	-	01	-	-	-	-	-	-	Debitage	Shale	Indeterminate Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	271	1300	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	3	1.	-	-	-	-
96/0037	271	1295	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	4	2.3	-	-	-	-
96/0037	271	1302	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	5	4.	-	-	-	-
96/0037	271	1297	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	271	1298	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Decortication Flakes	Cobble	-	1	2.7	-	-	-	-
96/0037	271	1299	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	11	7.5	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQP	FEA	FLV	FQD	OTHER	CRTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	271	1294	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	8	17.7	-	-	-	-
96/0037	271	1301	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	15	5.9	-	-	-	-	-
96/0037	271	1296	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	13	5.7	-	-	-	-
96/0037	271	1303	3	-	-	083	-	02	-	-	-	-	-	-	Debitage	Shale	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	272	1275	3	-	-	083	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	12.4	-	-	-	-
96/0037	272	1272	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	3	0.4	-	-	-	-	-
96/0037	272	1267	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	272	1271	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	7	5.2	-	-	-	-	-
96/0037	272	1274	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Indeterminate	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	272	1264	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	1.3	-	-	-	-
96/0037	272	1268	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	0.8	-	-	-	-
96/0037	272	1273	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	7	2.4	-	-	-	-	-
96/0037	272	1265	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	272	1266	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	272	1269	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	7	2.3	-	-	-	-
96/0037	272	1270	3	-	-	083	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.3	-	-	-	-
96/0037	274	2290	3	-	-	083	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	1	2.1	-	-	-	-	-
96/0037	274	2291	3	-	-	083	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	290	2184	3	-	-	084	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	2	42.5	-	-	-	-	-
96/0037	290	2183	3	-	-	084	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	1	5.1	-	-	-	-	-
96/0037	290	2185	3	-	-	084	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	2	41.6	-	-	-	-	-
96/0037	290	2182	3	-	-	084	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	1	98.8	-	-	-	-	-
96/0037	290	2171	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	290	2172	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	2	1.	-	-	-	-	-
96/0037	290	2170	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	290	2180	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter	Absent	-	1	6.3	-	-	-	-	-
96/0037	290	2179	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	9	23.2	-	-	-	-

SFL, Delaware Site 7NC-6-143

ACCNUM	CAT#	Kov#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CURTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	290	2181	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	1	3.9	-	-	-	-
96/0037	290	2168	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	290	2166	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	13	26.4	-	-	-	-
96/0037	290	2167	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	290	2165	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	12	26.7	-	-	-	-
96/0037	290	2169	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	2	20.7	-	-	-	-
96/0037	290	2174	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	16	7.4	-	-	-	-
96/0037	290	2176	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	290	2175	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	290	2173	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	18	9.2	-	-	-	-
96/0037	290	2177	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	0.2	-	-	-	-
96/0037	290	2178	3	-	-	084	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	293	2236	3	-	-	084	-	02	-	-	-	-	-	-	Bifaces	Quartzite	Middle-Stage Bifaces	Absent	BRK	1	11.2	-	-	-	-
96/0037	293	2234	3	-	-	084	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	2	3.2	-	-	-	-
96/0037	293	2235	3	-	-	084	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	8.2	-	-	-	-
96/0037	293	2224	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	293	2225	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	293	2233	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	1.1	-	-	-	-
96/0037	293	2232	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	2.4	-	-	-	-
96/0037	293	2221	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	14	23.3	-	-	-	-
96/0037	293	2223	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	293	2222	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	12	18.2	-	-	-	-
96/0037	293	2228	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.9	-	-	-	-
96/0037	293	2229	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	1.5	-	-	-	-
96/0037	293	2227	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	14	3.8	-	-	-	-
96/0037	293	2226	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	17	6.8	-	-	-	-
96/0037	293	2230	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.8	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Box#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FDD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	293	2231	3	-	-	084	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	3	0.4	-	-	-	-	
96/0037	300	2119	3	-	-	084	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	2	25.1	-	-	-	-	-	
96/0037	300	2120	3	-	-	084	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	1.7	-	-	-	-	-	
96/0037	300	2118	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.3	-	-	-	-	
96/0037	300	2112	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Quartzite	Decoritication Flakes	Cobble	-	1	0.8	-	-	-	-	
96/0037	300	2111	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	2.2	-	-	-	-	
96/0037	300	2110	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	6	3.1	-	-	-	-	
96/0037	300	2109	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	10	8.4	-	-	-	-	
96/0037	300	2115	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.8	-	-	-	-	
96/0037	300	2114	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	7	1.1	-	-	-	-	
96/0037	300	2113	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	7	1.5	-	-	-	-	
96/0037	300	2116	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-	-	
96/0037	300	2117	3	-	-	084	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.1	-	-	-	-	
96/0037	304	2143	3	-	-	084	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	1	0.5	-	-	-	-	-	
96/0037	304	2137	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-	-
96/0037	304	2142	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	0.6	-	-	-	-	
96/0037	304	2141	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.6	-	-	-	-	
96/0037	304	2136	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	3.	-	-	-	-	
96/0037	304	2135	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	1.	-	-	-	-	
96/0037	304	2139	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	2	0.4	-	-	-	-	
96/0037	304	2140	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	
96/0037	304	2138	3	-	-	084	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.7	-	-	-	-	
96/0037	311	1312	3	-	-	084	-	05	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.8	-	-	-	-	
96/0037	311	1315	3	-	-	084	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	0.5	-	-	-	-	
96/0037	311	1314	3	-	-	084	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	0.9	-	-	-	-	
96/0037	311	1313	3	-	-	084	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-	
96/0037	292	2220	3	-	-	085	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	4	1.7	-	-	-	-	-	



ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLU	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	292	2219	3	-	-	085	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	7.2	-	-	-	-
96/0037	292	2211	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	3	1.2	-	-	-	-
96/0037	292	2216	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	2	12.8	-	-	-	-
96/0037	292	2218	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	0.5	-	-	-	-
96/0037	292	2217	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	1	-	-	-	-
96/0037	292	2208	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	292	2209	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	5	8.3	-	-	-	-
96/0037	292	2210	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Block	-	1	1.4	-	-	-	-
96/0037	292	2207	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	5.4	-	-	-	-
96/0037	292	2213	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	14	6.3	-	-	-	-
96/0037	292	2212	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	13	6.2	-	-	-	-
96/0037	292	2214	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	2	0.1	-	-	-	-
96/0037	292	2215	3	-	-	085	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Pressure Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	296	2274	3	-	-	085	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	0.4	-	-	-	-
96/0037	296	2275	3	-	-	085	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	8	103.2	-	-	-	-
96/0037	296	2276	3	-	-	085	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	46.4	-	-	-	-
96/0037	296	2262	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	296	2261	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-	-
96/0037	296	2263	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	296	2272	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	6	8.3	-	-	-	-
96/0037	296	2271	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	11	33.2	-	-	-	-
96/0037	296	2273	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	59.6	-	-	-	-
96/0037	296	2258	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	2.4	-	-	-	-
96/0037	296	2257	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	30	27.3	-	-	-	-
96/0037	296	2259	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Block	-	1	1.1	-	-	-	-
96/0037	296	2256	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	26	25.4	-	-	-	-
96/0037	296	2260	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	0.3	-	-	-	-

SK1, Delaware Site 79C-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHEK	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	296	2266	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-	
96/0037	296	2265	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	29	8.8	-	-	-	-	
96/0037	296	2267	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.1	-	-	-	-	
96/0037	296	2264	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	37	15.	-	-	-	-	
96/0037	296	2269	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	-	1	0.7	-	-	-	-	
96/0037	296	2268	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.7	-	-	-	-	
96/0037	296	2270	3	-	-	085	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Pressure Flakes	Absent	-	1	0.1	-	-	-	-	
96/0037	298	2100	3	-	-	085	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.2	-	-	-	-	
96/0037	298	2102	3	-	-	085	-	03	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.2	-	-	-	-	
96/0037	298	2101	3	-	-	085	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	0.4	-	-	-	-	
96/0037	298	2096	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	298	2097	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction	Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	298	2093	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	15	4.	-	-	-	-
96/0037	298	2094	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	298	2092	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	15	7.9	-	-	-	-
96/0037	298	2095	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Block	-	1	1.2	-	-	-	-
96/0037	298	2098	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	15	4.3	-	-	-	-	-
96/0037	298	2099	3	-	-	085	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	24	6.5	-	-	-	-	-
96/0037	302	2127	3	-	-	085	-	04	-	-	-	-	-	-	Bifaces	Quartzite	Projectile Points	Absent	TIP	1	3.	-	-	-	-	-
96/0037	302	2130	3	-	-	085	-	04	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	1	1.	-	-	-	-
96/0037	302	2128	3	-	-	085	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	302	2129	3	-	-	085	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	4	7.	-	-	-	-
96/0037	302	2131	3	-	-	085	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	308	1306	3	-	-	085	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	308	1304	3	-	-	085	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	2	1.2	-	-	-	-
96/0037	308	1305	3	-	-	085	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	295	2158	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	5	79.6	-	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Box#	FHS	AREA	STP	UNIT	STR	LEVEL	UPD	FER	FLY	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	295	2162	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	9	64.6	-	-	-	-
96/0037	295	2163	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Metamorphic	-	-	-	5	27.8	-	-	-	-
96/0037	295	2164	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	17	48.2	-	-	-	-
96/0037	295	2159	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	7.6	-	-	-	-
96/0037	295	2157	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	44	420.3	-	-	-	-
96/0037	295	2160	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	57	546.6	-	-	-	-
96/0037	295	2161	3	-	-	086	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	20	177.2	-	-	-	-
96/0037	295	2156	3	-	-	086	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	-	1	0.2	-	-	-	-
96/0037	372	2408	3	-	-	086	-	02	-	-	-	-	-	-	Cracked Rock	Igneous	-	-	-	2	10.8	-	-	-	-
96/0037	372	2407	3	-	-	086	-	02	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	1	21.	-	-	-	-
96/0037	372	2406	3	-	-	086	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	11.4	-	-	-	-
96/0037	372	2405	3	-	-	086	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	16.	-	-	-	-
96/0037	372	2404	3	-	-	086	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	2.2	-	-	-	-
96/0037	375	2411	3	-	-	086	-	03	-	-	-	-	FLOT	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	1.6	-	-	-	-
96/0037	375	2410	3	-	-	086	-	03	-	-	-	-	FLOT	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	2	7.2	-	-	-	-
96/0037	375	2409	3	-	-	086	-	03	-	-	-	-	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	375	2412	3	-	-	086	-	03	-	-	-	-	FLOT	-	Debitage	Quartz	Flake Fragments	Absent	-	3	3.5	-	-	-	-
96/0037	376	2413	3	-	-	086	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	299	2103	3	-	-	087	-	01	-	-	-	-	-	1 Bifaces	Quartzite	Projectile Points	Absent	MHL	1	6.6	38.8	22.	-	7. STEMMED POINT.	
96/0037	299	2108	3	-	-	087	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	23.2	-	-	-	-
96/0037	299	2106	3	-	-	087	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	5.1	-	-	-	-
96/0037	299	2107	3	-	-	087	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	81.1	-	-	-	-
96/0037	299	2104	3	-	-	087	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	1.6	-	-	-	-
96/0037	299	2105	3	-	-	087	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
96/0037	380	2583	3	-	-	087	-	02	-	-	-	-	-	1 Bifaces	Jasper	Projectile Points	Absent	MHL	1	5.6	39.	18.6	-	8.1 STEMMED POINT.	
96/0037	380	2596	3	-	-	087	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	28	1423.1	-	-	-	-
96/0037	380	2588	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-

ACCS#	CAT#	Rox#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEN	FLV	FQD	OTHER	CXTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	380	2584	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	2	1.1	-	-	-	-
96/0037	380	2587	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	380	2586	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	6.5	-	-	-	-
96/0037	380	2585	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	6	5.2	-	-	-	-
96/0037	380	2590	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.6	-	-	-	-
96/0037	380	2593	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	380	2592	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	5	1.8	-	-	-	-
96/0037	380	2591	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	380	2589	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	380	2595	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	-	1	0.4	-	-	-	-
96/0037	380	2594	3	-	-	087	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	385	2603	3	-	-	087	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.1	-	-	-	-
96/0037	385	2604	3	-	-	087	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	5	302.7	-	-	-	-
96/0037	385	2602	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.9	-	-	-	-
96/0037	385	2598	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	4.6	-	-	-	-
96/0037	385	2597	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	0.7	-	-	-	-
96/0037	385	2601	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	2	0.6	-	-	-	-
96/0037	385	2600	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	385	2599	3	-	-	087	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.5	-	-	-	-
96/0037	389	2544	3	-	-	087	-	04	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	306.	-	-	-	-
96/0037	389	2542	3	-	-	087	-	04	-	-	-	-	-	-	Debitage	Quartzite	BiFace Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	389	2541	3	-	-	087	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	389	2543	3	-	-	087	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	392	708	3	-	-	087	-	05	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	14.8	-	-	-	-
96/0037	392	706	3	-	-	087	-	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.7	-	-	-	-
96/0037	392	707	3	-	-	087	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	396	720	3	-	-	087	-	06	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.7	-	-	-	-

SKL, Delaware Site 7MC-6-143

ACCS#	CAT#	Box#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	400	733	3	-	-	087	-	07	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	301	2123	3	-	-	088	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	3.6	-	-	-	-
96/0037	301	2124	3	-	-	088	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	6.7	-	-	-	-
96/0037	301	2121	3	-	-	088	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	6	29.5	-	-	-	-
96/0037	301	2122	3	-	-	088	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	53.2	-	-	-	-
96/0037	301	2125	3	-	-	088	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	301	2126	3	-	-	088	-	01	-	-	-	-	-	-	Debitage	Sandstone	Early Reduction Flakes	Absent	-	1	1.5	-	-	-	-
96/0037	405	765	3	-	-	088	-	02	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	1	68.6	-	-	-	-
96/0037	405	762	3	-	-	088	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	7	54.2	-	-	-	-
96/0037	405	763	3	-	-	088	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	115.5	-	-	-	-
96/0037	405	764	3	-	-	088	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	4	45.6	-	-	-	-
96/0037	405	760	3	-	-	088	-	02	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Absent	-	2	1.3	-	-	-	-
96/0037	405	761	3	-	-	088	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	1.3	-	-	-	-
96/0037	408	2793	3	-	-	088	-	03	-	-	-	-	-	-	Cracked Rock	Ironstone	-	-	-	2	31.2	-	-	-	-
96/0037	408	2794	3	-	-	088	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	5	203.4	-	-	-	-
96/0037	408	2792	3	-	-	088	-	03	-	-	-	-	-	-	Debitage	Quartz	Decortication Flakes	Cobble	-	1	3.7	-	-	-	-
96/0037	307	2154	3	-	-	089	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.2	-	-	-	-
96/0037	307	2155	3	-	-	089	-	01	-	-	-	-	-	-	Cracked Rock	Indeterminate	-	-	-	2	22.8	-	-	-	-
96/0037	307	2151	3	-	-	089	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	19.7	-	-	-	-
96/0037	307	2152	3	-	-	089	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	2.2	-	-	-	-
96/0037	307	2153	3	-	-	089	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	14.1	-	-	-	-
96/0037	307	2150	3	-	-	089	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	7.5	-	-	-	-
96/0037	416	850	3	-	-	089	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	3.5	-	-	-	-
96/0037	416	851	3	-	-	089	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	84.	-	-	-	-
96/0037	416	844	3	-	-	089	-	02	-	-	-	-	-	-	Debitage	Quartzite	Bi-face Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	416	845	3	-	-	089	-	02	-	-	-	-	-	-	Debitage	Quartzite	Bi-face Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	416	847	3	-	-	089	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	172.9	-	-	-	-

SKI, Delaware Site 7MC-6-143

ACCSN#	CAT#	Row#	PMS AREA	STP	UNIT	STR LEVEL	UQP	FEA	FLV	FQD	OTHER	CNTS CLASS	MATERIAL	TYPE	CORTEX	COMD COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	416	848	3	-	-	089	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	2	1.3	-	-
96/0037	416	849	3	-	-	089	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.7	-	-	
96/0037	416	846	3	-	-	089	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	
96/0037	416	843	3	-	-	089	-	-	-	-	-	-	Debitage	Quartz	Flake Shatter	Absent	-	1	0.1	-	-	
96/0037	419	2645	3	-	-	089	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	2	12.	-	-		
96/0037	419	2642	3	-	-	089	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	1	0.2	-	-
96/0037	419	2644	3	-	-	089	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	16.3	-	-	
96/0037	419	2641	3	-	-	089	-	-	-	-	-	-	Debitage	Chert	Early Reduction	Flakes	Absent	-	1	0.1	-	-
96/0037	419	2643	3	-	-	089	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.2	-	-	
96/0037	421	2652	3	-	-	089	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.1	-	-	
96/0037	309	1309	3	-	-	090	-	-	-	-	-	-	Cores	Quartz	Freehand Cores	Cobble	-	1	7.3	41.	20.	
96/0037	309	1307	3	-	-	090	-	-	-	-	-	-	Debitage	Chert	Biface Reduction	Flakes	Absent	-	1	0.8	-	-
96/0037	309	1308	3	-	-	090	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	2.	-	-	
96/0037	309	1310	3	-	-	090	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	
96/0037	425	2681	3	-	-	090	-	-	-	-	-	-	Cracked Rock	Chert	-	-	1	1.4	-	-		
96/0037	425	2679	3	-	-	090	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	1	50.5	-	-		
96/0037	425	2680	3	-	-	090	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	4	11.8	-	-		
96/0037	425	2682	3	-	-	090	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	13	1944.1	-	-		
96/0037	425	2678	3	-	-	090	-	-	-	-	-	-	Debitage	Jasper	Decorication	Flakes	Cobble	-	1	0.2	-	-
96/0037	425	2675	3	-	-	090	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	1	1.6	-	-
96/0037	425	2677	3	-	-	090	-	-	-	-	-	-	Debitage	Quartz	Early Reduction	Flakes	Cobble	-	1	0.5	-	-
96/0037	425	2676	3	-	-	090	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	3	2.7	-	-
96/0037	428	2553	3	-	-	090	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	2	20.4	-	-		
96/0037	428	2550	3	-	-	090	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	1	0.5	-	-
96/0037	428	2551	3	-	-	090	-	-	-	-	-	-	Debitage	Quartz	Early Reduction	Flakes	Cobble	-	1	0.8	-	-
96/0037	428	2549	3	-	-	090	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	2	0.2	-	-
96/0037	428	2552	3	-	-	090	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.1	-	-	

SK1, Delaware Site 7MC-6-143

ACC#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	429	2554	3	-	-	090	-	04	-	-	-	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	429	2555	3	-	-	090	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	434	2581	3	-	-	090	-	05	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	434	2580	3	-	-	090	-	05	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	434	2582	3	-	-	090	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	315	1345	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	3	3.	-	-	-	-
96/0037	315	1340	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	315	1342	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	1.4	-	-	-	-
96/0037	315	1338	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	-	1	0.3	-	-	-	-
96/0037	315	1344	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	4	5.8	-	-	-	-
96/0037	315	1339	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	315	1346	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	11	3.4	-	-	-	-
96/0037	315	1341	3	-	-	091	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	7	3.4	-	-	-	-
96/0037	315	1343	3	-	-	091	-	01	-	-	-	-	-	-	Unifaces	Quartzite	Retouched Flakes	Absent	-	1	1.	23.	9.	5.	-
96/0037	320	1403	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	8	2.3	-	-	-	-
96/0037	320	1395	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	5	1.7	-	-	-	-
96/0037	320	1405	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	9	32.6	-	-	-	-
96/0037	320	1391	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	4	16.8	-	-	-	-
96/0037	320	1392	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	0.3	-	-	-	-
96/0037	320	1398	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	8	5.5	-	-	-	-
96/0037	320	1399	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	2	13.9	-	-	-	-
96/0037	320	1401	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	12.8	-	-	-	-
96/0037	320	1402	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	14	9.8	-	-	-	-
96/0037	320	1390	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	320	1393	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	18	11.6	-	-	-	-
96/0037	320	1394	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	1.8	-	-	-	-
96/0037	320	1404	3	-	-	091	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	23	4.1	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CHT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQP	OTHER	CHTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COURT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	320	1406	3	-	-	091	-	02	-	-	-	-	-	-	-	Indeterminate	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	320	1397	3	-	-	091	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	34	8.3	-	-	-	-
96/0037	320	1396	3	-	-	091	-	02	-	-	-	-	-	-	-	Quartzite	Pressure Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	320	1400	3	-	-	091	-	02	-	-	-	-	-	-	-	Quartzite	Endscrapers	Absent	-	1	8.9	34.	26.	9.	-
96/0037	323	1423	3	-	-	091	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	6	0.8	-	-	-	-
96/0037	323	1418	3	-	-	091	-	03	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Absent	-	3	1.	-	-	-	-
96/0037	323	1425	3	-	-	091	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	323	1420	3	-	-	091	-	03	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	1	1.	-	-	-	-
96/0037	323	1421	3	-	-	091	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Decoronation Flakes	Cobble	-	2	1.2	-	-	-	-
96/0037	323	1416	3	-	-	091	-	03	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	323	1422	3	-	-	091	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	4	1.7	-	-	-	-
96/0037	323	1417	3	-	-	091	-	03	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	5	6.1	-	-	-	-
96/0037	323	1424	3	-	-	091	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	7	1.7	-	-	-	-
96/0037	323	1419	3	-	-	091	-	03	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	12	3.2	-	-	-	-
96/0037	326	1449	3	-	-	091	-	04	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	326	1447	3	-	-	091	-	04	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	326	1446	3	-	-	091	-	04	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	326	1450	3	-	-	091	-	04	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	4	0.8	-	-	-	-
96/0037	326	1448	3	-	-	091	-	04	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	5	1.8	-	-	-	-
96/0037	326	1451	3	-	-	091	-	04	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Shatter	Absent	-	2	0.1	-	-	-	-
96/0037	330	1481	3	-	-	091	-	05	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.9	-	-	-	-
96/0037	330	1480	3	-	-	091	-	05	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	2	1.	-	-	-	-
96/0037	314	1328	3	-	-	092	-	01	-	-	-	-	-	-	-	Jasper	Indeterminate Biface Fragments	Absent	BKK	1	1.2	-	-	-	-
96/0037	314	1337	3	-	-	092	-	01	-	-	-	-	-	-	-	Sandstone	Hammerstones	-	WHL	1	236.4	88.	59.	33.	-
96/0037	314	1325	3	-	-	092	-	01	-	-	-	-	-	-	-	Chert	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	314	1335	3	-	-	092	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.9	-	-	-	-



SKL, Delaware Site 7MC-0-143

ACCS#	CAT#	CON#	PIS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	314	1332	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-	-
96/0037	314	1326	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Jasper	Bipolar Reduction Flakes	Absent	-	1	0.7	-	-	-	-	-
96/0037	314	1334	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Chalcedony	Block Shatter	Cobble	-	1	8.1	-	-	-	-	-
96/0037	314	1329	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	2	3.2	-	-	-	-	-
96/0037	314	1331	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-	-
96/0037	314	1333	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Chalcedony	Flake Fragments	Absent	-	1	0.5	-	-	-	-	-
96/0037	314	1336	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	4	1.1	-	-	-	-	-
96/0037	314	1327	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	314	1330	3	-	-	092	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	3	1.2	-	-	-	-	-
96/0037	317	1365	3	-	-	092	-	02	-	-	-	-	-	-	Bifaces	Quartz	Indeterminate Biface Fragments	Absent	BAS	1	0.8	-	-	-	-	TRANSVERSE BREAK JUST ABOVE BASE.
96/0037	317	1372	3	-	-	092	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	711.1	-	-	-	-	-
96/0037	317	1373	3	-	-	092	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	104.4	-	-	-	-	-
96/0037	317	1367	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-	-
96/0037	317	1370	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	3	2.4	-	-	-	-	-
96/0037	317	1371	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Cobble	-	2	0.2	-	-	-	-	-
96/0037	317	1356	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Decorative Flakes	Cobble	-	1	0.3	-	-	-	-	-
96/0037	317	1363	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Argillite	Early Reduction Flakes	Absent	-	1	7.6	-	-	-	-	-
96/0037	317	1355	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.4	-	-	-	-	-
96/0037	317	1366	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	6	24.7	-	-	-	-	-
96/0037	317	1357	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.1	-	-	-	-	-
96/0037	317	1358	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	1.1	-	-	-	-	-
96/0037	317	1368	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	5	3.1	-	-	-	-	-
96/0037	317	1369	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.7	-	-	-	-	-
96/0037	317	1359	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.8	-	-	-	-	-
96/0037	317	1360	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	317	1361	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-	-	-

SCL, Delaware Site 7MC-6-143

ACCS#	CAT#	Ko#	PIS	AREA	STP	UNIT	STR	LEVEL	UQP	FEA	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	WIDTH	THICKNESS	NOTE
96/0037	317	1364	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.7	-	-	-
96/0037	317	1374	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Siltstone	Flake Fragments	Absent	-	2	0.2	-	-	-
96/0037	317	1362	3	-	-	092	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.1	-	-	-
96/0037	318	1375	3	-	-	092	-	03	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	318	1376	3	-	-	092	-	03	-	-	-	-	-	-	Debitage	Jasper	Decorification Flakes	Cobble	-	1	0.2	-	-	-
96/0037	318	1378	3	-	-	092	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	1.1	-	-	-
96/0037	318	1377	3	-	-	092	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.8	-	-	-
96/0037	321	1408	3	-	-	092	-	04	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-
96/0037	321	1410	3	-	-	092	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
96/0037	321	1409	3	-	-	092	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-
96/0037	316	1354	3	-	-	093	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	30.2	-	-	-
96/0037	316	1349	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	3	3	-	-	-
96/0037	316	1347	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-
96/0037	316	1351	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.8	-	-	-
96/0037	316	1348	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	8.8	-	-	-
96/0037	316	1352	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.4	-	-	-
96/0037	316	1350	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.7	-	-	-
96/0037	316	1353	3	-	-	093	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Indeterminate Flakes	Cobble	-	1	0.8	-	-	SURRT.
96/0037	319	1389	3	-	-	093	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.9	-	-	-
96/0037	319	1387	3	-	-	093	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	3.9	-	-	-
96/0037	319	1388	3	-	-	093	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	1.4	-	-	-
96/0037	319	1384	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	1.3	-	-	-
96/0037	319	1379	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	1.5	-	-	-
96/0037	319	1381	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	2	4.9	-	-	-
96/0037	319	1383	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	5.2	-	-	-
96/0037	319	1385	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	5	5.1	-	-	-
96/0037	319	1380	3	-	-	093	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	1.9	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEH	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	WIDTH	THICKNESS	NOTE	
96/0037	319	1382	3	-	093	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	319	1386	3	-	093	-	02	-	-	-	-	-	-	Debitage	Sedimentary	Flake Fragments	Absent	-	1	0.2	-	-	-	SURNT.
96/0037	324	1428	3	-	093	-	03	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	324	1427	3	-	093	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	324	1426	3	-	093	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	1.9	-	-	-	-
96/0037	328	1457	3	-	093	-	04	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	1.1	-	-	-	-
96/0037	325	1443	3	-	094	-	03	-	-	-	C14	-	-	Cracked Rock	Metasedimentary	-	-	-	4	94.2	-	-	-	-
96/0037	325	1444	3	-	094	-	03	-	-	-	C14	-	-	Cracked Rock	Metasedimentary	-	-	-	1	61.	-	-	-	-
96/0037	325	1445	3	-	094	-	03	-	-	-	C14	-	-	Cracked Rock	Quartz	-	-	-	2	55.5	-	-	-	-
96/0037	325	1430	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	325	1435	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	325	1441	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Cobble	-	1	0.6	-	-	-	-
96/0037	325	1437	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	6.5	-	-	-	-
96/0037	325	1438	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	1.3	-	-	-	-
96/0037	325	1439	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	3.	-	-	-	-
96/0037	325	1433	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Decoratation Flakes	Cobble	-	1	27.2	-	-	-	-
96/0037	325	1429	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.8	-	-	-	-
96/0037	325	1434	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	2.	-	-	-	-
96/0037	325	1440	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	1.1	-	-	-	-
96/0037	325	1431	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.2	-	-	-	-
96/0037	325	1432	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	325	1442	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Metasedimentary	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	325	1436	3	-	094	-	03	-	-	-	C14	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	0.8	-	-	-	-
96/0037	322	1415	3	-	094	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	62.9	-	-	-	-
96/0037	322	1414	3	-	094	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	6	499.9	-	-	-	-
96/0037	322	1411	3	-	094	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	10.8	-	-	-	-
96/0037	322	1413	3	-	094	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-	-

SRL, Delaware Site 7MC-6-143

ACCS#	CAT#	Rch#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLU	FDP	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	322	1412	3	-	-	094	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	1.6	-	-	-	-	
96/0037	331	1482	3	-	-	094	-	04	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-	-	
96/0037	331	1483	3	-	-	094	-	04	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-	-	
96/0037	331	1484	3	-	-	094	-	04	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-	CRUSHING EVIDENT ON DORSAL SURFACE.	
96/0037	331	1485	3	-	-	094	-	04	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.4	-	-	-	-	-	
96/0037	333	3011	3	-	-	094	-	05	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-	
96/0037	333	3010	3	-	-	094	-	05	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-	
96/0037	329	1473	3	-	-	095	-	01	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Absent	-	BRK	1	23.7	-	-	-	-	
96/0037	329	1472	3	-	-	095	-	01	-	-	-	-	-	Bifaces	Jasper	Late-Stage Bifaces	Absent	-	TIP	1	9.8	-	-	-	-	TRANSVERSE BREAK.
96/0037	329	1475	3	-	-	095	-	01	-	-	-	-	-	Cores	Jasper	Freehand Cores	Absent	-	1	44.2	47.	45.	27.	-	-	
96/0037	329	1476	3	-	-	095	-	01	-	-	-	-	-	Cores	Jasper	Freehand Cores	Absent	-	1	37.9	57.	45.	23.	-	-	
96/0037	329	1477	3	-	-	095	-	01	-	-	-	-	-	Cores	Jasper	Freehand Cores	Absent	-	1	17.7	40.	32.	18.	-	-	
96/0037	329	1478	3	-	-	095	-	01	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	21.	-	-	-	-	-	
96/0037	329	1467	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	2	1.	-	-	-	-	-	
96/0037	329	1460	3	-	-	095	-	01	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.9	-	-	-	-	-	
96/0037	329	1471	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	15	59.6	-	-	-	-	-	
96/0037	329	1462	3	-	-	095	-	01	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	0.7	-	-	-	-	-	
96/0037	329	1463	3	-	-	095	-	01	-	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	0.2	-	-	-	-	-	
96/0037	329	1466	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	40	115.3	-	-	-	-	-	
96/0037	329	1479	3	-	-	095	-	01	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-	-	
96/0037	329	1459	3	-	-	095	-	01	-	-	-	-	-	Debitage	Chalcedony	Flake Fragments	Absent	-	1	0.1	-	-	-	-	-	
96/0037	329	1458	3	-	-	095	-	01	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	2	0.1	-	-	-	-	-	
96/0037	329	1468	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	75	31.7	-	-	-	-	-	
96/0037	329	1469	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.4	-	-	-	-	-	
96/0037	329	1465	3	-	-	095	-	01	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.6	-	-	-	-	-	
96/0037	329	1470	3	-	-	095	-	01	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	-	1	0.1	-	-	-	-	-	

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PMS AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	329	1461	3	-	095	-	01	-	-	-	-	-	-	Jasper	Pressure Flakes	Absent	-	2	0.2	-	-	-	
96/0037	329	1464	3	-	095	-	01	-	-	-	-	-	-	Jasper	Utilized Flakes	Absent	-	1	1.8	22	17	6	
96/0037	329	1474	3	-	095	-	01	-	-	-	-	-	-	Jasper	Utilized Flakes	Absent	-	1	2.5	23	20	6	
96/0037	332	3005	3	-	095	-	02	-	-	-	-	-	-	Jasper	Middle-Stage Bifaces	Absent	BAS	1	22.2	-	30	17	TRANSVERSE BREAK.
96/0037	332	3007	3	-	095	-	02	-	-	-	-	-	-	Quartz	-	-	-	5	108.3	-	-	-	
96/0037	332	3009	3	-	095	-	02	-	-	-	-	-	-	Sandstone	-	-	-	1	80.2	-	-	-	
96/0037	332	1499	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	40	19.3	-	-	-	
96/0037	332	1487	3	-	095	-	02	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	
96/0037	332	1494	3	-	095	-	02	-	-	-	-	-	-	Chert	Block Shatter	Absent	-	1	0.4	-	-	-	
96/0037	332	3001	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Absent	-	34	135.7	-	-	-	
96/0037	332	3002	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Cobble	-	1	17.3	-	-	-	
96/0037	332	1491	3	-	095	-	02	-	-	-	-	-	-	Quartz	Block Shatter	Absent	-	1	5.8	-	-	-	
96/0037	332	1496	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Decortication Flakes	Cobble	-	2	5.3	-	-	-	
96/0037	332	1492	3	-	095	-	02	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	
96/0037	332	1497	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	63	188.8	-	-	-	
96/0037	332	1498	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	2	-	-	-	
96/0037	332	1486	3	-	095	-	02	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	
96/0037	332	3008	3	-	095	-	02	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	0.6	-	-	-	
96/0037	332	1493	3	-	095	-	02	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	
96/0037	332	3000	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	105	56.2	-	-	-	
96/0037	332	1488	3	-	095	-	02	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	
96/0037	332	1489	3	-	095	-	02	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	2	1.9	-	-	-	
96/0037	332	1490	3	-	095	-	02	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	2	-	-	-	
96/0037	332	1495	3	-	095	-	02	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	2	0.4	-	-	-	
96/0037	332	3003	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Flake Shatter	Absent	-	17	1.9	-	-	-	
96/0037	332	3004	3	-	095	-	02	-	-	-	-	-	-	Igneous/Metamorphic	Indeterminate Flakes	Absent	-	2	0.6	-	-	-	
96/0037	332	3006	3	-	095	-	02	-	-	-	-	-	-	Jasper	Utilized Flakes	Absent	-	1	0.5	17	10	5	

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	335	3036	3	-	-	095	-	03	-	-	-	-	-	-	Bifaces	Jasper	Projectile Points	Absent	BAS	1	3.6	-	-	-	INCURVATE BASE; POSSIBLY LANCEOLATE; LIKE #16 AND #261.
96/0037	335	3031	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction	Flakes	Absent	-	11	4.8	-	-	-	-
96/0037	335	3033	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter		Absent	-	4	2.4	-	-	-	-
96/0037	335	3028	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	4.3	-	-	-	-
96/0037	335	3029	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Absent	-	20	52.	-	-	-	-
96/0037	335	3030	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Cobble	-	1	1.2	-	-	-	-
96/0037	335	3023	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	335	3024	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	335	3032	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments		Absent	-	68	20.6	-	-	-	-
96/0037	335	3025	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	335	3026	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Sedimentary	Flake Fragments	Absent	-	3	0.1	-	-	-	-
96/0037	335	3034	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Shatter		Absent	-	3	0.3	-	-	-	-
96/0037	335	3027	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Sedimentary	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	335	3035	3	-	-	095	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Pressure	Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	335	3037	3	-	-	095	-	03	-	-	-	-	-	-	Minerals	Steatite	-	-	-	1	0.2	-	-	-	-
96/0037	358	2374	3	-	-	095	-	04	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	1.5	-	-	-	-
96/0037	358	2375	3	-	-	095	-	04	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	2	0.8	-	-	-	-
96/0037	358	2369	3	-	-	095	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Absent	-	6	17.3	-	-	-	-
96/0037	358	2370	3	-	-	095	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	1	0.2	-	-	-	-
96/0037	358	2373	3	-	-	095	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake	Fragments	Absent	-	14	5.5	-	-	-	-
96/0037	358	2371	3	-	-	095	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	358	2372	3	-	-	095	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.4	-	-	-	-
96/0037	362	2392	3	-	-	095	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction	Flakes	Absent	-	4	1.9	-	-	-	-
96/0037	362	2394	3	-	-	095	-	05	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	362	2395	3	-	-	095	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake	Fragments	Absent	-	10	4.3	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	Box#	PIS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	362	2393	3	-	-	095	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	374	2452	3	-	-	095	-	06	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	5	2.5	-	-	-	-
96/0037	374	2453	3	-	-	095	-	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	334	3015	3	-	-	096	-	01	-	-	-	-	-	-	Cores	Quartzite	Freehand Cores	Absent	-	1	35.8	46.	41.	22.	-
96/0037	334	3021	3	-	-	096	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	8.8	-	-	-	-
96/0037	334	3022	3	-	-	096	-	01	-	-	-	-	-	-	Cracked Rock	Shale	-	-	-	4	2.6	-	-	-	-
96/0037	334	3018	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	334	3016	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Metasedimentary	Biface Reduction Flakes	Absent	-	1	1.3	-	-	-	-
96/0037	334	3012	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	334	3020	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	3.5	-	-	-	-
96/0037	334	3014	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	3	14.9	-	-	-	-
96/0037	334	3017	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	1.4	-	-	-	-
96/0037	334	3019	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	8	3.1	-	-	-	-
96/0037	334	3013	3	-	-	096	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	356	2364	3	-	-	096	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	4.	-	-	-	-
96/0037	356	2365	3	-	-	096	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	10.	-	-	-	-
96/0037	356	2366	3	-	-	096	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	1	2.6	-	-	-	-
96/0037	356	2367	3	-	-	096	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	15.	-	-	-	-
96/0037	356	2368	3	-	-	096	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	16.7	-	-	-	-
96/0037	356	2363	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	3	4.2	-	-	-	-
96/0037	356	2362	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	2.9	-	-	-	-
96/0037	356	2357	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	10	8.	-	-	-	-
96/0037	356	2356	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	6	8.4	-	-	-	-
96/0037	356	2358	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Block	-	1	2.8	-	-	-	-
96/0037	356	2360	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	10	2.9	-	-	-	-
96/0037	356	2361	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.9	-	-	-	-
96/0037	356	2359	3	-	-	096	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	2.5	-	-	-	-

SRL, Delaware Site 7NC-6-143

ACCS#	CAT#	Rox#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLY	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	359	2382	3	-	-	036	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	0.2	-	-	-	-
96/0037	359	2383	3	-	-	036	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	81.4	-	-	-	-
96/0037	359	2381	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	5.9	-	-	-	-
96/0037	359	2377	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	5	4.7	-	-	-	-
96/0037	359	2378	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	359	2376	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	8	6.9	-	-	-	-
96/0037	359	2379	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	359	2380	3	-	-	036	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	1.1	-	-	-	-
96/0037	361	2391	3	-	-	036	-	04	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	1.6	-	-	-	-
96/0037	361	2389	3	-	-	036	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	361	2390	3	-	-	036	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	361	2388	3	-	-	036	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	360	2387	3	-	-	037	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	1	2.2	-	-	-	-
96/0037	360	2384	3	-	-	037	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	9	10.6	-	-	-	-
96/0037	360	2385	3	-	-	037	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	360	2386	3	-	-	037	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	15	7.3	-	-	-	-
96/0037	371	2419	3	-	-	037	-	02	-	-	-	-	-	-	Bifaces	Jasper	Middle-Stage Bifaces	Absent	RRK	1	21.1	-	33.7	15.1	-
96/0037	371	2436	3	-	-	037	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	3	3.7	-	-	-	-
96/0037	371	2435	3	-	-	037	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	17	115.6	-	-	-	-
96/0037	371	2437	3	-	-	037	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	3	2.2	-	-	-	-
96/0037	371	2438	3	-	-	037	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	61.2	-	-	-	-
96/0037	371	2424	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	7	2.5	-	-	-	-
96/0037	371	2425	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	371	2433	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	6	15.6	-	-	-	-
96/0037	371	2434	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Block	-	1	19.6	-	-	-	-
96/0037	371	2432	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	1.6	-	-	-	-
96/0037	371	2423	3	-	-	037	-	02	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.3	-	-	-	-



SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	371	2420	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	57	63.4	-	-	-
96/0037	371	2422	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Block	-	1	3.2	-	-	-
96/0037	371	2421	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Cobble	-	1	0.7	-	-	-
96/0037	371	2428	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Chert	Flake	Fragments	Absent	-	3	0.6	-	-	-
96/0037	371	2426	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	58	25.5	-	-	-
96/0037	371	2429	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Block	-	1	0.5	-	-	-
96/0037	371	2427	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	-	1	0.4	-	-	-
96/0037	371	2430	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Cobble	-	1	0.3	-	-	-
96/0037	371	2431	3	-	-	097	-	02	-	-	-	-	-	-	Debitage	Jasper	Pressure	Flakes	Absent	-	1	0.1	-	-	-
96/0037	373	2450	3	-	-	097	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	-	1	0.3	-	-	-
96/0037	373	2451	3	-	-	097	-	03	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	-	1	1.	-	-	-
96/0037	373	2449	3	-	-	097	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	-	1	0.9	-	-	-
96/0037	373	2443	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Chert	Biface	Reduction	Flakes	Absent	-	1	0.1	-	-
96/0037	373	2444	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface	Reduction	Flakes	Absent	-	3	0.9	-	-
96/0037	373	2448	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block	Shatter	Absent	-	2	0.8	-	-	-
96/0037	373	2440	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	18	25.5	-	-	-
96/0037	373	2441	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Block	-	1	10.3	-	-	-
96/0037	373	2439	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	1	0.2	-	-	-
96/0037	373	2442	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Cobble	-	1	0.5	-	-	-
96/0037	373	2446	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	47	13.9	-	-	-
96/0037	373	2445	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	-	3	0.2	-	-	-
96/0037	373	2447	3	-	-	097	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Cobble	-	1	0.2	-	-	-
96/0037	378	2418	3	-	-	097	-	04	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	-	1	2.9	-	-	-
96/0037	378	2417	3	-	-	097	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block	Shatter	Absent	-	1	1.2	-	-	-
96/0037	378	2414	3	-	-	097	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	4	1.6	-	-	-
96/0037	378	2416	3	-	-	097	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	9	2.8	-	-	-
96/0037	378	2415	3	-	-	097	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	-	2	0.3	-	-	-

SK1, Delaware Site 7MC-B-143

ACCNS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FDD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	382	2509	3	-	-	097	-	05	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-	
96/0037	382	2512	3	-	-	097	-	05	-	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Absent	-	1	3.5	-	-	-	-	
96/0037	382	2508	3	-	-	097	-	05	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	8	3.3	-	-	-	-	
96/0037	382	2510	3	-	-	097	-	05	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	2	0.8	-	-	-	-	
96/0037	382	2511	3	-	-	097	-	05	-	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	-	1	0.3	-	-	-	-	
96/0037	387	2611	3	-	-	097	-	06	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-	
96/0037	387	2612	3	-	-	097	-	06	-	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	-	1	0	-	-	-	-	
96/0037	377	2471	3	-	-	098	-	01	-	-	-	-	-	-	-	Chert	-	-	-	3	20.2	-	-	-	-	-
96/0037	377	2466	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	-	-	-	3	50.7	-	-	-	-	-
96/0037	377	2470	3	-	-	098	-	01	-	-	-	-	-	-	-	Ironstone	-	-	-	1	13.3	-	-	-	-	-
96/0037	377	2468	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartz	-	-	-	3	3.3	-	-	-	-	-
96/0037	377	2467	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartzite	-	-	-	3	19.5	-	-	-	-	-
96/0037	377	2469	3	-	-	098	-	01	-	-	-	-	-	-	-	Siltstone	-	-	-	1	35.3	-	-	-	-	-
96/0037	377	2458	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	2	0.3	-	-	-	-	-
96/0037	377	2464	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Block Shatter	Absent	-	3	1.5	-	-	-	-	-
96/0037	377	2463	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	7	76.4	-	-	-	-	-
96/0037	377	2465	3	-	-	098	-	01	-	-	-	-	-	-	-	Siltstone	Block Shatter	Cobble	-	1	29.4	-	-	-	-	-
96/0037	377	2455	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	24	28.6	-	-	-	-	-
96/0037	377	2457	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	1.1	-	-	-	-	-
96/0037	377	2454	3	-	-	098	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-	-
96/0037	377	2456	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	28	21.6	-	-	-	-	-
96/0037	377	2461	3	-	-	098	-	01	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	2	1.9	-	-	-	-	-
96/0037	377	2460	3	-	-	098	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	37	13.4	-	-	-	-	-
96/0037	377	2459	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	46	19.9	-	-	-	-	-
96/0037	377	2462	3	-	-	098	-	01	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Cobble	-	1	0.4	-	-	-	-	-
96/0037	379	2491	3	-	-	098	-	02	-	-	-	-	-	-	-	Chert	-	-	-	2	10.2	-	-	-	-	-
96/0037	379	2495	3	-	-	098	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	-	-	-	4	8.8	-	-	-	-	-

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	379	2496	3	-	-	098	-	02	-	-	-	-	-	-	Cracked Rock	Indeterminate	-	-	-	3	0.9	-	-	-	-
96/0037	379	2492	3	-	-	098	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	4	363.8	-	-	-	-
96/0037	379	2494	3	-	-	098	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	456.3	-	-	-	-
96/0037	379	2493	3	-	-	098	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	423.9	-	-	-	-
96/0037	379	2480	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	BiFace Reduction	Flakes	Absent	5	1.4	-	-	-	-
96/0037	379	2479	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	BiFace Reduction	Flakes	Absent	6	3.3	-	-	-	-
96/0037	379	2490	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	1	0.2	-	-	-	-	-
96/0037	379	2489	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	5	10.9	-	-	-	-	-
96/0037	379	2478	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Decoratation	Flakes	Cobble	1	1.7	-	-	-	-
96/0037	379	2473	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Chalcedony	Early Reduction	Flakes	Absent	1	0.2	-	-	-	-
96/0037	379	2476	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Chert	Early Reduction	Flakes	Cobble	1	2.9	-	-	-	-
96/0037	379	2472	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	37	28.6	-	-	-	-
96/0037	379	2475	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Cobble	1	0.9	-	-	-	-
96/0037	379	2474	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	27	20.9	-	-	-	-
96/0037	379	2477	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Cobble	1	4.6	-	-	-	-
96/0037	379	2481	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	1	0.1	-	-	-	-	-
96/0037	379	2483	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	27	13.4	-	-	-	-	-
96/0037	379	2484	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	1	1.4	-	-	-	-	-
96/0037	379	2482	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	37	12.8	-	-	-	-	-
96/0037	379	2485	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Block	1	0.7	-	-	-	-	-
96/0037	379	2487	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Absent	4	0.6	-	-	-	-	-
96/0037	379	2486	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	2	0.2	-	-	-	-	-
96/0037	379	2488	3	-	-	098	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Pressure	Flakes	Absent	1	0.1	-	-	-	-
96/0037	384	2532	3	-	-	098	-	03	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.9	-	-	-	-
96/0037	384	2531	3	-	-	098	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	1.5	-	-	-	-
96/0037	384	2530	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	4	2.6	-	-	-	-	-
96/0037	384	2523	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	17	10	-	-	-	-

SK1, Delaware Site 7M0-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FER	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	384	2524	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	7.4	-	-	-	-
96/0037	384	2525	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	11	2.8	-	-	-	-	-
96/0037	384	2526	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	18	4.7	-	-	-	-
96/0037	384	2527	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Cobble	-	1	0.5	-	-	-	-
96/0037	384	2528	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Shatter	Absent	-	1	0.2	-	-	-	-	-
96/0037	384	2529	3	-	-	098	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	388	688	3	-	-	098	-	04	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.5	-	-	-	-
96/0037	388	690	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-	-
96/0037	388	687	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	388	689	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	6	2.1	-	-	-	-
96/0037	388	693	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	388	691	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	1.	-	-	-	-
96/0037	388	694	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	0.4	-	-	-	-
96/0037	388	692	3	-	-	098	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	1	0.3	-	-	-	-
96/0037	395	716	3	-	-	098	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	395	718	3	-	-	098	-	05	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	395	715	3	-	-	098	-	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	5.6	-	-	-	-
96/0037	395	717	3	-	-	098	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.6	-	-	-	-
96/0037	395	719	3	-	-	098	-	05	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	399	732	3	-	-	098	-	06	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	2	0.9	-	-	-	-
96/0037	381	2505	3	-	-	099	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	64.2	-	-	-	-
96/0037	381	2506	3	-	-	099	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	1	0.4	-	-	-	-
96/0037	381	2507	3	-	-	099	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	7.7	-	-	-	-
96/0037	381	2500	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	1.1	-	-	-	-
96/0037	381	2502	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	381	2497	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	5	2.7	-	-	-	-	-
96/0037	381	2498	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	7	4.8	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCNUM	CAT#	Box#	PMS	AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COMO	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	381	2501	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Cobble	-	1	1.4	-	-	-	-
96/0037	381	2504	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	3	0.7	-	-	-	-	-
96/0037	381	2503	3	-	-	099	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	3.6	-	-	-	-
96/0037	386	2610	3	-	-	099	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	55.4	-	-	-	-
96/0037	386	2607	3	-	-	099	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-	-
96/0037	386	2606	3	-	-	099	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	4	5.2	-	-	-	-	-
96/0037	386	2605	3	-	-	099	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	386	2609	3	-	-	099	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	3	0.8	-	-	-	-	-
96/0037	386	2608	3	-	-	099	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	391	2547	3	-	-	099	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	1	26.3	-	-	-	-
96/0037	391	2545	3	-	-	099	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	1.6	-	-	-	-
96/0037	391	2546	3	-	-	099	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	394	2548	3	-	-	099	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	383	2521	3	-	-	100	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.4	-	-	-	-
96/0037	383	2519	3	-	-	100	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	4	98.8	-	-	-	-
96/0037	383	2520	3	-	-	100	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	2.9	-	-	-	-
96/0037	383	2522	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	2	0.8	-	-	-	-	-
96/0037	383	2518	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter	Block	-	1	12.7	-	-	-	-	-
96/0037	383	2513	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	10	11.5	-	-	-	-	-
96/0037	383	2514	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Cobble	-	1	23.7	-	-	-	-	-
96/0037	383	2516	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	7	2.7	-	-	-	-	-
96/0037	383	2517	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	383	2515	3	-	-	100	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	390	697	3	-	-	100	-	02	-	-	-	-	-	-	6 Bifaces	Jasper	Early-Stage Bifaces	Block	BRK	1	25.3	-	-	-	-
96/0037	390	701	3	-	-	100	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.6	-	-	-	-
96/0037	390	702	3	-	-	100	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	4	1.1	-	-	-	-
96/0037	390	696	3	-	-	100	-	02	-	-	-	-	-	-	Debitage	Chert	Block Shatter	Cobble	-	1	21.1	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Rox#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	POD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	390	705	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Block Shatter	Absent	-	5	15.4	-	-	-	-
96/0037	390	698	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Decoronation Flakes	Block	-	1	10.1	-	-	-	-
96/0037	390	699	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	2.4	-	-	-	-
96/0037	390	700	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	13	28.9	-	-	-	-
96/0037	390	695	3	-	-	100	-	02	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	390	703	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	5	2.1	-	-	-	-
96/0037	390	704	3	-	-	100	-	02	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	11	8.4	-	-	-	-
96/0037	393	711	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	2	0.2	-	-	-	-
96/0037	393	712	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	3	3.	-	-	-	-
96/0037	393	714	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Block Shatter	Absent	-	3	4.7	-	-	-	-
96/0037	393	709	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	393	710	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	12	15.6	-	-	-	-
96/0037	393	713	3	-	-	100	-	03	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	7	3.	-	-	-	-
96/0037	397	729	3	-	-	100	-	04	-	-	-	-	-	-	-	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	397	728	3	-	-	100	-	04	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	5	2.8	-	-	-	-
96/0037	397	727	3	-	-	100	-	04	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	397	730	3	-	-	100	-	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	1	0.6	-	-	-	-
96/0037	397	731	3	-	-	100	-	04	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	401	734	3	-	-	100	-	05	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Block	-	1	4.1	-	-	-	-
96/0037	398	725	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Block Shatter	Absent	-	3	3.6	-	-	-	-
96/0037	398	726	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Block Shatter	Block	-	1	15.5	-	-	-	-
96/0037	398	721	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Decoronation Flakes	Cobble	-	1	2.7	-	-	-	-
96/0037	398	722	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Early Reduction Flakes	Absent	-	10	24.5	-	-	-	-
96/0037	398	723	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	-	15	7.9	-	-	-	-
96/0037	398	724	3	-	-	101	-	01	-	-	-	-	-	-	-	Jasper	Flake Shatter	Absent	-	1	1.2	-	-	-	-
96/0037	403	739	3	-	-	101	-	02	-	-	-	-	-	-	-	Jasper	Early-Stage Bifaces	Cobble	MHL	1	16.3	43.8	29.4	9.9	-

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	403	753	3	-	-	101	-	02	-	-	-	-	-	-	6 Bifaces	Argillite	Late-Stage Bifaces	No Observation	MHL	1	4.6	47.9	17.5	5.5	POSSIBLE PROJECTILE POINT THAT IS BADLY WEATHERED.
96/0037	403	752	3	-	-	101	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	1.	-	-	-	-
96/0037	403	754	3	-	-	101	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	4	49.2	-	-	-	-
96/0037	403	755	3	-	-	101	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	340.	-	-	-	-
96/0037	403	744	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	7	1.6	-	-	-	-
96/0037	403	745	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	19	8.2	-	-	-	-
96/0037	403	750	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	2	7.	-	-	-	-
96/0037	403	751	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	21	60.	-	-	-	-
96/0037	403	741	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	6	30.6	-	-	-	-
96/0037	403	743	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	56	133.8	-	-	-	-
96/0037	403	742	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	0.1	-	-	-	-
96/0037	403	740	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	403	747	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	4	1.	-	-	-	-
96/0037	403	748	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	44	27.2	-	-	-	-
96/0037	403	749	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Absent	-	3	0.4	-	-	-	-
96/0037	403	746	3	-	-	101	-	02	-	-	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	407	779	3	-	-	101	-	03	-	-	-	-	-	-	6 Bifaces	Jasper	Projectile Points	Absent	BAS	1	6.	-	-	-	-
96/0037	407	780	3	-	-	101	-	03	-	-	-	-	-	-	Cores	Jasper	BiFacial Cores	Absent	-	1	52.3	50.2	49.7	26.	-
96/0037	407	790	3	-	-	101	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	57.9	-	-	-	-
96/0037	407	784	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	13	3.2	-	-	-	-
96/0037	407	772	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	0.5	-	-	-	-
96/0037	407	773	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.9	-	-	-	-
96/0037	407	786	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	0.3	-	-	-	-
96/0037	407	787	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	9	21.7	-	-	-	-
96/0037	407	788	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Cobble	-	1	0.2	-	-	-	-
96/0037	407	778	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	0.2	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLV	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	407	769	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	5.	-	-	-	-
96/0037	407	769	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Quartz	Decortication Flakes	Cobble	-	2	3.	-	-	-	-
96/0037	407	781	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	1.2	-	-	-	-
96/0037	407	782	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	28	49.6	-	-	-	-
96/0037	407	783	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	2	4.	-	-	-	-
96/0037	407	770	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	0.3	-	-	-	-
96/0037	407	771	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.8	-	-	-	-
96/0037	407	785	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	30	7.2	-	-	-	-
96/0037	407	775	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	407	776	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	407	777	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Shatter	Cobble	-	1	0.2	-	-	-	-
96/0037	407	774	3	-	-	101	-	03	-	-	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	4	0.3	-	-	-	-
96/0037	411	2826	3	-	-	101	-	04	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	4	52.7	-	-	-	-
96/0037	411	2825	3	-	-	101	-	04	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.6	-	-	-	-
96/0037	411	2824	3	-	-	101	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	1.2	-	-	-	-
96/0037	411	2815	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	2	1.5	-	-	-	-
96/0037	411	2822	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	3	6.6	-	-	-	-
96/0037	411	2823	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Cobble	-	1	1.4	-	-	-	-
96/0037	411	2812	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	36	29.5	-	-	-	-
96/0037	411	2814	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	2.3	-	-	-	-
96/0037	411	2813	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	411	2817	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0037	411	2816	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	23	7.9	-	-	-	-
96/0037	411	2820	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	411	2818	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	411	2819	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	411	2821	3	-	-	101	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter	Cobble	-	4	0.6	-	-	-	-



SKI, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	414	833	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	-	1	0.1	-	-	-
96/0037	414	834	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	-	14	5.6	-	-	-
96/0037	414	825	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	3	0.5	-	-	-
96/0037	414	826	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	1	0.1	-	-	-
96/0037	414	838	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter		Absent	-	2	0.9	-	-	-
96/0037	414	823	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Jasper	Decoronation	Flakes	Cobble	-	1	0.1	-	-	-
96/0037	414	829	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	4	2.1	-	-	-
96/0037	414	830	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	11	6.1	-	-	-
96/0037	414	831	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Block	-	1	2.	-	-	-
96/0037	414	832	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Cobble	-	2	7.4	-	-	-
96/0037	414	824	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	2	0.4	-	-	-
96/0037	414	835	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments		Absent	-	2	0.4	-	-	-
96/0037	414	836	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments		Absent	-	27	29.9	-	-	-
96/0037	414	827	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments		Absent	-	3	0.4	-	-	-
96/0037	414	828	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments		Absent	-	1	0.2	-	-	-
96/0037	414	837	3	-	-	101	-	05	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Shatter		Absent	-	4	0.5	-	-	-
96/0037	420	2651	3	-	-	101	-	06	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage	Bifaces	Absent	80X	1	15.1	-	12.5	
96/0037	420	2647	3	-	-	101	-	06	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	-	3	2.4	-	-	-
96/0037	420	2650	3	-	-	101	-	06	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter		Absent	-	1	5.5	-	-	-
96/0037	420	2646	3	-	-	101	-	06	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	10	14.7	-	-	-
96/0037	420	2648	3	-	-	101	-	06	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments		Absent	-	12	4.4	-	-	-
96/0037	420	2649	3	-	-	101	-	06	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments		Absent	-	1	0.	-	-	-
96/0037	426	2673	3	-	-	101	-	07	-	-	-	-	-	-	Cracked rock	Igneous/Metamorphic			-	-	2	1.3	-	-	-
96/0037	426	2674	3	-	-	101	-	07	-	-	-	-	-	-	Cracked rock	Jasper			-	-	2	0.2	-	-	-
96/0037	426	2668	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Chert	Biface Reduction	Flakes	Absent	-	1	0.3	-	-	-
96/0037	426	2667	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	-	3	0.8	-	-	-
96/0037	426	2666	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	-	1	0.	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	OOD	FEA	FLV	FOD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	426	2672	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	1.6	-	-	-	-
96/0037	426	2664	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Chert	Early Reduction	Flakes	Absent	2	1.2	-	-	-	-
96/0037	426	2665	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	5	4.1	-	-	-	-
96/0037	426	2670	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	15	5.8	-	-	-	-
96/0037	426	2671	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Cobble	1	0.5	-	-	-	-
96/0037	426	2669	3	-	-	101	-	07	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	1	0.1	-	-	-	-
96/0037	431	2560	3	-	-	101	-	08	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	1	1.5	-	-	-	-	-
96/0037	431	2556	3	-	-	101	-	08	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	3	3.3	-	-	-	-
96/0037	431	2557	3	-	-	101	-	08	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	1	0.1	-	-	-	-
96/0037	431	2559	3	-	-	101	-	08	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	6	1.5	-	-	-	-
96/0037	431	2558	3	-	-	101	-	08	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	1	0.1	-	-	-	-
96/0037	436	2575	3	-	-	101	-	09	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction	Flakes	Absent	1	0.2	-	-	-	-
96/0037	436	2577	3	-	-	101	-	09	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	1	1.8	-	-	-	-	-
96/0037	436	2576	3	-	-	101	-	09	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	3	0.3	-	-	-	-
96/0037	438	2832	3	-	-	101	-	10	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	1	3	-	-	-	-	-
96/0037	438	2830	3	-	-	101	-	10	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	4	6.9	-	-	-	-
96/0037	438	2831	3	-	-	101	-	10	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	1	0.9	-	-	-	-
96/0037	402	738	3	-	-	102	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	2	8.4	-	-	-	-	-
96/0037	402	735	3	-	-	102	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	1	0.2	-	-	-	-
96/0037	402	736	3	-	-	102	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	1	26.3	-	-	-	-
96/0037	402	737	3	-	-	102	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Absent	2	2.7	-	-	-	-
96/0037	409	792	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction	Flakes	Absent	2	1.4	-	-	-	-
96/0037	409	794	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction	Flakes	Absent	5	4.5	-	-	-	-
96/0037	409	800	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	3	43.9	-	-	-	-	-
96/0037	409	796	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	4	3.8	-	-	-	-	-
96/0037	409	798	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	5	9.8	-	-	-	-
96/0037	409	791	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	5	5.3	-	-	-	-

SCL, Delaware Site 7MC-6-143

ACCS#	CAT#	CON#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FOD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	409	793	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	3	2.1	-	-	-	-
96/0037	409	799	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	3	2.1	-	-	-	-	-
96/0037	409	795	3	-	-	102	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	1.3	-	-	-	-
96/0037	409	797	3	-	-	102	-	02	-	-	-	-	-	-	Unifaces	Jasper	Retouched Flakes	Block	-	1	4.3	33.2	25.1	6	-
96/0037	412	804	3	-	-	102	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-	-
96/0037	412	801	3	-	-	102	-	03	-	-	-	-	-	-	Debitage	Quartz	Decortication Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	412	803	3	-	-	102	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	1	1.3	-	-	-	-	-
96/0037	412	802	3	-	-	102	-	03	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	0.4	-	-	-	-
96/0037	415	841	3	-	-	102	-	04	-	-	-	-	-	-	Debitage	Quartzite	Biface Reduction Flakes	Absent	-	1	2.2	-	-	-	-
96/0037	415	839	3	-	-	102	-	04	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	415	840	3	-	-	102	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.8	-	-	-	-
96/0037	415	842	3	-	-	102	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	1	0.1	-	-	-	-	-
96/0037	410	2808	3	-	-	103	-	01	-	-	-	-	-	-	Bifaces	Jasper	Indeterminate Biface Fragments	Absent	BKK	1	0.4	-	-	-	-
96/0037	410	2809	3	-	-	103	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic -	-	-	-	9	115.7	-	-	-	-
96/0037	410	2810	3	-	-	103	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	232.1	-	-	-	-
96/0037	410	2811	3	-	-	103	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	25.1	-	-	-	-
96/0037	410	2806	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Argillite	Block Shatter	Absent	-	1	2.7	-	-	-	-
96/0037	410	2807	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter	Absent	-	1	3.9	-	-	-	-	-
96/0037	410	2799	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Decortication Flakes	Cobble	-	1	0.9	-	-	-	-	-
96/0037	410	2800	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	1.2	-	-	-	-
96/0037	410	2795	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	13	33.8	-	-	-	-	-
96/0037	410	2798	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-	-
96/0037	410	2796	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	3	1.1	-	-	-	-
96/0037	410	2797	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.1	-	-	-	-
96/0037	410	2802	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.2	-	-	-	-
96/0037	410	2801	3	-	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	19	13.7	-	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CRIS#	CRIS#	PMS AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLY	FDD	OTHER	CRIS CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	410	2804	3	-	103	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	410	2803	3	-	103	-	01	-	-	-	-	-	-	Debitage	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	410	2805	3	-	103	-	01	-	-	-	-	-	-	Debitage	Flake Shatter	Absent	-	1	0.1	-	-	-	-
96/0037	413	821	3	-	103	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic -	-	-	1	1.7	-	-	-	-
96/0037	413	822	3	-	103	-	02	-	-	-	-	-	-	Cracked Rock	-	-	-	1	161.8	-	-	-	-
96/0037	413	816	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	3	1.3	-	-	-	-
96/0037	413	817	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	13	5.5	-	-	-	-
96/0037	413	809	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Biface Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	413	820	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter	Absent	-	3	3.6	-	-	-	-
96/0037	413	812	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Block Shatter	Absent	-	1	0.5	-	-	-	-
96/0037	413	805	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Decortication Flakes	Cobble	-	1	0.7	-	-	-	-
96/0037	413	813	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	3	1.	-	-	-	-
96/0037	413	814	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Absent	-	14	13.	-	-	-	-
96/0037	413	815	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Early Reduction Flakes	Block	-	2	5.5	-	-	-	-
96/0037	413	806	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Early Reduction Flakes	Absent	-	2	2.1	-	-	-	-
96/0037	413	808	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	413	807	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Early Reduction Flakes	Cobble	-	2	1.5	-	-	-	-
96/0037	413	818	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	4	0.6	-	-	-	-
96/0037	413	819	3	-	103	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Flake Fragments	Absent	-	19	9.1	-	-	-	-
96/0037	413	810	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Flake Fragments	Absent	-	8	2.6	-	-	-	-
96/0037	413	811	3	-	103	-	02	-	-	-	-	-	-	Debitage	Jasper Flake Fragments	Absent	-	2	0.6	-	-	-	-
96/0037	418	2640	3	-	103	-	03	-	-	-	-	-	-	Bifaces	Chert Projectile Points	Absent	BMS	1	1.2	-	-	-	-
96/0037	418	2632	3	-	103	-	03	-	-	-	-	-	-	Debitage	Chert Biface Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	418	2633	3	-	103	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	418	2639	3	-	103	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic Block Shatter	Absent	-	2	3.6	-	-	-	-
96/0037	418	2630	3	-	103	-	03	-	-	-	-	-	-	Debitage	Chert Decortication Flakes	Cobble	-	1	0.5	-	-	-	-
96/0037	418	2631	3	-	103	-	03	-	-	-	-	-	-	Debitage	Quartz Decortication Flakes	Cobble	-	1	0.8	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FEA	FLY	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	418	2626	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	418	2627	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	418	2625	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	11	8.1	-	-	-	-
96/0037	418	2628	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	1.2	-	-	-	-
96/0037	418	2629	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	418	2635	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	3	0.8	-	-	-	-
96/0037	418	2637	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	418	2634	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	24	5.9	-	-	-	-
96/0037	418	2636	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	418	2638	3	-	-	103	-	03	-	-	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.	-	-	-	-
96/0037	422	2654	3	-	-	103	-	04	-	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	422	2653	3	-	-	103	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	1.4	-	-	-	-
96/0037	422	2655	3	-	-	103	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	424	2663	3	-	-	103	-	05	-	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	1.1	-	-	-	-
96/0037	424	2662	3	-	-	103	-	05	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	417	2613	3	-	-	104	-	01	-	-	-	-	-	1	Bifaces	Jasper	Projectile Points	Absent	WHL	1	2.8	25.8	21.	5.6	SMALL SIDE-NOTCHED LIKE.
96/0037	417	2623	3	-	-	104	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	13.5	-	-	-	-
96/0037	417	2624	3	-	-	104	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	20.2	-	-	-	-
96/0037	417	2622	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Block	-	2	27.8	-	-	-	-
96/0037	417	2616	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	1	2.2	-	-	-	-
96/0037	417	2615	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	417	2617	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble	-	1	3.7	-	-	-	-
96/0037	417	2614	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	1.6	-	-	-	-
96/0037	417	2618	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	417	2620	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	417	2619	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	2.1	-	-	-	-

SKI, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UPD	FEA	FLV	FDD	OTHER	QNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	417	2621	3	-	-	104	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Shatter	Absent	-	1	0.2	-	-	-	-
96/0037	423	2660	3	-	-	104	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	1.1	-	-	-	-
96/0037	423	2661	3	-	-	104	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	83.6	-	-	-	-
96/0037	423	2656	3	-	-	104	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	1.3	-	-	-	-
96/0037	423	2657	3	-	-	104	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	2.9	-	-	-	-
96/0037	423	2659	3	-	-	104	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	1.8	-	-	-	-
96/0037	423	2658	3	-	-	104	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	1.2	-	-	-	-
96/0037	433	2565	3	-	-	104	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	5.6	-	-	-	-
96/0037	433	2566	3	-	-	104	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	6.7	-	-	-	-
96/0037	444	2850	3	-	-	104	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	1.8	-	-	-	-
96/0037	427	2828	3	-	-	105	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	2	6.9	-	-	-	-
96/0037	427	2827	3	-	-	105	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.6	-	-	-	-
96/0037	427	2829	3	-	-	105	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	430	2686	3	-	-	105	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	105.5	-	-	-	-
96/0037	430	2684	3	-	-	105	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	4	6.2	-	-	-	-
96/0037	430	2683	3	-	-	105	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	4	3.4	-	-	-	-
96/0037	430	2685	3	-	-	105	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	2	1.6	-	-	-	-
96/0037	435	2579	3	-	-	105	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	0.4	-	-	-	-
96/0037	435	2578	3	-	-	105	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	443	2848	3	-	-	106	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	8.1	-	-	-	-
96/0037	443	2849	3	-	-	106	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	11.2	-	-	-	-
96/0037	443	2847	3	-	-	106	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	1.7	-	-	-	-
96/0037	447	2867	3	-	-	106	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Block	-	1	5.8	-	-	-	-
96/0037	432	2562	3	-	-	107	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	11.2	-	-	-	-
96/0037	432	2561	3	-	-	107	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	432	2564	3	-	-	107	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	3	0.9	-	-	-	-
96/0037	432	2563	3	-	-	107	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-

SK1, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PMS AREA	STP	UNIT	STR LEVEL	UOD	FEA	FLV	FQD	OTHER	CMTS CLASS	MATERIAL	TYPE	CORTEX	COND COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	437	2574	3	-	107	02	-	-	-	-	-	-	Chert	-	-	2	4.4	-	-	-	-
96/0037	437	2572	3	-	107	02	-	-	-	-	-	-	Igneous/Metamorphic	-	-	2	19.2	-	-	-	-
96/0037	437	2573	3	-	107	02	-	-	-	-	-	-	Sandstone	-	-	1	17.2	-	-	-	-
96/0037	437	2568	3	-	107	02	-	-	-	-	-	-	Igneous/Metamorphic Biface Reduction	Flakes	Absent	2	0.6	-	-	-	-
96/0037	437	2571	3	-	107	02	-	-	-	-	-	-	Igneous/Metamorphic Block Shatter	-	Absent	1	3.8	-	-	-	-
96/0037	437	2567	3	-	107	02	-	-	-	-	-	-	Igneous/Metamorphic Early Reduction	Flakes	Absent	20	27.	-	-	-	-
96/0037	437	2570	3	-	107	02	-	-	-	-	-	-	Igneous/Metamorphic Flake Fragments	-	Absent	10	2.	-	-	-	-
96/0037	437	2569	3	-	107	02	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	3	1.5	-	-	-	-
96/0037	439	2841	3	-	107	03	-	-	-	-	-	-	Jasper	-	-	1	0.1	-	-	-	-
96/0037	439	2840	3	-	107	03	-	-	-	-	-	-	Quartz	-	-	1	2.2	-	-	-	-
96/0037	439	2833	3	-	107	03	-	-	-	-	-	-	Igneous/Metamorphic Early Reduction	Flakes	Absent	6	2.3	-	-	-	-
96/0037	439	2835	3	-	107	03	-	-	-	-	-	-	Igneous/Metamorphic Early Reduction	Flakes	Block	1	3.1	-	-	-	-
96/0037	439	2834	3	-	107	03	-	-	-	-	-	-	Quartz	Early Reduction	Flakes	Absent	1	0.6	-	-	-
96/0037	439	2836	3	-	107	03	-	-	-	-	-	-	Chert	Flake Fragments	Absent	2	0.2	-	-	-	-
96/0037	439	2837	3	-	107	03	-	-	-	-	-	-	Igneous/Metamorphic Flake Fragments	-	Absent	5	1.5	-	-	-	-
96/0037	439	2839	3	-	107	03	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	1	0.1	-	-	-	-
96/0037	439	2838	3	-	107	03	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	1	0.2	-	-	-	-
96/0037	441	2842	3	-	107	04	-	-	-	-	-	-	Jasper	Flake Fragments	Absent	1	0.6	-	-	-	-
96/0037	442	2846	3	-	108	01	-	-	-	-	-	-	Quartzite	-	-	1	10.1	-	-	-	-
96/0037	442	2845	3	-	108	01	-	-	-	-	-	-	Jasper	Flake Fragments	Cobble	1	0.6	-	-	-	-
96/0037	442	2843	3	-	108	01	-	-	-	-	-	-	Quartz	Flake Fragments	Absent	1	0.1	-	-	-	-
96/0037	442	2844	3	-	108	01	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	1	0.4	-	-	-	-
96/0037	445	2858	3	-	108	02	-	-	-	-	-	-	Metasedimentary	-	-	2	142.6	-	-	-	-
96/0037	445	2855	3	-	108	02	-	-	-	-	-	-	Quartz	-	-	1	16.1	-	-	-	-
96/0037	445	2854	3	-	108	02	-	-	-	-	-	-	Quartzite	-	-	4	42.6	-	-	-	-
96/0037	445	2856	3	-	108	02	-	-	-	-	-	-	Sandstone	-	-	1	219.3	-	-	-	-
96/0037	445	2857	3	-	108	02	-	-	-	-	-	-	Siltstone	-	-	3	191.4	-	-	-	-

SRI, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	QDD	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	445	2853	3	-	-	108	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	1.8	-	-	-	-
96/0037	445	2851	3	-	-	108	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	5	3.5	-	-	-	-
96/0037	445	2852	3	-	-	108	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	446	2865	3	-	-	108	-	03	-	-	-	-	-	-	Bifaces	Quartz	Indeterminate Biface Fragments	Absent	BKX	1	0.3	-	-	-	-
96/0037	446	2866	3	-	-	108	-	03	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	6.	-	-	-	-
96/0037	446	2860	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	446	2859	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	446	2863	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	1.	-	-	-	-
96/0037	446	2864	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	446	2862	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	446	2861	3	-	-	108	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	2	0.2	-	-	-	-
96/0037	450	2884	3	-	-	108	-	04	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.7	-	-	-	-
96/0037	450	2883	3	-	-	108	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	17.3	-	-	-	-
96/0037	450	2879	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	0.	-	-	-	-
96/0037	450	2877	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	450	2878	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.6	-	-	-	-
96/0037	450	2880	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	450	2882	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	450	2881	3	-	-	108	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0037	453	2896	3	-	-	108	-	05	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	0.2	-	-	-	-
96/0037	449	3096	3	-	-	109	-	02	-	-	-	-	-	-	Bifaces	Jasper	Early-Stage Bifaces	Absent	BKX	1	10.3	-	-	14.6	-
96/0037	449	3095	3	-	-	109	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	0.2	-	-	-	-
96/0037	449	3094	3	-	-	109	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	1	0.3	-	-	-	-
96/0037	449	3093	3	-	-	109	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	2	5.3	-	-	-	-
96/0037	449	3092	3	-	-	109	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	6	90.2	-	-	-	-
96/0037	449	3087	3	-	-	109	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-



SRL, Delaware Site 7MC-8-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLU	FOP	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	449	3091	3			109		02							Debitage	Igneous/Metamorphic	Block Shatter	Absent		1	1.5				
96/0037	449	3086	3			109		02							Debitage	Jasper	Decoratation Flakes	Cobble		1	0.4				
96/0037	449	3084	3			109		02							Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent		3	4.8				
96/0037	449	3085	3			109		02							Debitage	Igneous/Metamorphic	Early Reduction Flakes	Cobble		1	5				
96/0037	449	3083	3			109		02							Debitage	Jasper	Early Reduction Flakes	Absent		1	0.1				
96/0037	449	3088	3			109		02							Debitage	Igneous/Metamorphic	Flake Fragments	Absent		1	0.1				
96/0037	449	3089	3			109		02							Debitage	Jasper	Flake Fragments	Absent		3	0.3				
96/0037	449	3090	3			109		02							Debitage	Jasper	Flake Fragments	Cobble		1	0.1				
96/0037	452	2893	3			109		03							Cracked Rock	Jasper				1	0.2				
96/0037	452	2892	3			109		03							Cracked Rock	Siltstone				1	1				
96/0037	452	2891	3			109		03							Debitage	Jasper	BiFace Reduction Flakes	Cobble		1	0.3				
96/0037	452	2894	3			109		03							Debitage	Chert	Early Reduction Flakes	Absent		1	0.8				
96/0037	452	2890	3			109		03							Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent		1	0.3				
96/0037	452	2895	3			109		03							Debitage	Jasper	Early Reduction Flakes	Absent		1	0.5				
96/0037	455	2957	3			109		04							Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent		1	1				
96/0037	455	2958	3			109		04							Debitage	Chert	Flake Fragments	Absent		1	0.4				
96/0037	455	2959	3			109		04							Debitage	Igneous/Metamorphic	Flake Fragments	Absent		1	0.4				
96/0037	455	2960	3			109		04							Debitage	Jasper	Flake Fragments	Absent		2	0.4				
96/0037	459	2982	3			109		05							Cracked Rock	Chert				1	0.1				
96/0037	459	2980	3			109		05							Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent		2	0.9				
96/0037	459	2981	3			109		05							Debitage	Igneous/Metamorphic	Flake Fragments	Absent		1	0.2				
96/0037	456	2964	3			110		01							Debitage	Quartzite	Block Shatter	Absent		2	6.1				
96/0037	456	2961	3			110		01							Debitage	Igneous/Metamorphic	Flake Fragments	Absent		1	0.1				
96/0037	456	2963	3			110		01							Debitage	Quartz	Flake Fragments	Absent		1	0.1				
96/0037	456	2962	3			110		01							Debitage	Quartzite	Flake Fragments	Absent		3	0.6				
96/0037	461	2994	3			110		02							BiFaces	Jasper	Middle-Stage BiFaces	Absent		1	17.5	52.8	28.1	17	
96/0037	461	2998	3			110		02							Cracked Rock	Jasper				1	0.1				

SRL, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PIS	AREA	STP	UNIT	STR	LEVEL	000	FEA	FLV	FOD	OTHEK	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE		
96/0037	461	3050	3	-	-	110	-	02	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	1	29.4	-	-	-	-	-	
96/0037	461	2999	3	-	-	110	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	0.8	-	-	-	-	-	
96/0037	461	2996	3	-	-	110	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	111.8	-	-	-	-	-	
96/0037	461	2997	3	-	-	110	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	42.3	-	-	-	-	-	
96/0037	461	2995	3	-	-	110	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	117.4	-	-	-	-	-	
96/0037	461	2991	3	-	-	110	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	1	0.2	-	-	-	-	
96/0037	461	2990	3	-	-	110	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction	Flakes	Absent	-	1	1.2	-	-	-	-	
96/0037	461	2992	3	-	-	110	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	2	1.5	-	-	-	-	
96/0037	461	2993	3	-	-	110	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Absent	-	8	1.5	-	-	-	-	
96/0037	464	2739	3	-	-	110	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	3	60.3	-	-	-	-	-	
96/0037	464	2738	3	-	-	110	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	1	0.7	-	-	-	-	-
96/0037	464	2737	3	-	-	110	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	1	0.2	-	-	-	-	
96/0037	465	2742	3	-	-	110	-	04	-	-	-	-	-	-	Debitage	Chert	Block	Shatter	Cobble	-	1	10.8	-	-	-	-	
96/0037	465	2740	3	-	-	110	-	04	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	2	1.8	-	-	-	-	
96/0037	465	2741	3	-	-	110	-	04	-	-	-	-	-	-	Debitage	Quartz	Flake	Fragments	Cobble	-	1	1.2	-	-	-	-	
96/0037	468	2753	3	-	-	110	-	05	-	-	-	-	-	-	Debitage	Jasper	Flake	Fragments	Absent	-	1	0.1	-	-	-	-	
96/0037	471	2764	3	-	-	111	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	29.4	-	-	-	-	-	
96/0037	471	2765	3	-	-	111	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	2	9.2	-	-	-	-	-	
96/0037	471	2763	3	-	-	111	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block	Shatter	Absent	-	1	0.5	-	-	-	-	
96/0037	471	2762	3	-	-	111	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction	Flakes	Cobble	-	1	0.6	-	-	-	-	
96/0037	471	2761	3	-	-	111	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	1	0.5	-	-	-	-	
96/0037	474	3081	3	-	-	111	-	02	-	-	-	-	-	-	Cracked Rock	Metasedimentary	-	-	-	1	4.3	-	-	-	-	-	
96/0037	474	3080	3	-	-	111	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	6	11.1	-	-	-	-	-	
96/0037	474	3079	3	-	-	111	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	3.4	-	-	-	-	-	
96/0037	474	3082	3	-	-	111	-	02	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	7	857.6	-	-	-	-	-	
96/0037	474	3078	3	-	-	111	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block	Shatter	Absent	-	1	2.	-	-	-	-	
96/0037	474	3076	3	-	-	111	-	02	-	-	-	-	-	-	Debitage	Quartzite	Decoratation	Flakes	Cobble	-	1	2.4	-	-	-	-	

SR1, Delaware Site 7MC-6-143

ACCNUM	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FDD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	474	3075	3	-	-	111	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	474	3077	3	-	-	111	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	5	1.8	-	-	-	-
96/0037	478	2703	3	-	-	111	-	03	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	6	11.	-	-	-	-
96/0037	478	2702	3	-	-	111	-	03	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	3	42.	-	-	-	-
96/0037	478	2701	3	-	-	111	-	03	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	63.7	-	-	-	-
96/0037	478	2698	3	-	-	111	-	03	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.8	-	-	-	-
96/0037	478	2699	3	-	-	111	-	03	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	478	2700	3	-	-	111	-	03	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	4	0.9	-	-	-	-
96/0037	479	2706	3	-	-	111	-	04	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	0.3	-	-	-	-
96/0037	479	2705	3	-	-	111	-	04	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	5.	-	-	-	-
96/0037	479	2704	3	-	-	111	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	469	2758	3	-	-	112	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	1	1.8	-	-	-	-
96/0037	469	2756	3	-	-	112	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	469	2755	3	-	-	112	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	3.4	-	-	-	-
96/0037	469	2754	3	-	-	112	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	1.2	-	-	-	-
96/0037	469	2757	3	-	-	112	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	1	1.	-	-	-	-
96/0037	473	2789	3	-	-	112	-	02	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	7.6	-	-	-	-
96/0037	473	2788	3	-	-	112	-	02	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	5	105.2	-	-	-	-
96/0037	473	2790	3	-	-	112	-	02	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	3.1	-	-	-	-
96/0037	473	2791	3	-	-	112	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	211.1	-	-	-	-
96/0037	473	2783	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	10	9.8	-	-	-	-
96/0037	473	2782	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	2	0.5	-	-	-	-
96/0037	473	2785	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	16	6.4	-	-	-	-
96/0037	473	2784	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-	-
96/0037	473	2786	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	473	2787	3	-	-	112	-	02	-	-	-	-	-	-	Debitage	Chert	Flake Shatter	Absent	-	1	0.3	-	-	-	-
96/0037	475	3072	3	-	-	112	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	3	1.9	-	-	-	-

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	RIS	AREA	STP	UNIT	STR	LEVEL	UDQ	FEA	FLV	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	475	3071	3	-	112	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	475	3073	3	-	112	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.4	-	-	-	-
96/0037	475	3074	3	-	112	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	3	0.7	-	-	-	-
96/0037	482	2911	3	-	112	-	04	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	482	2913	3	-	112	-	04	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	3	0.4	-	-	-	-
96/0037	482	2912	3	-	112	-	04	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.	-	-	-	-
96/0037	454	2954	3	-	113	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	454	2952	3	-	113	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.8	-	-	-	-
96/0037	454	2953	3	-	113	-	01	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	4.3	-	-	-	-
96/0037	454	2955	3	-	113	-	01	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	5	1.4	-	-	-	-
96/0037	454	2956	3	-	113	-	01	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.9	-	-	-	-
96/0037	458	2979	3	-	113	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	34.1	-	-	-	-
96/0037	458	2977	3	-	113	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	1.9	-	-	-	-
96/0037	458	2978	3	-	113	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	3	4.9	-	-	-	-
96/0037	458	2972	3	-	113	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	5	2.2	-	-	-	-
96/0037	458	2973	3	-	113	-	02	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	458	2974	3	-	113	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Absent	-	3	1.1	-	-	-	-
96/0037	458	2976	3	-	113	-	02	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	458	2975	3	-	113	-	02	-	-	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	6	2.	-	-	-	-
96/0037	463	2736	3	-	113	-	03	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	0.7	-	-	-	-
96/0037	463	2733	3	-	113	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	463	2735	3	-	113	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	1.4	-	-	-	-
96/0037	463	2732	3	-	113	-	03	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	463	2734	3	-	113	-	03	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.4	-	-	-	-
96/0037	457	2971	3	-	114	-	01	-	-	-	-	-	-	Cores	Jasper	Freehand Cores	Absent	-	1	339.7	99.2	97.4	52.7	-
96/0037	457	2970	3	-	114	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	52.7	-	-	-	-
96/0037	457	2969	3	-	114	-	01	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	0.3	-	-	-	-

SCL, Delaware Site 7NC-6-143

ACCSN#	CAT#	Row#	PMS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FDD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	457	2965	3	-	-	114	-	01	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	6	6.3	-	-	-
96/0037	457	2966	3	-	-	114	-	01	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	4	4.4	-	-	
96/0037	457	2967	3	-	-	114	-	01	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	5	2.	-	-	
96/0037	457	2968	3	-	-	114	-	01	-	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Absent	-	3	1.9	-	-	
96/0037	467	2752	3	-	-	114	-	02	-	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	-	1	1.5	-	-	
96/0037	467	2751	3	-	-	114	-	02	-	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	-	1	31.5	-	-	
96/0037	467	2746	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface	Reduction	Flakes	Absent	-	2	0.4	-	-
96/0037	467	2750	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Block	Shatter	Absent	-	1	15.8	-	-	
96/0037	467	2745	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	3	1.1	-	-	
96/0037	467	2744	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	8	12.8	-	-	
96/0037	467	2747	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	1	0.3	-	-	
96/0037	467	2748	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Absent	-	2	0.5	-	-	
96/0037	467	2749	3	-	-	114	-	02	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Shatter	Absent	-	3	0.5	-	-	
96/0037	470	2760	3	-	-	114	-	03	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Flake	Fragments	Absent	-	1	0.6	-	-	
96/0037	470	2759	3	-	-	114	-	03	-	-	-	-	-	-	-	Debitage	Quartzite	Flake	Fragments	Absent	-	1	0.5	-	-	
96/0037	484	2923	3	-	-	115	-	01	-	-	-	-	-	-	-	Bifaces	Jasper	Indeterminate	Biface	Absent	BKK	1	0.9	-	-	
96/0037	484	2924	3	-	-	115	-	01	-	-	-	-	-	1	Bifaces	Chert	Projectile	Points	Absent	WHL	1	3.2	25.6	21.6	6.7	SMALL SIDE-NOTCHED LIKE.
96/0037	484	2927	3	-	-	115	-	01	-	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	-	1	5.5	-	-	
96/0037	484	2928	3	-	-	115	-	01	-	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	-	3	1.5	-	-	
96/0037	484	2930	3	-	-	115	-	01	-	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	-	1	5.5	-	-	
96/0037	484	2926	3	-	-	115	-	01	-	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	-	3	31.	-	-	
96/0037	484	2929	3	-	-	115	-	01	-	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	-	1	1.1	-	-	
96/0037	484	2919	3	-	-	115	-	01	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Biface	Reduction	Flakes	Absent	-	1	0.3	-	-
96/0037	484	2917	3	-	-	115	-	01	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Absent	-	4	4.3	-	-	
96/0037	484	2918	3	-	-	115	-	01	-	-	-	-	-	-	-	Debitage	Igneous/Metamorphic	Early Reduction	Flakes	Block	-	1	2.4	-	-	
96/0037	484	2916	3	-	-	115	-	01	-	-	-	-	-	-	-	Debitage	Quartzite	Early Reduction	Flakes	Absent	-	4	1.6	-	-	

SK1, Delaware Site 7MC-6-143

ACCS#	CAT#	PHS	AREA	STP	UNIT	STR	LEVEL	UQD	FER	FLV	FDP	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	484	2920	3	-	115	-	01	-	-	-	-	-	-	-	Chert	Flake Fragments	Absent	-	1	0.3	-	-	-	-
96/0037	484	2922	3	-	115	-	01	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	5	1.	-	-	-	-
96/0037	484	2921	3	-	115	-	01	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	10	1.7	-	-	-	-
96/0037	484	2925	3	-	115	-	01	-	-	-	-	-	-	-	Unmodified Pebbles	Quartz	-	-	1	19.7	-	-	-	-
96/0037	485	2940	3	-	115	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	-	-	-	2	0.8	-	-	-	-
96/0037	485	2939	3	-	115	-	02	-	-	-	-	-	-	-	Quartzite	-	-	-	2	7.1	-	-	-	-
96/0037	485	2938	3	-	115	-	02	-	-	-	-	-	-	-	Quartzite	Block Shatter	Absent	-	3	2.5	-	-	-	-
96/0037	485	2932	3	-	115	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Absent	-	1	0.7	-	-	-	-
96/0037	485	2934	3	-	115	-	02	-	-	-	-	-	-	-	Chert	Early Reduction Flakes	Cobble	-	1	0.9	-	-	-	-
96/0037	485	2931	3	-	115	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	9	5.8	-	-	-	-
96/0037	485	2933	3	-	115	-	02	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	11	15.2	-	-	-	-
96/0037	485	2935	3	-	115	-	02	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	14	2.9	-	-	-	-
96/0037	485	2936	3	-	115	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	7	2.5	-	-	-	-
96/0037	485	2937	3	-	115	-	02	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Block	-	1	1.3	-	-	-	-
96/0037	487	2946	3	-	115	-	03	-	-	-	-	-	-	-	Jasper	Middle-Stage Bifaces	Absent	-	60K	1	2.4	-	-	-
96/0037	487	2947	3	-	115	-	03	-	-	-	-	-	-	-	Quartz	-	-	-	3	8.1	-	-	-	-
96/0037	487	2948	3	-	115	-	03	-	-	-	-	-	-	-	Quartzite	-	-	-	2	7.1	-	-	-	-
96/0037	487	2949	3	-	115	-	03	-	-	-	-	-	-	-	Sandstone	-	-	-	1	253.7	-	-	-	-
96/0037	487	2943	3	-	115	-	03	-	-	-	-	-	-	-	Quartzite	Biface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	487	2942	3	-	115	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	6	7.4	-	-	-	-
96/0037	487	2941	3	-	115	-	03	-	-	-	-	-	-	-	Quartzite	Early Reduction Flakes	Absent	-	1	1.1	-	-	-	-
96/0037	487	2945	3	-	115	-	03	-	-	-	-	-	-	-	Igneous/Metamorphic	Flake Fragments	Absent	-	4	0.8	-	-	-	-
96/0037	487	2944	3	-	115	-	03	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	7	1.7	-	-	-	-
96/0037	488	2950	3	-	115	-	04	-	-	-	-	-	-	-	Igneous/Metamorphic	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	488	2951	3	-	115	-	04	-	-	-	-	-	-	-	Quartzite	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	460	2988	3	-	116	-	01	-	-	-	-	-	-	-	Quartzite	-	-	-	1	19.8	-	-	-	-
96/0037	460	2989	3	-	116	-	01	-	-	-	-	-	-	-	Sandstone	-	-	-	2	496.8	-	-	-	-

ACCS#	CAT#	Row#	PMS	AREA	SIP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	HEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	460	2987	3	-	-	116	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	5.7	-	-	-	-
96/0037	460	2985	3	-	-	116	-	01	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.6	-	-	-	-
96/0037	460	2984	3	-	-	116	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Cobble	-	2	1.6	-	-	-	-
96/0037	460	2983	3	-	-	116	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	460	2986	3	-	-	116	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	1.2	-	-	-	-
96/0037	462	2731	3	-	-	116	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	270.7	-	-	-	-
96/0037	462	2730	3	-	-	116	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	50.8	-	-	-	-
96/0037	462	2726	3	-	-	116	-	02	-	-	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	462	2725	3	-	-	116	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	5.3	-	-	-	-
96/0037	462	2727	3	-	-	116	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	462	2729	3	-	-	116	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Block	-	1	0.1	-	-	-	-
96/0037	462	2728	3	-	-	116	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	2.	-	-	-	-
96/0037	466	2743	3	-	-	116	-	03	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	472	2776	3	-	-	117	-	01	-	-	-	-	-	-	Cores	Jasper	Tested Cobbles	Cobble	-	1	36.3	39.8	38.4	25.8	-
96/0037	472	2777	3	-	-	117	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	1	1.9	-	-	-	-
96/0037	472	2778	3	-	-	117	-	01	-	-	-	-	-	-	Cracked Rock	Quartz	-	-	-	1	3.3	-	-	-	-
96/0037	472	2781	3	-	-	117	-	01	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	10.6	-	-	-	-
96/0037	472	2780	3	-	-	117	-	01	-	-	-	-	-	-	Cracked Rock	Sandstone	-	-	-	3	35.2	-	-	-	-
96/0037	472	2779	3	-	-	117	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	1.9	-	-	-	-
96/0037	472	2771	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Chert	Decoratation Flakes	Cobble	-	1	1.	-	-	-	-
96/0037	472	2772	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Jasper	Decoratation Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	472	2766	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	5	3.5	-	-	-	-
96/0037	472	2767	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.1	-	-	-	-
96/0037	472	2768	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.6	-	-	-	-
96/0037	472	2770	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	4	2.2	-	-	-	-
96/0037	472	2769	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	1.2	-	-	-	-
96/0037	472	2773	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.	-	-	-	-

SRL, Delaware Site 7MC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLU	FQD	OTHER	CATS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	472	2774	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	1.4	-	-	-	-
96/0037	472	2775	3	-	-	117	-	01	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.2	-	-	-	-
96/0037	476	2693	3	-	-	117	-	02	-	-	-	-	-	-	Bifaces	Argillite	Early-Stage Bifaces	Absent	MHL	1	3.1	36.2	11.1	8.5	-
96/0037	476	2694	3	-	-	117	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	2	30.6	-	-	-	-
96/0037	476	2692	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	40.6	-	-	-	-
96/0037	476	2687	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	5	1.5	-	-	-	-
96/0037	476	2688	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	0.2	-	-	-	-
96/0037	476	2690	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.4	-	-	-	-
96/0037	476	2691	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	476	2689	3	-	-	117	-	02	-	-	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.5	-	-	-	-
96/0037	477	2696	3	-	-	117	-	03	-	-	-	-	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	477	2695	3	-	-	117	-	03	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	477	2697	3	-	-	117	-	03	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	2	0.4	-	-	-	-
96/0037	480	2716	3	-	-	118	-	01	-	-	-	-	-	-	Cracked Rock	Chert	-	-	-	2	38.3	-	-	-	-
96/0037	480	2714	3	-	-	118	-	01	-	-	-	-	-	-	Cracked Rock	Igneous/Metamorphic	-	-	-	1	4.8	-	-	-	-
96/0037	480	2713	3	-	-	118	-	01	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	1	16.3	-	-	-	-
96/0037	480	2715	3	-	-	118	-	01	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	1	7.3	-	-	-	-
96/0037	480	2707	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	480	2708	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	0.4	-	-	-	-
96/0037	480	2710	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	480	2709	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.5	-	-	-	-
96/0037	480	2711	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-	-
96/0037	480	2712	3	-	-	118	-	01	-	-	-	-	-	-	Debitage	Jasper	Pressure Flakes	Cobble	-	1	0.2	-	-	-	-
96/0037	481	2724	3	-	-	118	-	02	-	-	-	-	-	-	Cracked Rock	Jasper	-	-	-	2	0.4	-	-	-	-
96/0037	481	2722	3	-	-	118	-	02	-	-	-	-	-	-	Cracked Rock	Quartzite	-	-	-	2	48.9	-	-	-	-
96/0037	481	2723	3	-	-	118	-	02	-	-	-	-	-	-	Cracked Rock	Siltstone	-	-	-	3	47.9	-	-	-	-
96/0037	481	2721	3	-	-	118	-	02	-	-	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	13.8	-	-	-	-



SKL, Delaware Site 7NC-6-143

ACCS#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UOD	FEA	FLV	FQP	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	481	2718	3			118	-	02							Debitage	Chert	Early Reduction Flakes	Cobble	-	1	0.1	-	-	-	-
96/0037	481	2717	3			118	-	02							Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
96/0037	481	2719	3			118	-	02							Debitage	Jasper	Early Reduction Flakes	Cobble	-	2	0.7	-	-	-	-
96/0037	481	2720	3			118	-	02							Debitage	Chert	Flake Fragments	Cobble	-	1	0.3	-	-	-	-
96/0037	483	2914	3			118	-	03							Debitage	Chert	Early Reduction Flakes	Cobble	-	1	2.5	-	-	-	-
96/0037	483	2915	3			118	-	03							Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	486	3069	3			119	-	01							Cracked Rock	Chert	-	-	-	1	2.	-	-	-	-
96/0037	486	3068	3			119	-	01							Cracked Rock	Quartzite	-	-	-	1	0.5	-	-	-	-
96/0037	486	3070	3			119	-	01							Cracked Rock	Sandstone	-	-	-	1	230.9	-	-	-	-
96/0037	486	3067	3			119	-	01							Debitage	Chert	Early Reduction Flakes	Absent	-	1	0.3	-	-	-	-
96/0037	489	3064	3			119	-	02							Cracked Rock	Chert	-	-	-	1	8.9	-	-	-	-
96/0037	489	3065	3			119	-	02							Cracked Rock	Quartzite	-	-	-	1	353.7	-	-	-	-
96/0037	489	3066	3			119	-	02							Cracked Rock	Sandstone	-	-	-	2	349.9	-	-	-	-
96/0037	404	759	3			M486E505	-	01							Cracked Rock	Quartzite	-	-	-	4	115.8	-	-	-	-
96/0037	404	756	3			M486E505	-	01							Debitage	Jasper	8Face Reduction Flakes	Absent	-	2	1.3	-	-	-	-
96/0037	404	757	3			M486E505	-	01							Debitage	Jasper	Block Shatter	Absent	-	1	0.5	-	-	-	-
96/0037	404	758	3			M486E505	-	01							Debitage	Quartzite	Pressure Flakes	Absent	-	1	0.2	-	-	-	-
96/0037	406	767	3			M486E505	-	02							Debitage	Quartzite	Block Shatter	Absent	-	1	0.6	-	-	-	-
96/0037	406	766	3			M486E505	-	02							Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	406	768	3			M486E505	-	02							Debitage	Metamorphic	Flake Fragments	Absent	-	1	0.1	-	-	-	-
96/0037	122	108	3				-	03	02						FLOT	Quartz	-	-	-	1	0.3	-	-	-	-
96/0037	122	107	3				-	03	02						FLOT	Quartzite	-	-	-	1	1.1	-	-	-	-
96/0037	312	1317	3				-	05	01						Cracked Rock	Chert	-	-	-	4	30.7	-	-	-	-
96/0037	312	1318	3				-	05	01						Cracked Rock	Metasedimentary	-	-	-	4	9.4	-	-	-	-
96/0037	312	1320	3				-	05	01						Cracked Rock	Quartzite	-	-	-	1	5.5	-	-	-	-
96/0037	312	1319	3				-	05	01						Cracked Rock	Sandstone	-	-	-	18	182.3	-	-	-	-
96/0037	312	1316	3				-	05	01						Debitage	Chert	Early Reduction Flakes	Absent	-	1	1.1	-	-	-	-

SCL, Delaware Site 74C-6-143

ACCS#	CAT#	ROW#	PMS	AREA	STP	UNIT	STR	LEVEL	UDD	FEA	FLV	FOD	OTHER	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE
96/0037	327	1455	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cobble Tools	Sandstone	Hammerstones	-	WHL	1	254.5	90.	60.	37.	RE-USED AS FCR.
96/0037	327	1456	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cobble Tools	Sandstone	Hammerstones	-	WHL	1	199.8	67.	60.	48.	RE-USED AS FCR.
96/0037	327	3044	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Chert	-	-	-	8	389.2	-	-	-	-
96/0037	327	3046	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Igneous	-	-	-	1	107.5	-	-	-	-
96/0037	327	3043	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Metasedimentary	-	-	-	-	5	1164.7	-	-	-
96/0037	327	3042	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Quartz	-	-	-	15	646.	-	-	-	-
96/0037	327	3040	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Quartzite	-	-	-	10	1350.	-	-	-	-
96/0037	327	3041	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Quartzite	-	-	-	2	293.	-	-	-	-
96/0037	327	3038	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Sandstone	-	-	-	-	93	12000.	-	-	-
96/0037	327	3039	3	-	-	-	-	-	-	05	02	E	FLOT	-	Cracked Rock	Sandstone	-	-	-	-	87	10970.	-	-	-
96/0037	327	3049	3	-	-	-	-	-	-	05	02	E	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.4	-	-	-	-
96/0037	327	3048	3	-	-	-	-	-	-	05	02	E	FLOT	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	0.3	-	-	-	-
96/0037	327	3047	3	-	-	-	-	-	-	05	02	E	FLOT	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-	-	-	-
96/0037	327	3045	3	-	-	-	-	-	-	05	02	E	FLOT	-	Unmodified Cobbles	Indeterminate	-	-	-	11	1800.	-	-	-	-
96/0037	357	2350	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cobble Tools	Quartzite	Hammerstones	Absent	WHL	1	307.1	77.	65.8	45.5	-
96/0037	357	2535	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Chert	-	-	-	5	215.1	-	-	-	-
96/0037	357	2354	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Igneous	-	-	-	10	744.8	-	-	-	-
96/0037	357	2534	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Ironstone	-	-	-	5	230.8	-	-	-	-
96/0037	357	2533	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Metasedimentary	-	-	-	14	2193.	-	-	-	-
96/0037	357	2353	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Quartzite	-	-	-	69	5720.3	-	-	-	-
96/0037	357	2355	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Sandstone	-	-	-	225	24792.	-	-	-	-
96/0037	357	2352	3	-	-	-	-	-	-	05	02	H	FLOT	-	Cracked Rock	Siltstone	-	-	-	33	2361.9	-	-	-	-
96/0037	357	2540	3	-	-	-	-	-	-	05	02	H	FLOT	-	Debitage	Igneous/Metamorphic	Block Shatter	Absent	-	1	10.5	-	-	-	-
96/0037	357	2538	3	-	-	-	-	-	-	05	02	H	FLOT	-	Debitage	Jasper	Early Reduction Flakes	Cobble	-	1	1.8	-	-	-	-
96/0037	357	2539	3	-	-	-	-	-	-	05	02	H	FLOT	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	2.9	-	-	-	-
96/0037	357	2536	3	-	-	-	-	-	-	05	02	H	FLOT	-	Unmodified Cobbles	Chert	-	-	-	1	91.6	-	-	-	-
96/0037	357	2537	3	-	-	-	-	-	-	05	02	H	FLOT	-	Unmodified Cobbles	Sandstone	-	-	-	1	211.3	-	-	-	-

SKI, Delaware Site 7NC-6-143

ACCS#	CAT#	ROW#	PHS	AREA	STP	UNIT	STR	LEVEL	UND	FEA	FLY	FQD	OTHER	CNTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS	NOTE	
96/0037	357	2351	3							05	02	M	FL0T			Unmodified Pebbles Quartzite				4	371.3					

DRINKERS CREEK, DELAWARE SITE 7MC-6-143 \*\*\* PREHISTORIC POTTERY INVENTORY

Report Date: 10/28/97  
Report Page: 1

Drinkers Creek S61, Delaware Site 7MC-6-143

ACCS#	CAT#	ROW#	PIS	AREA	STP	UNIT	STR	LEVEL	UOQ	FEA	FLEV	FQD	OTHER	ART#	CNTS	FORM	TEMPER	SURFACE	EXTERIOR	SURFACE	INTERIOR	DECOR	EXTERIOR	DECOR	INTERIOR	COUNT	WEIGHT	THICKNESS	NOTE
96/0023	340	-	2	-	-	006	B	02	-	-	-	-	-	-	-	Body	Sand	-	-	-	-	-	-	-	9	40.7	-	-	
96/0023	340	-	2	-	-	006	B	02	-	-	-	-	-	-	-	Body	Sand	-	-	-	-	-	-	-	1	8.9	-	-	MICA TEMPER ALSO.
96/0023	346	-	2	-	-	010	A	01	-	-	-	-	-	-	-	Body	Quartz	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	1	3.2	-	-	-
96/0023	348	-	2	-	-	011	A	01	-	-	-	-	-	-	-	Body	Indeterminate	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	None/Absent	1	1.7	-	-	-
96/0023	349	-	2	-	-	011	B	02	-	-	-	-	-	-	-	Body	Indeterminate	Cord-marked	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	8	24.4	-	-	-	
96/0023	349	-	2	-	-	011	B	02	-	-	-	-	-	-	-	Body	Indeterminate	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	12	13.49	-	-	-	
96/0023	349	-	2	-	-	011	B	02	-	-	-	-	-	-	-	Body	Quartz	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	1	3.6	-	-	-	
96/0023	349	-	2	-	-	011	B	02	-	-	-	-	-	-	-	Crumb	Indeterminate	-	-	-	-	-	-	2	0.8	-	-	-	
96/0023	356	-	2	-	-	012	B	02	-	-	-	-	-	-	-	Body	Indeterminate	-	-	-	-	-	-	3	6.5	-	-	-	
96/0023	356	-	2	-	-	012	B	02	-	-	-	-	-	-	-	Body	Quartz	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	1	7.3	-	-	-	
96/0023	363	-	2	-	-	014	A	01	-	-	-	-	-	-	-	Body	Quartz	Cord-marked	Plain/Smooth	Plain/Smooth	Plain/Smooth	None/Absent	None/Absent	1	2.1	-	-	-	
96/0037	83	-	3	-	-	022	-	01	-	-	-	-	FLOT	-	-	Rim	Quartz	Fabric Impressed	Plain/Smooth	Plain/Smooth	Plain/Smooth	-	-	1	3.4	-	5.	HELL ISLAND.	
96/0037	2	-	3	-	-	023	-	01	-	-	-	-	FLOT	-	-	Body	Quartz & Sand	-	Plain/Smooth	Plain/Smooth	Plain/Smooth	-	-	2	5.1	-	-	-	WIPED.
96/0037	53	-	3	-	-	024	-	01	-	-	-	-	-	-	-	Body	Quartz & Sand	-	Plain/Smooth	Plain/Smooth	Plain/Smooth	-	-	1	3.2	-	-	-	WIPED.
96/0037	57	-	3	-	-	024	-	02	-	-	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	3	6.1	-	-	-	
96/0037	32	-	3	-	-	025	-	01	-	-	-	-	-	-	-	Crumb	-	-	-	-	-	-	-	4	2.2	-	-	-	
96/0037	37	-	3	-	-	025	-	02	-	-	-	-	-	-	-	Body	Sand	Cord-marked	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	3	7.7	-	-	-	
96/0037	43	-	3	-	-	025	-	03	-	-	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	2	2.3	-	-	-	
96/0037	51	-	3	-	-	026	-	01	-	-	-	-	-	-	-	Body	Sand	Cord-marked	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	2	4.5	-	-	-	WIPED.
96/0037	55	-	3	-	-	026	-	02	-	-	-	-	-	-	-	Body	Sand	Fabric Impressed	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	2	5.9	-	-	-	
96/0037	72	-	3	-	-	027	-	01	-	-	-	-	-	-	-	Body	Sand	Fabric Impressed	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	3	7.2	-	-	-	
96/0037	72	-	3	-	-	027	-	01	-	-	-	-	-	-	-	Body	Sand	-	-	-	-	-	-	2	2.6	-	-	-	
96/0037	79	-	3	-	-	027	-	02	-	-	-	-	-	-	-	Body	Sand	Fabric Impressed	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	Plain/Smooth	2	3.5	-	-	-	

Drawyers Creek SK1, Delaware Site 7MC-6-143

ACCUM#	CAT#	Row#	PHS	AREA	STP	UNIT	STR	LEVEL	UDQ	FEA	FLEV	FQD	OTHER	ART#	CNTS	FORM	TEMPER	SURFACE EXTERIOR	SURFACE INTERIOR	DECOR EXTERIOR	DECOR INTERIOR	COUNT	HEIGHT	THICKNESS	NOTE
96/0037	82	-	3	-	-	029	-	01	-	-	-	-	-	-	-	Body	Quartz	Fabric Impressed	-	-	-	2	25	-	THICK, HIGH Z. CRUSHED QUARTZ.
96/0037	82	-	3	-	-	029	-	01	-	-	-	-	-	-	-	Body	Quartz & Sand	Fabric Impressed	-	-	3	8.7	-	-	
96/0037	82	-	3	-	-	029	-	01	-	-	-	-	-	-	-	Crumb	Sand	-	-	-	1	1.1	-	-	
96/0037	98	-	3	-	-	031	-	01	-	-	-	-	-	-	-	Body	Quartz	-	-	-	1	2.3	-	-	
96/0037	98	-	3	-	-	031	-	01	-	-	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	Cord Wrapped Tool	-	1	2.8	-	OBLIQUE CMS OVER HORIZONTAL CMS; HINGUANNAN CORDED NC 3.	
96/0037	133	-	3	-	-	035	-	01	-	-	-	-	FLUT	-	-	Body	Sand	-	-	-	4	4.5	-	-	
96/0037	134	-	3	-	-	035	-	02	-	-	-	-	FLUT	-	-	Crumb	Sand	-	-	-	2	1.5	-	-	
96/0037	112	-	3	-	-	036	-	01	-	-	-	-	-	-	-	Crumb	-	-	-	-	1	0.2	-	-	
96/0037	47	-	3	-	-	037	-	02	-	-	-	-	FLUT	-	-	Rim	Grit & Gneiss	-	-	-	1	9.1	9	-	
96/0037	144	-	3	-	-	054	-	01	-	-	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	Incised	-	2	2.8	-	PARALLEL INCISED.	
96/0037	145	-	3	-	-	054	-	02	-	-	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	-	-	1	18.1	-	-	
96/0037	162	-	3	-	-	057	-	02	-	-	-	-	-	-	-	Body	Sand	Fabric Impressed	Plain/Smooth	-	1	1.6	-	-	
96/0037	182	-	3	-	-	062	-	01	-	-	-	-	-	-	-	Body	Sand	Fabric Impressed	Plain/Smooth	-	1	2.4	-	-	
96/0037	182	-	3	-	-	062	-	01	-	-	-	-	-	-	-	Body	Sand	-	-	-	4	2.8	-	-	
96/0037	187	-	3	-	-	062	-	02	-	-	-	-	-	-	-	Crumb	-	-	-	-	1	0.5	-	-	
96/0037	245	-	3	-	-	065	-	06	W	-	-	-	-	-	-	Body	Fine Sand	-	-	-	3	4.6	-	-	
96/0037	245	-	3	-	-	065	-	06	W	-	-	-	-	-	-	Crumb	Fine Sand	-	-	-	2	0.8	-	-	
96/0037	251	-	3	-	-	066	-	01	-	-	-	-	-	-	-	Body	Sand	-	-	-	7	9.6	-	-	
96/0037	256	-	3	-	-	066	-	02	-	-	-	-	-	-	-	Crumb	Fine Sand	-	-	-	3	1.8	-	-	
96/0037	285	-	3	-	-	067	-	01	-	-	-	-	-	-	-	Body	Sand	Plain/Smooth	-	-	2	2.5	-	-	
96/0037	285	-	3	-	-	067	-	01	-	-	-	-	-	-	-	Crumb	Sand	-	-	-	4	1	-	-	
96/0037	291	-	3	-	-	067	-	02	-	-	-	-	-	-	-	Crumb	-	-	-	-	4	1.4	-	-	
96/0037	209	-	3	-	-	070	-	01	-	-	-	-	SOIL	-	-	Body	Sand	Cord-marked	-	-	2	5.1	-	-	
96/0037	209	-	3	-	-	070	-	01	-	-	-	-	SOIL	-	-	Body	Sand	-	-	-	5	8.1	-	-	

SIMILAR TO LM POTTERY FROM LEVELS 1 AND 2.

ACCS#	CAT#	Row#	PMS AREA	STP UNIT	STR LEVEL	UOD	FEA	FLEV	FPO	OTHER	ART#	CNTS	FORM	TEMPER	SURFACE EXTERIOR	INTERIOR DECOR.	EXTERIOR DECOR.	INTERIOR DECOR.	COUNT	HEIGHT	THICKNESS	NOTE
96/0037	216	-	3	-	070	-	02	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	-	-	-	4	13.	-	-
96/0037	216	-	3	-	070	-	02	-	-	-	-	-	Crumb	-	-	-	-	-	1	0.4	-	-
96/0037	229	-	3	-	071	-	01	-	-	-	-	-	Body	Fine Sand	Cord-marked	-	-	-	7	19.9	-	-
96/0037	229	-	3	-	071	-	01	-	-	-	-	-	Body	Quartz	Cord-marked	-	-	Incised	1	4.8	-	-
96/0037	229	-	3	-	071	-	01	-	-	-	-	-	Crumb	-	-	-	-	7	3.5	-	-	
96/0037	215	-	3	-	072	-	02	-	-	-	-	-	Body	-	-	-	-	1	0.6	-	-	
96/0037	242	-	3	-	073	-	03	-	-	-	-	-	Crumb	Sand	-	-	-	1	0.6	-	-	
96/0037	233	-	3	-	074	-	02	-	-	-	-	-	Body	Quartz & Sand	Cord-marked	-	-	-	1	1.7	-	-
96/0037	233	-	3	-	074	-	02	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	-	-	-	7	15.5	-	-
96/0037	233	-	3	-	074	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	Cord Wrapped Tool	1	0.9	-	SEE CAT.#98.	
96/0037	233	-	3	-	074	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	Incised	2	2.7	-	HERRINGBONE.	
96/0037	448	-	3	-	077	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	-	1	1.	-	-	
96/0037	448	-	3	-	077	-	02	-	-	-	-	-	Crumb	Quartz & Sand	-	-	-	7	2.5	-	-	
96/0037	451	-	3	-	077	-	03	-	-	-	-	-	Crumb	Quartz & Sand	-	-	-	2	0.8	-	-	
96/0037	271	-	3	-	083	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	-	1	0.8	-	-	
96/0037	319	-	3	-	093	-	02	-	-	-	-	-	Crumb	-	-	-	-	3	0.7	-	-	
96/0037	360	-	3	-	097	-	01	-	-	-	-	-	Body	Quartz	-	-	-	2	2.7	-	-	
96/0037	371	-	3	-	097	-	02	-	-	-	-	-	Body	Quartz	-	-	-	2	2.1	-	-	
96/0037	371	-	3	-	097	-	02	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	-	-	8	11.8	-	-	
96/0037	373	-	3	-	097	-	03	-	-	-	-	-	Crumb	Quartz	-	-	-	1	0.6	-	-	
96/0037	381	-	3	-	099	-	01	-	-	-	-	-	Body	Quartz	Plain/Smooth	-	-	-	1	2.6	-	-
96/0037	381	-	3	-	099	-	01	-	-	-	-	-	Body	Steatite	Plain/Smooth	-	-	-	1	8.4	-	MARCEY CREEK.
96/0037	403	-	3	-	101	-	02	-	-	-	-	-	Crumb	Quartz	-	-	-	2	0.8	-	-	
96/0037	458	-	3	-	113	-	02	-	-	-	-	-	Body	Quartz & Sand	Plain/Smooth	-	-	-	3	4.6	-	-
96/0037	458	-	3	-	113	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	Cord Wrapped Tool	1	0.7	-	ZONED.	
96/0037	458	-	3	-	113	-	02	-	-	-	-	-	Body	Quartz & Sand	-	-	Incised	3	3.2	-	HERRINGBONE.	
96/0037	458	-	3	-	113	-	02	-	-	-	-	-	Crumb	Sand	-	-	-	7	4.4	-	-	