

APPENDIX B

LITHIC ARTIFACT INVENTORY FROM SITE 7K-C-386E
AND PREHISTORIC ARTIFACT INVENTORIES FROM PHASE I SURVEY AREAS

FORD FARM *** PREHISTORIC LITHICS INVENTORY

Page: 1

FORD FARM Site/Accsn#: 7K-C-386b / 97/0018 - Lithic Inventory

FEA

CAT#	Row#	TR SCT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNS
95	1	-	B	-	-	SS	-	-	-	-	-	Bifaces Note:STEMMED POINT.	Chert	Projectile Points	Absent	WHL	1	4.7	44.5	16.7	6.9
BEAN FIELD 20m 180° FROM STAKE 258																					

96	2	-	B	-	-	SS	-	-	-	-	-	Bifaces Note:CORNER-NOTCHED POINT TIP PROBABLY BROKEN ON IMPACT.	Chert	Projectile Points	Absent	WHL	1	5.8	33.3	24.	6.3
BEAN FIELD 45m 256° FROM STAKE 258																					

FORD FARM Site/Accsn#: 7K-C-386e / 97/0018

FEA

CAT#	Row#	TR SCT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNS
1	66	-	E	-	03	A	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.6	-	-	-
3	67	-	E	-	05	B	-	-	-	-	-	Debitage Note:POSSIBLE PRESSURE FLAKE.	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-
4	68	-	E	-	06	A	-	-	-	-	-	Debitage	Jasper	Block Shatter	Absent	-	1	0.7	-	-	-
5	69	-	E	-	07	B	-	-	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
6	70	-	E	-	08	A	-	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	1.	-	-	-
7	71	-	E	-	08	B	-	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	58.6	-	-	-
9	73	-	E	01	-	A	02	-	-	-	-	Debitage	Quartz	Block Shatter	Cobble	-	1	0.4	-	-	-
9	72	-	E	01	-	A	02	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	0.5	-	-	-
11	74	-	E	02	-	A	03	-	-	-	-	Fire-cracked Rock Note:SCHIST.	Metamorphic	-	-	-	1	215.	-	-	-
12	75	-	E	03	-	A	01	-	-	-	-	Unifaces	Jasper	Utilized Flakes	Cobble	WHL	1	4.7	36.3	28.5	5.7
13	80	-	E	03	-	A	02	-	-	-	-	Debitage	Chert	Decortication Flakes	Cobble	-	1	0.8	-	-	-

CAT#	Row#	TR SCT	LOC	UNIT	STP	LEV	FEA			CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS
							QAD	ART#	CMTS										
13	76	-	E	03	-	A	02	-	-	-	Debitage	Chert	Flake Fragments	Absent	-	1	0.3	-	-
13	77	-	E	03	-	A	02	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.8	-	-
13	78	-	E	03	-	A	02	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	3.	-	-
13	79	-	E	03	-	A	02	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	9.4	-	-
20	41	-	E	03	-	B	03	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	9	768.4	-	-
15	62	-	E	03	-	B	04	-	-	-	Debitage	Quartz	Early Reduction Flakes	Absent	-	1	2.5	-	-
15	63	-	E	03	-	B	04	-	-	-	Fire-cracked Rock	Jasper	-	-	-	2	4.9	-	-
15	61	-	E	03	-	B	04	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	14	1520.9	-	-
16	64	-	E	03	-	B	05	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	75.6	-	-
18	65	-	E	04	-	A	02	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	2.4	-	-
21	44	-	E	04	-	B	04	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.8	-	-
21	43	-	E	04	-	B	04	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	0.5	-	-
21	42	-	E	04	-	B	04	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	3	253.2	-	-
28	45	-	E	06	-	C	08	-	-	-	Debitage	Chert	Biface Reduction Flakes	Absent	-	1	0.2	-	-
29	46	-	E	06	-	D	11	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.2	-	-
31	47	-	E	08	-	C	03	-	-	-	Debitage	Quartz	Flake Fragments	Cobble	-	1	0.4	-	-
32	48	-	E	08	-	D	09	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.2	-	-
34	49	-	E	09	-	A	04	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	18.6	-	-

CAT#	Row#	TR SCT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	FEA		MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS
35	50	-	E	10	-	A	01	-	-	-	-	Cores	Jasper		Bifacial Core	Absent	-	1	14.3	-	-	-	-
36	51	-	E	10	-	B	04	-	-	-	-	Debitage	Jasper		8iface Reduction Flakes	Absent	-	1	0.2	-	-	-	-
37	52	-	E	10	-	B	05	-	-	-	-	Debitage	Quartz		Early Reduction Flakes	Absent	-	1	1.9	-	-	-	-
37	53	-	E	10	-	B	05	-	-	-	-	Debitage	Jasper		Flake Shatter	Cobble	-	1	0.1	-	-	-	-
38	55	-	E	12	-	B	05	-	-	-	-	Debitage	Jasper		Block Shatter	Cobble	-	1	0.6	-	-	-	-
38	56	-	E	12	-	B	05	-	-	-	-	Debitage	Jasper		Early Reduction Flakes	Absent	-	1	0.2	-	-	-	-
38	54	-	E	12	-	B	05	-	-	-	-	Debitage	Jasper		Other Flake Types	Cobble	-	2	0.3	-	-	-	-
39	57	-	E	12	-	8C	07- 14	-	-	-	-	Debitage	Chert		Flake Shatter	Cobble	-	1	0.1	-	-	-	-
40	59	-	E	12	-	C	09	-	-	-	-	Debitage	Jasper		Pressure Flakes	Absent	-	1	0.1	-	-	-	-
40	58	-	E	12	-	C	09	-	-	-	-	Fire-cracked Rock	Sandstone		-	-	-	1	69.4	-	-	-	-
41	60	-	E	12	-	C	11	-	-	-	-	Debitage	Chert		Pressure Flakes	Absent	-	1	0.1	-	-	-	-
42	1	-	E	12	-	C	12	-	-	-	-	Debitage	Jasper		Other Flake Types	Cobble	-	1	0.1	-	-	-	-
43	2	-	E	13	-	B	02	-	-	-	-	Debitage	Quartz		Early Reduction Flakes	Cobble	-	1	1.3	-	-	-	-
44	3	-	E	13	-	B	03	-	-	-	-	Debitage	Quartzite		Decortication Flakes	Cobble	-	1	0.4	-	-	-	-
45	6	-	E	13	-	B	04	-	-	-	-	Debitage	Chert		Block Shatter	Cobble	-	1	1.1	-	-	-	-
45	4	-	E	13	-	B	04	-	-	-	-	6 Unifaces Note: SOME PATINA.	Jasper		Endscrapers	Absent	BRK	1	9.6	26.9	19.8	6.9	
45	5	-	E	13	-	B	04	-	-	-	-	6 Unifaces	Jasper		Endscrapers	Cobble	WHL	1	8.4	26.4	32.4	8.5	

CAT#	Row#	TRSET	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CHTS	CLASS	FEA		MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS
46	7	-	E	14	-	B	02	-	-	-	-	Debitage	Chert		Flake Fragments	Absent	-	1	0.1	-	-	-	-
46	8	-	E	14	-	B	02	-	-	-	-	Debitage	Quartz		Flake Fragments	Absent	-	1	0.8	-	-	-	-
47	9	-	E	14	-	B	03	-	-	-	-	6 Bifaces Note: SHORT STEM POINT TIP SLIGHTLY BROKEN.	Argillite		Projectile Points	Absent	WHL	1	6.8	34.3	25.	7.2	
48	11	-	E	14	-	B	04	-	-	-	-	Debitage	Quartz		Flake Shatter	Absent	-	1	0.4	-	-	-	-
48	10	-	E	14	-	B	04	-	-	-	-	Debitage	Jasper		Other Flake Types	Cobble	-	1	0.2	-	-	-	-
49	12	-	E	14	-	B	06	-	-	-	-	Debitage	Jasper		Decoratation Flakes	Cobble	-	1	1.1	-	-	-	-
50	13	-	E	14	-	B	07	-	-	-	-	Debitage	Jasper		Flake Fragments	Absent	-	1	0.1	-	-	-	-
51	14	-	E	14	-	B	08	-	-	-	-	Debitage Note: POT LID.	Jasper		Indeterminate Flakes	Cobble	-	1	0.8	-	-	-	-
52	16	-	E	15	-	A	01	-	-	-	-	Cobble Tools Note: A COBBLE PROBABLY USED AS HAMMERSTONE AND MANO.	Sandstone		Other Cobble Tools	Absent	BRK	1	315.6	87.6	57.1	51.6	
52	15	-	E	15	-	A	01	-	-	-	-	Debitage Note: POSSIBLE PRESSURE FLAKE.	Jasper		Flake Fragments	Absent	-	1	0.1	-	-	-	-
53	17	-	E	15	-	B	02	-	-	-	-	Debitage	Jasper		Block Shatter	Cobble	-	1	0.3	-	-	-	-
53	18	-	E	15	-	B	02	-	-	-	-	Debitage	Quartz		Flake Fragments	Absent	-	1	0.4	-	-	-	-
54	19	-	E	15	-	B	05	-	-	-	-	Debitage	Quartz		Flake Fragments	Absent	-	1	0.1	-	-	-	-
54	20	-	E	15	-	B	05	-	-	-	-	Fire-cracked Rock Note: A JASPER PEBBLE CRACKED IN TWO PLACES; NOT HEAT-ALTERED.	Jasper		-	-	1	4.7	-	-	-	-	-
55	22	-	E	15	-	B	06	-	-	-	-	Debitage	Quartz		Block Shatter	Absent	-	1	0.5	-	-	-	-
55	21	-	E	15	-	B	06	-	-	-	-	Debitage	Chert		Early Reduction Flakes	Absent	-	1	0.5	-	-	-	-
56	23	-	E	15	-	B	08	-	-	-	-	Debitage	Quartz		Block Shatter	Absent	-	1	0.4	-	-	-	-

CAT#	Row#	TRSDT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNS
57	24	-	E	15	-	C	11	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.2	-	-	-
58	25	-	E	15	-	C	12	-	-	-	-	Debitage Note:POSSIBLE PRESSURE FLAKE.	Chert	Flake Fragments	Absent	-	1	0.1	-	-	-
59	26	-	E	16	-	B	02	-	-	-	-	Fire-cracked Rock Note:A JASPER PEBBLE.	Jasper	-	-	-	1	5.6	-	-	-
60	28	-	E	16	-	B	03	-	-	-	-	Debitage	Quartzite	Block Shatter	Absent	-	1	22.9	-	-	-
60	29	-	E	16	-	B	03	-	-	-	-	Debitage	Quartzite	Block Shatter	Cobble	-	1	9.5	-	-	-
60	27	-	E	16	-	B	03	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Absent	-	1	2.5	-	-	-
61	30	-	E	16	-	B	04	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	2	7.2	-	-	-
61	31	-	E	16	-	B	04	-	-	-	-	Debitage	Quartzite	Flake Fragments	Absent	-	1	0.8	-	-	-
61	32	-	E	16	-	B	04	-	-	-	-	Debitage	Quartzite	Flake Shatter	Cobble	-	1	0.1	-	-	-
62	35	-	E	16	-	B	05	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	2	0.4	-	-	-
62	33	-	E	16	-	B	05	-	-	-	-	Debitage	Jasper	Decortication Flakes	Cobble	-	1	1.7	-	-	-
62	34	-	E	16	-	B	05	-	-	-	-	Debitage	Quartzite	Early Reduction Flakes	Absent	-	1	0.3	-	-	-
62	36	-	E	16	-	B	05	-	-	-	-	Debitage	Jasper	Flake Shatter	Cobble	-	1	0.1	-	-	-
64	37	-	E	17	-	A	01	-	-	-	-	Fire-cracked Rock	Sandstone	-	-	-	1	331.7	-	-	-
65	83	-	E	17	-	B	03	-	-	-	-	Debitage Note:POSSIBLE FLAKE.	Quartzite	Early Reduction Flakes	Cobble	-	1	0.5	-	-	-
65	82	-	E	17	-	B	03	-	-	-	-	Fire-cracked Rock	Quartzite	-	-	-	1	18.1	-	-	-

CAT#	Row#	TRSCT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	FEA		MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNS
65	81	-	E	17	-	B	03	-	-	-	-	Fire-cracked Rock			Sandstone	-	-	-	1	33.6	-	-	-
66	85	-	E	18	-	A	01	-	-	-	-	Debitage			Quartzite	Block Shatter	Cobble	-	1	6.4	-	-	-
66	84	-	E	18	-	A	01	-	-	-	-	Debitage			Quartzite	Decortication Flakes	Cobble	-	1	2.4	-	-	-
67	87	-	E	18	-	B	02	-	-	-	-	Debitage			Jasper	Block Shatter	Cobble	-	2	0.5	-	-	-
67	86	-	E	18	-	B	02	-	-	-	-	Debitage			Jasper	Early Reduction Flakes	Cobble	-	1	1.	-	-	-
67	88	-	E	18	-	B	02	-	-	-	-	Fire-cracked Rock			Quartzite	-	-	-	2	14.2	-	-	-
68	89	-	E	18	-	B	03	-	-	-	-	Debitage			Jasper	Decortication Flakes	Cobble	-	1	9.	-	-	-
68	90	-	E	18	-	B	03	-	-	-	-	Fire-cracked Rock			Quartz	-	-	-	1	2.3	-	-	-
70	93	-	E	19	-	A	01	-	-	-	-	Debitage			Jasper	Biface Reduction Flakes	Absent	-	2	0.5	-	-	-
71	91	-	E	19	-	B	02	-	-	-	-	Debitage			Jasper	Biface Reduction Flakes	Absent	-	1	0.1	-	-	-
71	92	-	E	19	-	B	02	-	-	-	-	Debitage			Quartz	Early Reduction Flakes	Absent	-	1	0.5	-	-	-
72	94	-	E	19	-	B	03	-	-	-	-	Debitage			Jasper	Decortication Flakes	Cobble	-	1	1.4	-	-	-
72	95	-	E	19	-	B	03	-	-	-	-	Debitage			Jasper	Early Reduction Flakes	Cobble	-	1	0.7	-	-	-
72	96	-	E	19	-	B	03	-	-	-	-	Debitage			Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-
73	97	-	E	19	-	B	04	-	-	-	-	Debitage			Jasper	Biface Reduction Flakes	Absent	-	3	0.6	-	-	-
73	100	-	E	19	-	B	04	-	-	-	-	Debitage			Jasper	Block Shatter	Absent	-	1	0.2	-	-	-

FEA																					
CAT#	Row#	TR SCT	LOC	UNIT	STP	STR	LEV	FEA	QAD	ART#	CMTS	CLASS	MATERIAL	TYPE	CORTX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS
73	99	-	E	19	-	B	04	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.3	-	-	-
73	102	-	E	19	-	B	04	-	-	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.5	-	-	-
73	101	-	E	19	-	B	04	-	-	-	-	Debitage	Jasper	Other Flake Types	Cobble	-	1	0.2	-	-	-
73	98	-	E	19	-	B	04	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	1	0.1	-	-	-
74	104	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	3	0.4	-	-	-
74	108	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
74	105	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Early Reduction Flakes	Block	-	1	0.2	-	-	-
74	106	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Flake Fragments	Cobble	-	1	0.1	-	-	-
74	107	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Other Flake Types	Cobble	-	1	0.1	-	-	-
74	103	-	E	19	-	B	05	-	-	-	-	Debitage	Jasper	Pressure Flakes	Absent	-	3	0.3	-	-	-
76	109	-	E	20	-	B	02	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	2	0.3	-	-	-
77	110	-	E	20	-	B	03	-	-	-	-	Debitage	Jasper	Other Flake Types	Cobble	-	1	0.7	-	-	-
78	111	-	E	20	-	B	04	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	2	0.4	-	-	-
79	112	-	E	20	-	B	05	-	-	-	-	Debitage	Jasper	Biface Reduction Flakes	Absent	-	1	0.3	-	-	-
79	114	-	E	20	-	B	05	-	-	-	-	Debitage	Jasper	Block Shatter	Cobble	-	1	2.	-	-	-
79	113	-	E	20	-	B	05	-	-	-	-	Debitage	Jasper	Flake Fragments	Absent	-	1	0.1	-	-	-

Note:POT LID.

Note:POT LID.

Note:POT LID.

WETLAND REPLACEMENT AREA 2 *** PREHISTORIC LITHICS INVENTORY

Wetland Replacement Area 2 - Site 7K-C-388 / 99/0021

Page: 1

CAT#	Row#	TR SCT	STP	STR	ART#	CMTS	CLASS	MATERIAL	TYPE	CORTEX	COND	COUNT	WEIGHT	LENGTH	WIDTH	THICKNESS
14	4	A			07c	A	-	-	Debitage	Quartzite	Decortication Flakes	Absent	-	1	0.3	-
5	1	H			01	C	-	-	Debitage	Quartz	Flake Fragments	Absent	-	1	0.2	-
7	3	H			01a	A	-	-	Debitage	Quartz	Block Shatter	Absent	-	1	9.1	-
6	2	H			01a	B	-	-	Bifaces	Jasper	Early-Stage Bifaces	Cobble	BRK	1	14.9	-

Note: BROKEN PIECE OF EARLY-STAGE BIFACE UTILIZED AS A SCRAPER OR CUTTING TOOL.

WETLAND REPLACEMENT AREA 2 *** PREHISTORIC POTTERY INVENTORY

Wetland Replacement Area 2 - Site 7K-C-388 / 99/0021

Page: 1

CAT#	TR SCT	STP	STR	ART#	CMTS	FORM	TEMPER	SURFACE EXT.	SURFACE INT.	DECOR.EXT.	DECOR.INT.	COUNT	WEIGHT	THICKNESS
16	A	07d	B	-	-	Crumb	-	-	-	-	-	6	2.5	-