

Appendix A

SUMMARY OF SUBSURFACE TESTING

APPENDIX A
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 1	Shovel Test	1	1	0 - 0.5ft	sand loam with root mat , historic fill	10YR 3/3	--
			2	0.5 - 1.4ft	silty sand, Ap horizon	10YR 4/4	--
			3	1.4 - 1.7ft	coarse silty sand, B horizon	10YR 5/6	--
Area 1	Shovel Test	2	1	0 - 0.7ft	silty loam, historic fill (throw from dit	10YR 4/3	Historic Ceramic Vessel Sher
			1 north r	0 - 0.65ft	mottled silty loam with gravel , histor	10YR 4/2, 10YR 6/4	--
			1 south r	0 - 0.6ft	mottled silty loam with asphalt and r		Historic Ceramic Vessel Sher
			2	0.7 - 1.4ft	silty loam, Ap horizon	10YR 5/3	--
			2 north r	0.65 - 1.4ft		10YR 4/3	--
			2 south r	0.6 - 1.3ft	silty sand, Ap horizon		--
			3	1.4 - 1.7ft	silty sand, B horizon	10YR 5/6	--
			3 north r	1.4 - 2.2ft	silty sand loam, B horizon	7.5YR 5/6	--
			3 south r	1.3 - 2.2ft			--
Area 1	Shovel Test	3	1	0 - 0.7ft	sand loam with root mat , historic fill	10YR 3/4	--
			2	0.7 - 1.6ft	silty sand, Ap horizon	10YR 5/4	--
			3	1.6 - 2.4ft	coarse, slightly clayey silty sand, B	10YR 5/6	--
Area 1	Shovel Test	4	1	0 - 0.65ft	silty loam, historic fill (throw from dit	10YR 4/3	--
			2	0.65 - 1.15ft	silty loam, Ap horizon	10YR 5/3	--
			3	1.15 - 2ft	silty sand, B horizon	10YR 5/6	--
Area 1	Shovel Test	5	1	0 - 0.5ft	sand loam, historic fill	10YR 3/4	--
			2	0.5 - 1.6ft	silty sand, Ap horizon	10YR 5/4	--
			3	1.6 - 2.4ft	coarse silty sand with gravel , B hori	10YR 5/6	--
Area 1	Shovel Test	6	1	0 - 0.9ft	silty loam, historic fill	10YR 4/3	--
			2	0.9 - 1.8ft	silty sand, B horizon	10YR 5/6	--
Area 1	Shovel Test	7	1	0 - 0.4ft	loamy sand with root mat	10YR 3/4	--
			2	0.4 - 1.7ft	silty sand, Ap horizon	10YR 5/4	--
			3	1.7 - 2.5ft	coarse, slightly silty sand with gravel	10YR 5/6	--
Area 1	Shovel Test	8	1	0 - 0.9ft	silty loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.8ft	silty sand, B horizon	10YR 5/6	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 1	Shovel Test	9	1	0 - 0.5ft	loamy sand with root mat	10YR 3/3	--
			2	0.5 - 1.2ft	silty sand, Ap horizon	10YR 3/4	--
			3	1.2 - 1.8ft	silty sand, B horizon	10YR 6/4	--
			4	1.8 - 2.2ft	coarse silty sand with gravel , B hori	10YR 5/6	--
Area 1	Shovel Test	10	1	0 - 1.4ft	silty loam, Ap horizon	10YR 4/3	--
			2	1.4 - 2.2ft		10YR 5/6	--
Area 1	Shovel Test	11	1	0 - 0.3ft	loamy sand with root mat	10YR 3/3	--
			2	0.3 - 0.9ft	silty sand	10YR 3/4	--
			3	0.9 - 2.4ft	medium sand	10YR 5/4	--
			4	2.4 - 2.8ft	coarse sand	10YR 5/6	--
Area 1	Shovel Test	12	1	0 - 0.6ft	silty loam with root mat (sod)	10YR 4/3	--
			2	0.6 - 2.5ft	very clean silty sand	10YR 4/4	--
			3	2.5 - 2.9ft	silty sand, B horizon	10YR 5/6	--
			4	2.9 - 3.4ft	silty sand loam, B horizon	10YR 5/8	--
Area 1	Shovel Test	13	1	0 - 0.5ft	loamy sand with root mat	10YR 3/3	--
			2	0.5 - 2.1ft	medium sand	10YR 5/4	--
			3	2.1 - 2.9ft	coarse sand	10YR 5/6	--
Area 1	Shovel Test	14	1	0 - 0.6ft	silty loam with root mat (sod)	10YR 4/3	--
			2	0.6 - 1.7ft	silty loam, Ap horizon	10YR 4/4	--
			3	1.7 - 2.2ft	dry, compact silty sand, B horizon	10YR 5/6	--
			4	2.2 - 2.5ft	coarse, slightly clayey sand, B horiz	10YR 5/8	--
Area 1	Shovel Test	15	1	0 - 0.4ft	fine loamy sand with root mat	10YR 3/3	--
			2	0.4 - 1ft	silty sand	10YR 3/4	--
			3	1 - 2.1ft	medium sand	10YR 5/4	--
			4	2.1 - 2.4ft	coarse sand	10YR 5/6	--
Area 1	Shovel Test	16	1	0 - 1.3ft	silty loam, Ap horizon	10YR 4/3	--
			2	1.3 - 2.8ft	silty sand loam with 20% gravel , B	10YR 5/6	--
Area 1	Shovel Test	17	1	0 - 1.5ft	silty loam, Ap horizon	10YR 4/3	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 1	Shovel Test	17	2	1.5 - 2.4ft	silty sand loam with 20% gravel , B	10YR 5/6	--
Area 1	Shovel Test	18	1	0 - 1.8ft	banded mottling silty sand, historic fi	10YR 4/3, 10YR 6/4	--
			2	1.8 - 2.7ft	silty sand, B horizon	10YR 5/6	--
Area 1	Shovel Test	19	1	0 - 0.2ft	loamy sand with root mat	10YR 3/4	--
			2	0.2 - 0.7ft	medium silty sand	10YR 4/4	--
			3	0.7 - 2ft		10YR 5/4	--
			4	2 - 2.6ft	mottled clayey sand	10YR 6/4, 10YR 5/6, 7.5Y 5/8	--
Area 1	Shovel Test	20	1	0 - 0.9ft	silty loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.8ft	silty sand	10YR 6/4	--
			3	1.8 - 2.6ft		10YR 5/6	--
Area 1	Shovel Test	21	1	0 - 0.8ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.8 - 1.4ft	medium loamy sand	10YR 5/4	--
			3	1.4 - 2.5ft	wet coarse loamy sand	10YR 5/6	--
Area 1	Shovel Test	22	1	0 - 0.8ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.8 - 1.15ft	silty sand	10YR 6/4	--
			3	1.15 - 2.1ft	mottled at base, silty sand loam	10YR 5/6, 10YR 5/8	--
Area 1	Shovel Test	23	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.5ft	medium loamy sand	10YR 5/4	--
			3	1.5 - 2.4ft	wet coarse loamy sand	10YR 5/6	--
Area 1	Shovel Test	24	1	0 - 0.85ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.85 - 1.1ft	silty sand	10YR 6/4	--
			3	1.1 - 2.2ft	mottled silty loam with lamellar band	10YR 5/6, 10YR 5/8	--
Area 1	Shovel Test	268	1	0 - 0.3ft	sand loam	10YR 3/3	--
			2	0.3 - 2.1ft	medium sand	10YR 5/4	--
			3	2.1 - 2.85ft	coarse sand	10YR 5/6	--
Area 1	Shovel Test	269	1	0 - 0.4ft	loamy sand	10YR 3/3	--
			2	0.4 - 2ft	medium sand	10YR 5/4	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 1	Shovel Test	269	3	2 - 2.9ft	coarse sand	10YR 5/6	--
Area 1	Shovel Test	270	1	0 - 0.3ft	loamy sand	10YR 3/3	--
			2	0.3 - 2.1ft	medium sand	10YR 5/4	--
			3	2.1 - 3ft	coarse sand	10YR 5/6	--
Area 2	Shovel Test	25	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/4	--
			2	0.9 - 1.4ft	compact loamy sand	10YR 5/4	--
			3	1.4 - 2ft	wet coarse sand with some gravel	10YR 5/6	--
Area 2	Shovel Test	26	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 1.8ft	silty sand	10YR 6/4	--
			3	1.8 - 2.2ft	silty sand with gravel	10YR 5/6	--
Area 2	Shovel Test	27	1	0 - 1ft	sand loam, Ap horizon	10YR 4/4	--
			2	1 - 2ft	banded compact medium loamy sand	10YR 6/3, 7.5Y 5/8	--
			3	2 - 2.4ft	medium fine sand	10YR 7/3	--
Area 2	Shovel Test	28	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials Historic Ceramic Vessel Sher Historic Fauna
			2	1 - 2.2ft	silty sand with some gravel	10YR 6/4	--
Area 2	Shovel Test	29	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.2ft	compact loamy sand	10YR 5/4	--
			3	1.2 - 2.4ft	medium sand	10YR 6/6	--
Area 2	Shovel Test	30	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 2.2ft	silty sand, B horizon	10YR 6/4	--
Area 2	Shovel Test	31	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.5ft	compact loamy sand	10YR 5/4	--
			3	1.5 - 2.3ft	coarse sand with gravel	10YR 5/6	--
Area 2	Shovel Test	32	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Ceramic Vessel Sher
			2	1 - 1.8ft	silty sand loam with 20% gravel	10YR 5/6	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	33	1	0 - 0.8ft	sand loam, Ap horizon	10YR 4/3	Historic Building Materials Historic Fauna
			2	0.8 - 1.3ft	compact loamy sand	10YR 5/4	--
			3	1.3 - 2ft	coarse loamy sand with gravel	10YR 5/6	--
Area 2	Shovel Test	34	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	Historic Ceramic Vessel Sher
			2	1.1 - 2ft	silty sand loam with 20% gravel , B	10YR 5/6	--
Area 2	Shovel Test	35	1	0 - 0.7ft	sand loam, Ap horizon	10YR 4/3	Historic Building Materials
			2	0.7 - 1ft	compact loamy sand	10YR 5/4	--
			3	1 - 1.5ft	coarse loamy sand with gravel	10YR 5/6	--
Area 2	Shovel Test	36	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 1.4ft	silty sand, E horizon	10YR 6/4	--
			3	1.4 - 2ft	silty sand loam with gravel , B horiz	10YR 5/6	--
Area 2	Shovel Test	37	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	Historic Glass Vessel Fragm
			2	0.9 - 2.3ft	sand loam	10YR 3/3	--
			3	2.3 - 2.8ft	mottled sand loam	10YR 4/4, 10YR 5/4	--
			4	2.8 - 3ft	fine loamy sand	10YR 6/4	--
Area 2	Shovel Test	38	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials
			2	1 - 2ft	silty sand loam with gravel , B horiz	10YR 5/6	--
Area 2	Shovel Test	39	1	0 - 0.9ft	sand loam, Ap	10YR 4/3	--
			2	0.9 - 1.8ft	sand loam with 20% gravel	10YR 5/4	--
			3	1.8 - 2.3ft	fine loamy sand		--
Area 2	Shovel Test	40	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Ceramic Vessel Sher
			2	1 - 2.3ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	41	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/4	--
			3	1.9 - 2.3ft	fine loamy sand	10YR 6/4	--
Area 2	Shovel Test	42	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	42	2	1 - 2ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	43	1	0 - 1ft	sand loam, Ap horizon	10YR 4/3	--
			2	1 - 1.4ft	compact loamy sand	10YR 5/4	--
			3	1.4 - 2.4ft	wet coarse clayey sand	10YR 5/6	--
Area 2	Shovel Test	44	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials
			2	1 - 2.1ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	45	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.1ft	compact loamy sand, Ap horizon	10YR 5/6	--
			3	1.1 - 1.8ft	coarse loamy sand	7.5YR 5/6	--
Area 2	Shovel Test	46	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2.4ft	silty sand loam with some gravel	10YR 5/6	--
Area 2	Shovel Test	47	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.2ft	compact loamy sand	10YR 5/4	--
			3	1.2 - 2ft	coarse loamy sand	7.5YR 5/6	--
Area 2	Shovel Test	48	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	49	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Tools/Hardware
			2	1 - 2.1ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	50	1	0 - 1.2ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.2 - 2.1ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	51	1	0 - 0.9ft	sand loam, Ap horizon	10YR 4/3	--
			2	0.9 - 1.1ft	compact loamy sand	10YR 5/4	--
			3	1.1 - 1.9ft	coarse loamy sand	7.5YR 5/6	--
Area 2	Shovel Test	52	1	0 - 0.95ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.95 - 1.9ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	53	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	Historic Ceramic Vessel Sher
			2	0.9 - 1.9ft	silty sand, B horizon	10YR 5/6	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	54	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 2.1ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	55	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 2.1ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	56	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 2ft	silty sand, B horizon	10YR 6/4	--
Area 2	Shovel Test	57	1	0 - 1.4ft	compact silty sand, Ap horizon	10YR 4/4	Historic Ceramic Vessel Sher
			2	1.4 - 2ft	slightly mottled transitional lens silt	10YR 5/4	--
			3	2 - 2.9ft	silty sand with sand slightly coarse ,	10YR 6/4	--
Area 2	Shovel Test	58	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.9 - 2.2ft	silty sand loam, B horizon	10YR 5/4	--
Area 2	Shovel Test	59	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	silty sand, B horizon	10YR 5/4	--
Area 2	Shovel Test	60	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials
			2	1 - 1.9ft	silty sand B horizon	10YR 5/6	Historic Ceramic Vessel Sher --
Area 2	Shovel Test	61	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.9 - 1.9ft	sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	62	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	63	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	64	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	Historic Ceramic Vessel Sher
			2	0.9 - 2ft	silty sand B horizon	10YR 5/6	--
Area 2	Shovel Test	65	1	0 - 1.2ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.2 - 2.4ft	silty sand with pebbles B horizon	10YR 5/6	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	66	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.9 - 2.4ft	silty sand with gravel B horizon	10YR 6/4	--
Area 2	Shovel Test	67	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	--
			2	0.9 - 2ft	silty sand loam with gravel , B horiz	7.5YR 5/6	--
Area 2	Shovel Test	68	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	silty sand loam with gravel , B horiz	7.5YR 5/6	--
Area 2	Shovel Test	69	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials
			2	1 - 2ft	silty sand loam with gravel , B horiz	7.5YR 5/6	--
Area 2	Shovel Test	70	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	Historic Building Materials
			2	0.9 - 1.8ft	silty sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	71	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	very fine silty sand, B horizon	10YR 5/6	--
Area 2	Shovel Test	72	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	sandy clay, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	73	1	0 - 1.1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1.1 - 2ft	silty sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	74	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	sand loam, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	75	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	clayey sand, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	76	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 2ft	clayey sand, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	77	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	Historic Personal Items
			2	1 - 2.2ft	clayey sand, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	78	1	0 - 1.1ft	sand loam	10YR 4/4	--
			2	1.1 - 1.6ft	compact loamy sand	10YR 5/4	--
			3	1.6 - 2ft	coarse loamy sand	10YR 5/6	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	79	1	0 - 1ft	sand loam	10YR 4/4	Historic Building Materials
			2	1 - 1.4ft	compact loamy sand	10YR 5/4	--
			3	1.4 - 2ft	coarse loamy sand	10YR 5/8	--
Area 2	Shovel Test	80	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.4ft	loamy sand	10YR 5/4	--
			3	1.4 - 2ft	mottled coarse loamy sand	10YR 5/6, 10YR 7/4	--
Area 2	Shovel Test	81	1	0 - 1.1ft	sand loam	10YR 4/4	--
			2	1.1 - 1.5ft	loamy sand	10YR 5/4	--
			3	1.5 - 1.9ft	coarse loamy sand	10YR 5/6	--
Area 2	Shovel Test	82	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.7ft	loamy sand	10YR 5/4	--
			3	1.7 - 2.2ft	coarse loamy sand	10YR 5/6	--
Area 2	Shovel Test	83	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/4	--
			3	1.9 - 2.3ft	coarse loamy sand	10YR 5/8	--
Area 2	Shovel Test	84	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.7ft	compact loamy sand	10YR 5/4	--
			3	1.7 - 2.1ft	coarse loamy sand	10YR 5/8	--
Area 2	Shovel Test	85	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.6ft	compact loamy sand	10YR 5/4	--
			3	1.6 - 1.9ft	coarse loamy sand	10YR 5/6	--
Area 2	Shovel Test	86	1	0 - 1ft	silty sand, Ap horizon	10YR 4/3	--
			2	1 - 1.9ft	silty sand loam, B horizon	10YR 5/6	--
Area 2	Shovel Test	87	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/4	--
			3	1.6 - 2ft	coarse loamy sand	10YR 5/6	--
Area 2	Shovel Test	88	1	0 - 0.9ft	silty sand, Ap horizon	10YR 4/3	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	88	2	0.9 - 1.9ft	clayey sand, B horizon	7.5YR 5/6	--
Area 2	Shovel Test	89	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.6ft	compact loamy sand	10YR 6/4	--
			3	1.6 - 2ft	mottled coarse loamy sand	10YR 5/6, 10YR 7/4	--
Area 2	Shovel Test	90	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.4ft	compact loamy sand	10YR 5/4	--
			3	1.4 - 1.8ft	coarse clayey sand	10YR 5/8	--
Area 2	Shovel Test	91	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.9ft	loamy sand	10YR 6/4	--
			3	1.9 - 2.4ft	medium to coarse silty sand	10YR 6/8	--
Area 2	Shovel Test	92	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.4ft	compact loamy sand	10YR 5/6	--
			3	1.4 - 1.8ft	coarse clayey sand	10YR 5/8	--
Area 2	Shovel Test	93	1	0 - 1ft	sand loam	10YR 4/6	--
			2	1 - 1.8ft	compact loamy sand	10YR 6/4	--
			3	1.8 - 2.2ft	medium to coarse silty sand	10YR 6/6	--
Area 2	Shovel Test	94	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.8ft	loamy sand	10YR 6/4	--
			3	1.8 - 2.4ft	mottled medium sand	10YR 6/4, 10YR 6/6	--
Area 2	Shovel Test	95	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 5/4	--
			3	1.8 - 2.2ft	moist coarse clayey sand	10YR 6/4	--
Area 2	Shovel Test	96	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 5/4	--
			3	1.8 - 2ft	moist coarse clayey sand	10YR 6/6	--
Area 2	Shovel Test	97	1	0 - 1.2ft	sand loam	10YR 4/4	--
			2	1.2 - 1.8ft	compact loamy sand	10YR 5/4	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 2	Shovel Test	97	3	1.8 - 2.4ft	moist medium clayey sand	10YR 6/4	--
			4	2.4 - 2.8ft	fine sand	10YR 7/4	--
Area 2	Shovel Test	98	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 6/4	--
			3	1.8 - 2.2ft	mottled moist clayey sand	10YR 6/4, 10YR 5/6	--
Area 2	Shovel Test	99	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.4ft	loamy sand	10YR 5/4	--
			3	1.4 - 2ft	moist coarse loamy sand	10YR 5/6	--
Area 2	Shovel Test	100	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 6/4	--
			3	1.8 - 2.1ft	mottled moist loamy sand	10YR 6/4, 10YR 5/8	--
Area 2	Shovel Test	101	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.3ft	compact loamy sand	10YR 5/4	--
			3	1.3 - 1.8ft	moist coarse silty sand	10YR 5/8	--
Area 2	Shovel Test	102	1	0 - 0.9ft	sand loam	10YR 4/4	Historic Ceramic Vessel Sher
			2	0.9 - 1.5ft	compact loamy sand	10YR 5/4	--
			3	1.5 - 2ft	moist coarse silty sand	10YR 5/6	--
Area 3	Shovel Test	200	1	0 - 1ft	silty loam	10YR 4/3	--
			2	1 - 1.9ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	201	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 2.1ft	compact loamy sand	10YR 5/4	--
			3	2.1 - 2.5ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	202	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 1.8ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	203	1	0 - 0.8ft	sand loam	10YR 4/4	--
			2	0.8 - 1.7ft	compact loamy sand	10YR 5/4	--
			3	1.7 - 2.1ft	coarse silty sand	10YR 5/8	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	204	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 1.9ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	205	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	206	1	0 - 1ft	silty loam	10YR 4/3	--
			2	1 - 1.9ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	207	1	0 - 1.1ft	sand loam	10YR 4/4	--
			2	1.1 - 2.3ft	compact loamy sand	10YR 5/6	--
			3	2.3 - 2.8ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	208	1	0 - 1ft	silty loam	10YR 4/3	--
			2	1 - 1.9ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	209	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/6	--
			3	1.9 - 2.2ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	210	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 1.9ft	compact silty sand	10YR 5/8	--
Area 3	Shovel Test	211	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 5/6	--
			3	1.8 - 2.2ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	212	1	0 - 0.9ft	silty loam	10YR 4/3	--
			2	0.9 - 1.7ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	213	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 2.5ft	compact loamy sand	10YR 5/6	--
			3	2.5 - 3ft	coarse silty sand	7.5YR 5/6	--
			4	3 - 3.1ft	coarse sand	7.5YR 5/8	--
Area 3	Shovel Test	214	1	0 - 0.9ft	silty loam	10YR 4/3	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	214	2	0.9 - 2ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	215	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/6	--
			3	1.9 - 2.1ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	216	1	0 - 0.9ft	silty loam	10YR 4/3	--
			2	0.9 - 1.8ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	217	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.7ft	compact loamy sand	10YR 5/6	--
			3	1.7 - 2ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	218	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 1.7ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	219	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/6	--
			3	1.9 - 2.1ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	220	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 1.8ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	221	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.7ft	compact loamy sand	10YR 5/6	--
			3	1.7 - 2.3ft	coarse silty sand	7.5YR 5/6	--
Area 3	Shovel Test	222	1	0 - 0.8ft	silty loam	10YR 4/3	--
			2	0.8 - 2ft	silty sand	10YR 5/8	--
Area 3	Shovel Test	223	1	0 - 0.8ft	sand loam	10YR 4/4	--
			2	0.8 - 2ft	moist loamy sand	10YR 5/6	--
			3	2 - 2.5ft	moist coarse loamy sand	7.5YR 5/8	--
Area 3	Shovel Test	224	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	225	1	0 - 0.9ft	sand loam	10YR 4/4	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	225	2	0.9 - 1.5ft	compact loamy sand	10YR 5/6	--
			3	1.5 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	226	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	227	1	0 - 0.9ft	sand loam	10YR 4/3	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 5/6	--
			3	1.8 - 2.2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	228	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	229	1	0 - 0.9ft	sand loam	10YR 4/3	--
			2	0.9 - 1.5ft	compact loamy sand	10YR 5/6	--
			3	1.5 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	230	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 2ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	231	1	0 - 0.8ft	sand loam	10YR 4/3	--
			2	0.8 - 1.7ft	compact loamy sand	10YR 5/6	--
			3	1.7 - 2.1ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	232	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	233	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	234	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	235	1	0 - 0.8ft	sand loam	10YR 4/3	--
			2	0.8 - 1.2ft	compact loamy sand	10YR 5/4	--
			3	1.2 - ft	compact soil impasse	--	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	236	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	237	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	238	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 2ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	239	1	0 - 0.9ft	sand loam	10YR 4/3	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	240	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 2ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	241	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.9ft	compact loamy sand	10YR 5/6	--
			3	1.9 - 2.2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	242	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 2ft	silty sand loam	7.5YR 5/6	--
Area 3	Shovel Test	243	1	0 - 1.1ft	sand loam	10YR 4/4	--
			2	1.1 - 2.5ft	compact loamy sand	10YR 5/6	--
			3	2.5 - 2.9ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	244	1	0 - 1.1ft	silty sand	10YR 4/3	Historic Building Materials
			2	1.1 - 2ft	silty sand loam	7.5YR 5/6	Historic Glass Vessel Fragm --
Area 3	Shovel Test	245	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.7ft	compact loamy sand	10YR 5/6	--
			3	1.7 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	246	1	0 - 0.8ft	silty sand	10YR 4/3	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	246	2	0.8 - 2ft	silty sand	7.5YR 5/6	--
Area 3	Shovel Test	247	1	0 - 0.8ft	sand loam	10YR 4/4	--
			2	0.8 - 1.8ft	compact loamy sand	10YR 5/6	--
			3	1.8 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	248	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	249	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 2.1ft	coarse silty sand	7.5YR 5/8	--
Area 3	Shovel Test	250	1	0 - 1ft	silty sand	10YR 4/3	--
			2	1 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	251	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.7ft	compact loamy sand	10YR 5/4	--
			3	1.7 - 2ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	252	1	0 - 0.9ft	silty sand	10YR 4/3	--
			2	0.9 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	253	1	0 - 0.8ft	sand loam	10YR 4/4	--
			2	0.8 - 1.6ft	compact loamy sand	10YR 6/3	--
			3	1.6 - 1.9ft	coarse silty sand	10YR 6/4	--
Area 3	Shovel Test	254	1	0 - 0.8ft	silty sand	10YR 4/3	--
			2	0.8 - 1.8ft		7.5YR 5/6	--
Area 3	Shovel Test	255	1	0 - 0.8ft	sand loam	10YR 4/4	--
			2	0.8 - 1.6ft	compact loamy sand	10YR 6/3	--
			3	1.6 - 2ft	coarse silty sand	10YR 6/4	--
Area 3	Shovel Test	256	1	0 - 0.8ft	silty sand	10YR 4/3	--
			2	0.8 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	257	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.2ft	very compact loamy sand	10YR 5/4	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Area 3	Shovel Test	257	3	1.2 - ft	compact soil impasse	--	--
Area 3	Shovel Test	258	1	0 - 0.8ft	silty sand	10YR 4/3	--
			2	0.8 - 1.9ft		7.5YR 5/6	--
Area 3	Shovel Test	259	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.8ft	compact loamy sand	10YR 5/6	--
			3	1.8 - 2.1ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	260	1	0 - 0.8ft	sand loam	10YR 4/3	--
			2	0.8 - 1.7ft	compact loamy sand	10YR 5/6	--
			3	1.7 - 2.4ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	261	1	0 - 0.9ft	sand loam	10YR 4/3	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2.6ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	262	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2.45ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	263	1	0 - 1ft	sand loam	10YR 4/4	--
			2	1 - 1.8ft	compact loamy sand	10YR 5/6	--
			3	1.8 - 2.65ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	264	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.65ft	compact loamy sand	10YR 5/6	--
			3	1.65 - 2.9ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	265	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2.9ft	coarse silty sand	10YR 5/8	--
Area 3	Shovel Test	266	1	0 - 0.9ft	sand loam	10YR 4/4	--
			2	0.9 - 1.6ft	compact loamy sand	10YR 5/6	--
			3	1.6 - 2.9ft	coarse silty sand	10YR 5/8	--

APPENDIX A (Cont.)
SUMMARY OF SUBSURFACE TESTING

Location	Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
* Discarded							