

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
201000	CLEARING AND GRUBBING	LS	1.00
202000	EXCAVATION AND EMBANKMENT	CY	1,049,186.00
202000	EXCAVATION AND EMBANKMENT	CY	56,440.00
202505	SETTLEMENT PLATFORM	EACH	4.00
202505	SETTLEMENT PLATFORM	EACH	4.00
202515	COMPACTING INSITU MATERIAL	SY	720.00
202569	POND ACCESS ROAD, MARYLAND	SY	2,602.00
202572	BORROW AREA EROSION & SEDIMENT CONTROL &	LS	1.00
203000	CHANNEL EXCAVATION	CY	110.00
207000	EXCAVATION AND BACKFILL FOR STRUCTURES	CY	22.00
207000	EXCAVATION AND BACKFILL FOR STRUCTURES	CY	216.00
207000	EXCAVATION AND BACKFILL FOR STRUCTURES	CY	313.00
208000	EXCAVATION AND BACKFILLING FOR PIPE TRE	CY	10,228.00
208000	EXCAVATION AND BACKFILLING FOR PIPE TRE	CY	333.00
208001	FLOWABLE FILL	CY	17.00
208001	FLOWABLE FILL	CY	6.00
209002	BORROW, TYPE B	CY	80,814.00
209002	BORROW, TYPE B	CY	2,837.00
211000	REMOVAL OF STRUCTURES & OBSTRUCTIONS	LS	1.00
211002	REMOVAL OF STRUC & OBSTRUC (GUARDRAIL)	LF	63.00
211521	ABANDONMENT OF WELLS	EACH	6.00
212000	UNDERCUT EXCAVATION	CY	1,892.00
255502	STONE OUTLET STRUCTURE, MARYLAND	TON	3.00
272511	POND OUTLET STRUCTURE, CONC., MARYLAND	LS	1.00
302007	GRADED AGGREGATE BASE COURSE, TYPE B	CY	23,018.00
302007	GRADED AGGREGATE BASE COURSE, TYPE B	CY	966.00
302011	DELAWARE NO. 3 STONE	TON	1,380.00
304501	PERMEABLE TREATED BASE, 4"	SY	129,994.00
304501	PERMEABLE TREATED BASE, 4"	SY	14,264.00
304502	SOIL CEMENT BASE COURSE, 6"	SY	126,083.00
304502	SOIL CEMENT BASE COURSE, 6"	SY	13,852.00
304506	PORTLAND CEMENT	TON	2,741.00
304506	PORTLAND CEMENT	TON	247.00
401801	BIT CONC, SP, TY C, 160 GYRA, PG 64-22 (TON	4,257.00
401801	BIT CONC, SP, TY C, 160 GYRA, PG 64-22 (TON	547.00
401810	BIT CONC, SP, TY B, 160 GYRA, PG 64-22	TON	15,969.00
401810	BIT CONC, SP, TY B, 160 GYRA, PG 64-22	TON	63.00
401819	BIT CONC, SP, BCBC, 160 GYRA, PG 64-22	TON	19,086.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
401819	BIT CONC, SP, BCBC, 160 GYRA, PG 64-22	TON	2,232.00
401825	BIT CONC, SP, TY B, 160 GYRA, PG 64-22,	TON	3.00
401825	BIT CONC, SP, TY B, 160 GYRA, PG 64-22,	TON	33.00
401827	BIT CONC, SP, TY C, 160 GYRA, PG 64-22	TON	7,916.00
401827	BIT CONC, SP, TY C, 160 GYRA, PG 64-22	TON	2,772.00
501006	PORTLAND CEMENT CONCRETE PAVEMENT, 12"	SY	129,978.00
501006	PORTLAND CEMENT CONCRETE PAVEMENT, 12"	SY	14,264.00
602006	PCC MASONRY, PIER FOOTING, CLASS B	CY	94.00
602006	PCC MASONRY, PIER FOOTING, CLASS B	CY	178.00
602007	PCC MASONRY, PIER ABOVE FOOTING, CLASS A	CY	70.00
602007	PCC MASONRY, PIER ABOVE FOOTING, CLASS A	CY	111.00
602013	P.C.C. MASONRY, SUPERSTRUCTURE CLASS D	CY	195.00
602013	P.C.C. MASONRY, SUPERSTRUCTURE CLASS D	CY	443.00
602014	P.C.C. MASONRY APPROACH SLAB, CLASS D	CY	110.00
602014	P.C.C. MASONRY APPROACH SLAB, CLASS D	CY	237.00
602015	PCC MASONRY, ABUT ABOVE FOOTING, CLASS A	CY	70.00
602015	PCC MASONRY, ABUT ABOVE FOOTING, CLASS A	CY	120.00
602017	P.C.C. MASONRY, PARAPET, CLASS A	CY	50.00
602017	P.C.C. MASONRY, PARAPET, CLASS A	CY	51.00
602772	MECHANICALLY STABILIZED EARTH WALLS	LS	1.00
602772	MECHANICALLY STABILIZED EARTH WALLS	LS	1.00
604000	BAR REINFORCEMENT, EPOXY COATED	LB	135,000.00
604000	BAR REINFORCEMENT, EPOXY COATED	LB	258,953.00
605755	OVERHEAD SIGN SUPPORTS AND FOUNDATIONS	LS	1.00
608000	COARSE AGGR FOR FND STAB & SUBFND BCKFL	TON	43.00
608000	COARSE AGGR FOR FND STAB & SUBFND BCKFL	TON	18.00
612020	REINFORCED CONCRETE PIPE, 12", CLASS IV	LF	696.00
612022	REINFORCED CONCRETE PIPE, 18", CLASS IV	LF	5,973.00
612022	REINFORCED CONCRETE PIPE, 18", CLASS IV	LF	70.00
612023	REINFORCED CONCRETE PIPE, 24", CLASS IV	LF	2,800.00
612023	REINFORCED CONCRETE PIPE, 24", CLASS IV	LF	362.00
612025	REINFORCED CONCRETE PIPE, 30", CLASS IV	LF	2,426.00
612026	REINFORCED CONCRETE PIPE, 30" CLASS V	LF	176.00
612027	REINFORCED CONCRETE PIPE, 42", CLASS IV	LF	945.00
612028	REINFORCED CONCRETE PIPE, 48", CLASS IV	LF	206.00
612030	REINFORCED CONCRETE PIPE, 18", CLASS V	LF	304.00
612031	REINFORCED CONCRETE PIPE, 24", CLASS V	LF	528.00
612034	REINFORCED CONCRETE PIPE, 36", CLASS IV	LF	777.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
612038	REINFORCED CONCRETE PIPE, 60", CLASS IV	LF	1,065.00
612049	REINFORCED CONCRETE PIPE, 12", CLASS V	LF	140.00
612205	REIN CON ELLIPT PIPE, 19"X30", CLASS IV	LF	679.00
612205	REIN CON ELLIPT PIPE, 19"X30", CLASS IV	LF	88.00
612210	REIN CON ELLIPT PIPE, 22"X34", CLASS IV	LF	66.00
612216	REINFORCED CONCRETE ELLIPTICAL PIPE, 14"	LF	816.00
612219	REINFORCED CONCRETE ELLIPTICAL PIPE, 24"	LF	394.00
612526	CORRUGATED POLYETHYLENE PIPE, TYPE S, 36	LF	100.00
612535	CLEANING DRAINAGE PIPE, 15"-24" DIA	LF	858.00
612535	CLEANING DRAINAGE PIPE, 15"-24" DIA	LF	70.00
612536	CLEANING DRAINAGE PIPE, GREATER THAN 24"	LF	296.00
612536	CLEANING DRAINAGE PIPE, GREATER THAN 24"	LF	255.00
614003	G.C.S.P., 18", 16 GAGE, 2-2/3" X 1/2" CO	LF	400.00
614003	G.C.S.P., 18", 16 GAGE, 2-2/3" X 1/2" CO	LF	608.00
614003	G.C.S.P., 18", 16 GAGE, 2-2/3" X 1/2" CO	LF	608.00
614005	G.C.S.P., 24", 16 GAGE, 2-2/3" X 1/2" CO	LF	400.00
614005	G.C.S.P., 24", 16 GAGE, 2-2/3" X 1/2" CO	LF	608.00
617001	R.C. FLARED END SECTION, 12"	EACH	15.00
617003	R.C. FLARED END SECTION, 18"	EACH	51.00
617005	R.C. FLARED END SECTION, 24"	EACH	19.00
617007	R.C. FLARED END SECTION, 30"	EACH	12.00
617164	R.C. FLARED END SECTION, 19"X30"	EACH	4.00
617165	R.C. FLARED END SECTION, 14"X23"	EACH	4.00
617174	R.C. FLARED END SECTION, 24"X38"	EACH	2.00
617518	DRAINAGE HEADWALLS, MODIFIED	LS	1.00
617519	CONCRETE END SECTION, 24", MARYLAND	EACH	4.00
617520	CONCRETE END SECTION, 19"X30", MARYLAND	EACH	1.00
617521	CONCRETE END SECTION, 22"X34", MARYLAND	EACH	1.00
618050	FURN STEEL SHELL PILES, 14"	LF	1,612.00
618051	FURN TEST STEEL SHELL PILES, 14"	LF	121.00
618062	STEEL H PILES, HP 14 X 73	LF	854.00
618062	STEEL H PILES, HP 14 X 73	LF	1,836.00
618065	STEEL H TEST PILES, HP 14 X 73	LF	142.00
618065	STEEL H TEST PILES, HP 14 X 73	LF	135.00
618552	FURN PIPE PILE, SCH 40, OPEN END, 14"	LF	924.00
618552	FURN PIPE PILE, SCH 40, OPEN END, 14"	LF	2,156.00
618557	FURN TEST PIPE PILE, SCHED 40, OPEN END	LF	152.00
618557	FURN TEST PIPE PILE, SCHED 40, OPEN END	LF	155.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
619042	INSTALL STEEL H PILES, HP 14 X 73	LF	854.00
619042	INSTALL STEEL H PILES, HP 14 X 73	LF	1,836.00
619045	INSTALL STEEL H TEST PILES, HP 14 X 73	LF	142.00
619045	INSTALL STEEL H TEST PILES, HP 14 X 73	LF	135.00
619055	INST STEEL SHELL PILES, 14"	LF	1,612.00
619056	INST TEST STEEL SHELL PILES, 14"	LF	121.00
619501	PRODUCTION PILE RESTRIKE	EACH	1.00
619501	PRODUCTION PILE RESTRIKE	EACH	1.00
619501	PRODUCTION PILE RESTRIKE	EACH	1.00
619501	PRODUCTION PILE RESTRIKE	EACH	1.00
619501	PRODUCTION PILE RESTRIKE	EACH	1.00
619502	TEST PILE RESTRIKE	EADY	1.00
619502	TEST PILE RESTRIKE	EADY	1.00
619502	TEST PILE RESTRIKE	EADY	1.00
619502	TEST PILE RESTRIKE	EADY	1.00
619502	TEST PILE RESTRIKE	EADY	1.00
619519	DYNAMIC PILE TESTING BY CONTRACTOR	EACH	4.00
619519	DYNAMIC PILE TESTING BY CONTRACTOR	EACH	4.00
619519	DYNAMIC PILE TESTING BY CONTRACTOR	EACH	4.00
619519	DYNAMIC PILE TESTING BY CONTRACTOR	EACH	4.00
619519	DYNAMIC PILE TESTING BY CONTRACTOR	EACH	4.00
619539	SIGNAL MATCHING ANALYSIS BY CONTRACTOR	EACH	4.00
619539	SIGNAL MATCHING ANALYSIS BY CONTRACTOR	EACH	4.00
619539	SIGNAL MATCHING ANALYSIS BY CONTRACTOR	EACH	4.00
619539	SIGNAL MATCHING ANALYSIS BY CONTRACTOR	EACH	4.00
619539	SIGNAL MATCHING ANALYSIS BY CONTRACTOR	EACH	4.00
619540	INSTALL PIPE PILE, SCH 40, OPEN END, 14"	LF	924.00
619540	INSTALL PIPE PILE, SCH 40, OPEN END, 14"	LF	2,156.00
619558	INST TEST PIPE PILE, SCHED 40, OPEN END,	LF	152.00
619558	INST TEST PIPE PILE, SCHED 40, OPEN END,	LF	155.00
623003	PRESTRESS REIN CONC MEMBERS, BULB T BEAM	LS	1.00
623003	PRESTRESS REIN CONC MEMBERS, BULB T BEAM	LS	1.00
701011	PORTLAND CEMENT CONCRETE CURB, TYPE 2	LF	6,204.00
701012	PORTLAND CEMENT CONCRETE CURB, TYPE 1-4	LF	1,877.00
701016	IPCC CURB & GUTTER, TYPE 1-4	LF	1,408.00
701022	IPCC CURB & GUTTER, TYPE 3-8	LF	3,084.00
705001	P.C.C. SIDEWALK, 4"	SF	6,738.00
705002	P.C.C. SIDEWALK, 6"	SF	29,291.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
705007	SIDEWALK SURFACE DETECTABLE WARNING SYST	SF	100.00
707005	UNDERDRAIN OUTLET	EACH	134.00
708050	DRAINAGE INLET, 34" X 18"	EACH	17.00
708051	DRAINAGE INLET, 34" X 24"	EACH	14.00
708052	DRAINAGE INLET, 48" X 30"	EACH	14.00
708053	DRAINAGE INLET, 48" X 48"	EACH	12.00
708055	DRAINAGE INLET, 66" X 48"	EACH	3.00
708057	DRAINAGE INLET, 72" X 24"	EACH	4.00
708058	DRAINAGE INLET, 72" X 48"	EACH	3.00
708105	MANHOLE (SANITARY)	EACH	4.00
708111	MANHOLE, 48" X 30"	EACH	18.00
708112	MANHOLE, 48" X 48"	EACH	1.00
708114	MANHOLE, 66" X 48"	EACH	3.00
708583	PERSONNEL GRATE FOR PIPE INLET	EACH	6.00
708585	JUNCTION BOX, 48" X 30"	EACH	1.00
708658	DRAINAGE INLETS, MODIFIED	LS	1.00
708659	DRAINAGE MANHOLES, MODIFIED	LS	1.00
708660	DRAINAGE INLET, TYPE K, SINGLE, MARYLAND	EACH	6.00
712005	RIPRAP, R-4	SY	2,154.00
712005	RIPRAP, R-4	SY	783.00
712006	RIPRAP, R-5	SY	373.00
712007	RIPRAP, R-6	SY	31.00
712531	CHANNEL BED FILL	CY	15.00
712552	RIPRAP SLOPE PROTECTION, MARYLAND	SY	476.00
713002	GEOTEXTILES, SEPARATION	SY	7,306.00
713003	GEOTEXTILES, RIPRAP	SY	3,776.00
713003	GEOTEXTILES, RIPRAP	SY	703.00
715001	PERFORATED PIPE UNDERDRAINS, 6"	LF	61,887.00
715001	PERFORATED PIPE UNDERDRAINS, 6"	LF	3,238.00
715500	UNDERDRAIN OUTLET PIPE, 6"	LF	3,642.00
715500	UNDERDRAIN OUTLET PIPE, 6"	LF	273.00
716000	CONVERTING EXISTING CATCH BASIN TO JUNCT	EACH	1.00
720043	GALV STEEL BEAM GUARDRAIL, TY 1-27	LF	653.00
720044	GALV STEEL BEAM GUARDRAIL, TY 2-27	LF	63.00
720050	GALVANIZED STEEL BEAM GUARDRAIL, TY 1-31	LF	6,863.00
720051	GALVANIZED STEEL BEAM GUARDRAIL, TY 2-31	LF	50.00
720052	GALVANIZED STEEL BEAM GUARDRAIL, TY 3-31	LF	2,275.00
720055	CURVED GUARDRAIL SECTION	LF	532.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
720585	GUARDRAIL END TREATMENT ATTEN.,TY 1-31	EACH	5.00
720585	GUARDRAIL END TREATMENT ATTEN.,TY 1-31	EACH	1.00
720586	GUARDRAIL END TREATMENT ATTEN., TY 2-31	EACH	11.00
720588	GUARDRAIL END TREATMENT ATTEN., TY 3-31	EACH	10.00
720611	FLEXIBLE DELINEATOR, PERMANENT	EACH	183.00
720611	FLEXIBLE DELINEATOR, PERMANENT	EACH	17.00
720626	CONCRETE SINGLE FACE BARRIER, TYPE I	LF	630.00
725001	GUARDRAIL TO BARRIER CONN. (EXIT TY 31)	EACH	5.00
725002	G/R TO BARR. CONN., APPROACH TY 1-31	EACH	7.00
726001	END ANCHORAGE 31	EACH	21.00
727000	RIGHT-OF-WAY FENCE	LF	27,099.00
727001	RIGHT-OF-WAY FENCE GATE	EACH	3.00
727014	CONSTRUCTION SAFETY FENCE	LF	621.00
727507	BRIDGE SAFETY FENCE	LF	290.00
727507	BRIDGE SAFETY FENCE	LF	354.00
727552	RESOURCE PROTECTION FENCE	LF	5,636.00
727552	RESOURCE PROTECTION FENCE	LF	1,785.00
727553	DIVERSION FENCE, MARYLAND	LF	335.00
734555	TEMP VEGETATIVE STABILIZATION, MARYLAND	SY	91,022.00
734556	PERM VEGETATIVE STABILIZATION, MARYLAND	SY	91,022.00
735501	HERBICIDE APPLICATION, NOXIOUS WEEDS	ACRE	50.00
737523	PLANTINGS	LS	1.00
737531	PLANTINGS, MARYLAND	LS	1.00
743000	MAINTENANCE OF TRAFFIC	LS	1.00
743003	ARROWPANELS, TYPE C	EADY	189.00
743003	ARROWPANELS, TYPE C	EADY	4.00
743004	FURN & MAINT PORT CHANGEABLE MESSAGE SIG	EADY	317.00
743004	FURN & MAINT PORT CHANGEABLE MESSAGE SIG	EADY	72.00
743005	FURN & MAINT PORT LIGHT ASSEMBLY	EADY	91.00
743006	PLASTIC DRUMS	EADY	290,542.00
743006	PLASTIC DRUMS	EADY	57,020.00
743007	TRAFFIC OFFICERS	HOUR	540.00
743010	FURNISH & MAIN. TMA, TYPE II	EADY	534.00
743010	FURNISH & MAIN. TMA, TYPE II	EADY	223.00
743015	FURN AND MAIN PORT PCC SAFETY BARRIER	LF	1,745.00
743015	FURN AND MAIN PORT PCC SAFETY BARRIER	LF	2,205.00
743016	RELOCATING PORTABLE SAFETY BARRIER	LF	1,960.00
743016	RELOCATING PORTABLE SAFETY BARRIER	LF	1,190.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
743023	TEMPORARY BARRICADES, TYPE III	LFDY	271,614.00
743023	TEMPORARY BARRICADES, TYPE III	LFDY	10,650.00
743024	TEMPORARY WARNING SIGNS AND PLAQUES	EADY	65,228.00
743024	TEMPORARY WARNING SIGNS AND PLAQUES	EADY	32,564.00
743025	INSTALL TEMPORARY IMPACT ATTENUATOR	EACH	11.00
743025	INSTALL TEMPORARY IMPACT ATTENUATOR	EACH	5.00
743029	FURN TEMP IMPACT ATTEN NON-GATING, REDIR	EACH	9.00
743029	FURN TEMP IMPACT ATTEN NON-GATING, REDIR	EACH	2.00
743030	RELOCATE TEMPORARY IMPACT ATTENUATOR	EACH	3.00
743030	RELOCATE TEMPORARY IMPACT ATTENUATOR	EACH	2.00
743031	ATSSA CERTIFIED TRAFFIC CONTROL SUPERVIS	HOURL	1,574.00
743050	FLAGGER, NEW CASTLE COUNTY	HOURL	5,730.00
743062	FLAGGER, NEW CASTLE COUNTY, STATE, OVERT	HOURL	1,146.00
744506	CONDUIT JUNCTION WELL, TYPE 7, PRECAST	EACH	17.00
744506	CONDUIT JUNCTION WELL, TYPE 7, PRECAST	EACH	2.00
744519	RELOCATION OF EXISTING JUNCTION WELL	EACH	8.00
744520	CONDUIT JUNCTION WELL, TYPE 1, PRECAST C	EACH	4.00
744523	CONDUIT JUNCTION WELL, TYPE 4, PRECAST	EACH	1.00
744530	CONDUIT JUNCTION WELL, TYPE 11, PRECAST	EACH	126.00
744530	CONDUIT JUNCTION WELL, TYPE 11, PRECAST	EACH	9.00
744531	CONDUIT JUNCTION WELL, TYPE 14, PRECAST	EACH	52.00
744531	CONDUIT JUNCTION WELL, TYPE 14, PRECAST	EACH	4.00
744541	FURNISH & INSTALL FRAME AND LID FOR JUNC	EACH	3.00
744542	FURNISH & INSTALL FRAME AND LID FOR JUNC	EACH	1.00
744544	ADJUST OR REPAIR EXISTING CONDUIT JUNCTI	EACH	6.00
745602	FURNISH & INSTALL UP TO 4" SCHEDULE 80 H	LF	651.00
745602	FURNISH & INSTALL UP TO 4" SCHEDULE 80 H	LF	295.00
745604	FURNISH & INSTALL UP TO 4" SCHEDULE 80 P	LF	44,535.00
745604	FURNISH & INSTALL UP TO 4" SCHEDULE 80 P	LF	2,880.00
745606	FURNISH & INSTALL UP TO 4" GALVANIZED ST	LF	2,112.00
745606	FURNISH & INSTALL UP TO 4" GALVANIZED ST	LF	5.00
745609	FURNISH & INSTALL UP TO 4" GALVANIZED ST	LF	20.00
746509	RELOCATING LIGHT POLE	EACH	13.00
746511	CABLES, 1/#4 AWG	LF	3,986.00
746512	CABLES, 1/#6 AWG	LF	33,809.00
746513	CABLES, 1/#8 AWG	LF	318.00
746515	INSULATED GROUND CABLES, 1/#6	LF	5,408.00
746517	ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 30'	EACH	19.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
746519	ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 40'	EACH	16.00
746527	CABLES, 1/#2 AWG	LF	12,711.00
746541	INST. OF ELEC. WIRE OR CABLE IN EMPTY CO	LF	18,748.00
746564	INSULATED GROUND CABLES, 1/#4	LF	625.00
746577	INSULATED GROUND CABLE, 1/#8	LF	165.00
746586	RELOCATE SIGN	SF	140.00
746586	RELOCATE SIGN	SF	52.00
746590	FURNISH & INSTALL GROUND ROD	EACH	8.00
746594	LUMINAIRE (HPS), 250 WATT	EACH	45.00
746595	ALUMINUM LIGHTING STANDARD, 40' POLE	EACH	48.00
746598	INSULATED GROUND CABLE , 1/#2	LF	3,234.00
746615	PVC SCHEDULE 40 DUCT, 6"	LF	80.00
746622	CABLES, 1/#4/0 AWG	LF	6,868.00
746653	ELECTRICAL TESTING	LS	1.00
746669	LUMINAIRE (HPS), 150 WATTS	EACH	19.00
746716	ELECTRIC SERVICE ON PEDESTAL	EACH	1.00
746817	CABLES, 1/#2/0 AWG	LF	9,953.00
746847	POLE BASE, TYPE 3	EACH	4.00
746850	POLE BASE, TYPE 4	EACH	4.00
746852	POLE BASE, TYPE 6	EACH	82.00
746852	POLE BASE, TYPE 6	EACH	2.00
746861	INSULATED GROUND CABLES, 1/350 KCMIL	LF	6,621.00
746872	LIGHTING CONTROL AND DISTRIBUTION ENCLOS	EACH	2.00
746903	INSULATED GROUND CABLES, 1/#2/0	LF	4,033.00
746904	INSULATED GROUND CABLES, 1/#4/0	LF	1,871.00
746924	FURNISH & INSTALL LOOP WIRE 1-CONDUCTOR	LF	3,504.00
746951	RELOCATING POLE & MAST ARM	EACH	1.00
747515	CABINET BASE, TYPE M	EACH	4.00
747516	CABINET BASE, TYPE P	EACH	3.00
748015	PERM PAVT STRIP SYM/LEG ALKYD THERMOPLAS	SF	4,301.00
748019	TEMPORARY MARKINGS, PAINT, 4"	LF	9,351.00
748026	TEMPORARY MARKINGS, PAINT SYMBOL/LEGEND	SF	276.00
748032	TEMPORARY MARKINGS, PAINT, 5"	LF	258.00
748032	TEMPORARY MARKINGS, PAINT, 5"	LF	9,079.00
748033	PERM PAVT STRIPING, ALKYD-THERMOPL 5"	LF	62.00
748034	TEMPORARY MARKINGS, PAINT, 10"	LF	810.00
748502	RAISED/RECESSED PAVEMENT MARKER	EACH	533.00
748525	TEMPORARY MARKINGS, TAPE, 4"	LF	37,313.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
748525	TEMPORARY MARKINGS, TAPE, 4"	LF	10,915.00
748527	TEMPORARY MARKINGS, TAPE, WORDS/SYMBOLS	SF	520.00
748527	TEMPORARY MARKINGS, TAPE, WORDS/SYMBOLS	SF	120.00
748530	REMOVAL OF PAVEMENT STRIPING	SF	10,624.00
748530	REMOVAL OF PAVEMENT STRIPING	SF	3,551.00
748548	PERM PAVT STRIPING, EPOXY, 5"	LF	146,717.00
748549	PERM PAVT STRIPING, EPOXY, 10"	LF	3,812.00
748553	PREFORMED RETROREFLECTIVE THERMO PVMT MA	EACH	49.00
748557	PERM PVMT STRIPING, EPOXY RESIN PAINT, B	LF	23,558.00
748560	5" WHITE PERM PREFORMED PATT REFLEC TAPE	LF	20,532.00
748563	SNOWPLOWABLE RAISED PAVEMENT MARKERS, MD	EACH	115.00
748566	RETROREF PREFORM PATT MARKINGS, 8"	LF	5,475.00
748567	RETROREF PREFORM PATT MARKINGS, 13"	LF	395.00
749500	SIGN PANEL	SF	2,553.00
749500	SIGN PANEL	SF	320.00
749516	REINFORCED CONC SIGN FOUNDATION, W-6	EACH	12.00
749516	REINFORCED CONC SIGN FOUNDATION, W-6	EACH	4.00
749517	REINFORCED CONC SIGN FOUNDATION, W-8	EACH	2.00
749518	REINFORCED CONC SIGN FOUNDATION, W-10	EACH	4.00
749521	SUPP OF BREAKAWAY I-BEAM SIGN POSTS, W-6	LF	190.00
749521	SUPP OF BREAKAWAY I-BEAM SIGN POSTS, W-6	LF	67.00
749522	SUPP OF BREAKAWAY I-BEAM SIGN POSTS, W-8	LF	40.00
749523	SUPP OF BREAKAWAY I-BEAM SIGN POST, W-10	LF	95.00
749532	SUPP OF FLAT SHEET ALUMIN SGN PNL TY IX	SF	20.00
749550	INSTALLATION OF BREAKAWAY I-BEAM SIGN PO	EACH	28.00
749550	INSTALLATION OF BREAKAWAY I-BEAM SIGN PO	EACH	6.00
749581	REINFORCED CONC SIGN FOUNDATION, W-18	EACH	10.00
749581	REINFORCED CONC SIGN FOUNDATION, W-18	EACH	2.00
749582	SUPPLY OF BREAKAWAY I-BEAM SIGN POSTS, W	LF	258.00
749582	SUPPLY OF BREAKAWAY I-BEAM SIGN POSTS, W	LF	52.00
749687	INSTALLATION OR REMOVAL OF TRAFFIC SIGN	EACH	196.00
749687	INSTALLATION OR REMOVAL OF TRAFFIC SIGN	EACH	26.00
749688	INSTALLATION OF 4" DIA HOLE, LESS THAN O	EACH	10.00
749689	INSTALLATION OF 4" DIA HOLE, GREATER THA	EACH	4.00
749690	INSTALLATION OR REMOVAL OF TRAFFIC SIGNS	SF	1,069.00
749690	INSTALLATION OR REMOVAL OF TRAFFIC SIGNS	SF	477.00
753503	INSTALLING SANITARY SEWER, PVC, 12"	LF	262.00
758000	REMOVAL EXIST. PCC PAV'T CURB SIDEWALK	SY	19,253.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
759506	FIELD OFFICE, TYPE II.22 SPECIAL COMPLEX	EAMO	36.00
760006	PAVEMENT - MILLING, HOT-MIX, 2" DEPTH	SY	21,343.00
760012	RUMBLE STRIPS, BIKE-FRIENDLY, HOT-MIX	LF	22,362.00
760016	RUMBLE STRIPS, HOT-MIX	LF	11,700.00
760017	RUMBLE STRIPS, CONCRETE	LF	59,567.00
760017	RUMBLE STRIPS, CONCRETE	LF	5,800.00
760507	PROFILE MILLING, BITUMINOUS CONCRETE	SYIN	6,786.00
760507	PROFILE MILLING, BITUMINOUS CONCRETE	SYIN	2,887.00
762001	SAW CUTTING, BITUMINOUS CONCRETE	LF	4,764.00
762001	SAW CUTTING, BITUMINOUS CONCRETE	LF	2,763.00
762002	SAW CUTTING, CONCRETE (FULL DEPTH)	LF	697.00
763000	INITIAL EXPENSE	LS	1.00
763501	CONSTRUCTION ENGINEERING	LS	1.00
763508	PROJECT CONTROL SYSTEM DEVELOPMENT PLN	LS	1.00
763509	CPM SCHEDULE UPDATES AND/OR REVISIONS	EAMO	36.00
763518	ELECTRICAL WORK, TOLL PLAZA	LS	1.00
763519	MECHANICAL WORK, TOLL PLAZA	LS	1.00
763568	EMERGENCY GENERATOR	LS	1.00
763573	SIGN, MARYLAND	EACH	1.00
763597	UTILITY CONSTRUCTION ENGINEERING	HOURL	100.00
763619	WEIGH IN MOTION SYSTEM (WIM)	LS	1.00
763641	ARCHITECTURAL WORK, TOLL PLAZA	LS	1.00
763656	ASBUILT CERTIFICATION, MARYLAND	LS	1.00
763686	TRAFFIC OFFICER, MARYLAND	HOURL	240.00
763688	PLUMBING SYSTEM	LS	1.00
763689	STRUCTURAL WORK, GANTRY	LS	1.00
763691	FLAGGER, MARYLAND, STATE	HOURL	500.00
763692	FLAGGER, MARYLAND, STATE, OVERTIME	HOURL	100.00
905001	SILT FENCE	LF	12,571.00
905001	SILT FENCE	LF	216.00
905002	REINFORCED SILT FENCE	LF	45,734.00
905003	SEDIMENT TRAP	CY	1,303.00
905003	SEDIMENT TRAP	CY	2,818.00
905004	INLET SEDIMENT CONTROL, DRAINAGE INLET	EACH	16.00
905004	INLET SEDIMENT CONTROL, DRAINAGE INLET	EACH	7.00
905005	INLET SEDIMENT CONTROL, CURB INLET	EACH	11.00
905500	SUPER SILT FENCE	LF	5,311.00
906001	PORTABLE SEDIMENT TANK	EACH	1.00

State of Delaware

Department of Transportation

Project No: T200811301B

Desc: US 301, MARYLAND STATE LINE TO LEVELS ROAD

Item	Description	UOM	Quantity
906002	DEWATERING BAG	EACH	9.00
906002	DEWATERING BAG	EACH	1.00
906003	SUMP PIT	EACH	1.00
906004	SKIMMER DEWATERING DEVICE	EACH	11.00
907011	STONE CHECK DAM	TON	47.00
907011	STONE CHECK DAM	TON	9.00
908010	TOPSOILING, 6" DEPTH	SY	500,754.00
908010	TOPSOILING, 6" DEPTH	SY	53,274.00
908014	PERMANENT GRASS SEEDING, DRY GROUND	SY	519,169.00
908015	PERMANENT GRASS SEEDING, WET GROUND	SY	450,305.00
908017	TEMPORARY GRASS SEEDING	SY	468,154.00
908019	STREAMBANK SEED MIX, SEEDING	SY	50.00
908020	EROSION CONTROL BLANKET MULCH	SY	123,047.00
908020	EROSION CONTROL BLANKET MULCH	SY	7,828.00
908021	TURF REINFORCEMENT MATTING, TYPE 1	SY	1,824.00
908023	STABILIZED CONSTRUCTION ENTRANCE	TON	1,259.00
908023	STABILIZED CONSTRUCTION ENTRANCE	TON	529.00
908503	WETLAND MITIGATION GRASS SEEDING	SY	25,854.00
909002	SANDBAG DIVERSION	CF	54.00
909005	STREAM DIVERSION	LS	1.00
910004	CLAY BORROW, CUT-OFF TRENCH	CY	2,981.00
910004	CLAY BORROW, CUT-OFF TRENCH	CY	4,926.00
910007	OUTLET STRUCTURE	LS	1.00
910009	INFILTRATION TRENCH	LF	200.00